R3850-1 161A

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS



UNITED STATES



1981



Length of Stay by Diagnosis, United States, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data. 1

Data Quality. 2

Coverage 3

Organization of Length of Stay Tables. 5

Definition of Multiple Diagnosis Patients 5

Definition of Operated Patients 5

Explanation of Statistics. 6

Defining the Extended Stay Case 7

Length of Stay Tables 17

Summary of All Patients. 18

Summary of All Patients Except Newborn 19

Diagnosis Groups 1-398 20

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


West
Pacific**
Mountain
North Central
West North Central
East North Central
Northeast
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

1,421 Hospitals, United States, January–December 1981

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	978389	3.4	11	1	1	3	4	5	7	14
20-34	624181	4.0	24	1	1	3	4	7	11	27
35-49	224076	5.9	39	1	1	4	7	12	17	31
50-64	193337	6.5	42	1	1	5	8	13	18	32
65+	185311	7.4	51	1	2	6	9	15	20	37
B. *Operated*										
0-19 YRS	402575	3.0	11	<1	1	2	3	6	8	16
20-34	777357	3.7	12	<1	1	3	5	7	9	16
35-49	351680	4.9	23	1	1	3	6	10	13	23
50-64	330296	6.0	35	1	2	4	8	13	17	28
65+	303977	7.3	56	1	2	5	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	590611	4.8	30	1	2	4	5	8	12	30
20-34	394388	6.1	47	1	1	4	7	12	18	35
35-49	394804	7.2	46	1	2	5	9	14	20	35
50-64	668993	8.1	53	2	2	6	10	16	21	37
65+	1234090	10.0	78	2	3	8	12	19	26	49
B. *Operated*										
0-19 YRS	235182	5.3	67	<1	1	3	5	11	18	49
20-34	661960	5.7	40	1	2	4	6	10	15	35
35-49	451280	7.6	63	1	2	6	9	15	21	43
50-64	548024	10.0	104	2	2	7	13	21	29	57
65+	709820	13.4	157	2	2	10	18	28	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2205294	4.5	25	1	1	3	5	8	12	27
B. *Operated*	2165885	4.6	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	3282886	7.9	61	1	2	6	10	16	22	41
B. *Operated*	2606266	9.0	102	1	2	6	11	20	28	56
1. SINGLE DX	4371179	4.5	25	1	1	3	5	9	13	26
2. MULTIPLE DX	5889152	8.3	79	1	2	6	10	18	25	48
A. NOT OPERATED	5488180	6.5	49	1	2	4	8	14	19	36
B. OPERATED	4772151	7.0	72	1	1	4	8	16	22	45
TOTAL 0-19 YRS	2206757	3.9	23	1	1	3	4	7	9	24
20-34	2457886	4.7	29	1	1	3	5	9	12	28
35-49	1421840	6.5	46	1	1	5	8	13	18	34
50-64	1740650	8.1	67	1	2	6	10	17	23	43
65+	2433198	10.4	101	2	2	8	13	22	29	56
GRAND TOTAL	10260331	6.7	60	1	2	4	8	14	21	41

1,421 Hospitals, United States, January–December 1981

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394955	3.8	23	1	1	3	4	7	9	25
20-34	624181	4.0	24	1	1	3	4	7	11	27
35-49	224076	5.9	39	1	1	4	7	12	17	31
50-64	193337	6.5	42	1	1	5	8	13	18	32
65+	185311	7.4	51	1	2	6	9	15	20	37
B. *Operated*										
0-19 YRS	402281	3.0	11	<1	1	2	3	6	8	16
20-34	777357	3.7	12	<1	1	3	5	7	9	16
35-49	351680	4.9	23	1	1	3	6	10	13	23
50-64	330296	6.0	35	1	2	4	8	13	17	28
65+	303977	7.3	56	1	2	5	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327471	4.8	36	1	1	3	5	9	13	32
20-34	394388	6.1	47	1	1	4	7	12	18	35
35-49	394804	7.2	46	1	2	5	9	14	20	35
50-64	668993	8.1	53	2	2	6	10	16	21	37
65+	1234090	10.0	78	2	3	8	12	19	26	49
B. *Operated*										
0-19 YRS	226575	4.8	49	<1	1	3	5	9	15	39
20-34	661960	5.7	40	1	2	4	6	10	15	35
35-49	451280	7.6	63	1	2	6	9	15	21	43
50-64	548024	10.0	104	2	2	7	13	21	29	57
65+	709820	13.4	157	2	2	10	18	28	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1621860	4.9	33	1	1	3	5	10	14	29
B. *Operated*	2165591	4.6	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	3019746	8.1	63	1	2	6	10	16	22	42
B. *Operated*	2597659	8.9	100	1	2	6	11	20	28	56
1. SINGLE DX	3787451	4.7	29	1	1	3	5	10	14	27
2. MULTIPLE DX	5617405	8.5	80	1	2	6	10	18	25	49
A. NOT OPERATED	4641606	7.0	55	1	2	5	9	15	20	38
B. OPERATED	4763250	7.0	71	1	1	4	8	15	22	45
TOTAL 0-19 YRS	1351282	4.0	28	1	1	3	4	7	11	27
20-34	2457886	4.7	29	1	1	3	5	9	12	28
35-49	1421840	6.5	46	1	1	5	8	13	18	34
50-64	1740650	8.1	67	1	2	6	10	17	23	43
65+	2433198	10.4	101	2	2	8	13	22	29	55
GRAND TOTAL	9404856	7.0	63	1	1	4	8	15	21	42

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8825	3.4	6	1	1	3	4	6	8	12
20-34	3715	3.4	6	1	1	3	4	6	8	12
35-49	1392	4.0	9	1	1	3	5	7	9	14
50-64	979	4.2	9	1	1	4	5	7	10	16
65+	830	4.7	14	1	1	4	6	8	12	18
B. *Operated*										
0-19 YRS	159	5.7	18	2	2	5	7	9	11	27
20-34	201	6.5	35	2	3	6	8	10	14	25
35-49	67	7.1	28	2	2	6	10	13	18	29
50-64	37	8.7	36	3	3	6	11	18	20	29
65+	22	11.1	85	2	2	8	14	26	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8985	4.0	8	1	2	3	5	7	9	15
20-34	3661	4.0	8	1	1	3	5	7	9	15
35-49	2152	4.8	11	1	2	4	6	9	11	18
50-64	2511	5.5	20	1	2	4	7	10	13	21
65+	4260	6.9	36	2	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	175	7.9	46	2	3	6	9	16	21	36
20-34	258	7.9	32	2	3	6	10	15	20	28
35-49	196	10.7	98	3	4	8	13	19	26	74
50-64	252	12.6	146	3	4	9	14	22	36	69
65+	287	15.2	133	4	5	12	19	28	40	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15741	3.6	7	1	1	3	4	6	8	13
B. *Operated*	486	6.7	32	2	2	5	8	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	21569	4.8	17	1	2	4	6	9	12	20
B. *Operated*	1168	11.2	103	3	3	8	13	21	28	58
1. SINGLE DX	16227	3.7	8	1	1	3	5	7	8	14
2. MULTIPLE DX	22737	5.2	23	1	2	4	6	10	13	23
A. NOT OPERATED	37310	4.3	13	1	1	3	5	8	10	18
B. OPERATED	1654	9.8	86	2	3	7	12	20	26	54
TOTAL 0-19 YRS	18144	3.8	8	1	1	3	5	7	8	14
20-34	7835	3.9	9	1	1	3	5	7	9	15
35-49	3807	4.8	17	1	2	4	6	9	11	20
50-64	3779	5.6	29	1	2	4	7	10	14	25
65+	5399	7.0	42	2	2	5	8	14	18	34
GRAND TOTAL	**38964**	**4.5**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	9.3	113	2	3	5	11	18	29	60
20-34	185	12.7	114	2	4	11	16	23	31	55
35-49	163	15.0	122	2	4	13	21	31	36	51
50-64	146	13.4	144	2	3	11	16	27	36	59
65+	133	13.2	104	2	3	10	19	29	30	46
B. *Operated*										
0-19 YRS	20	8.7	34	<1	1	9	13	17	19	20
20-34	92	12.3	115	2	3	9	14	24	37	56
35-49	95	12.2	60	2	3	11	16	26	29	70
50-64	127	13.5	106	2	3	11	17	26	38	53
65+	112	13.6	107	3	3	11	17	26	32	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	9.0	41	2	3	8	13	17	24	28
20-34	160	16.0	176	3	5	12	19	31	47	79
35-49	263	16.4	219	2	3	14	20	35	47	87
50-64	358	16.7	221	3	4	13	22	33	55	99+
65+	536	17.0	176	3	4	14	22	37	45	76
B. *Operated*										
0-19 YRS	15	9.9	35	3	3	9	13	15	23	26
20-34	112	18.1	309	2	3	14	20	38	57	90
35-49	163	18.1	139	4	5	16	24	35	41	65
50-64	301	19.2	257	4	6	15	24	38	55	98
65+	355	21.7	279	4	5	18	30	43	55	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	707	13.1	122	2	3	10	17	27	34	53
B. *Operated*	446	12.8	96	2	3	10	16	25	32	55
2. MULTIPLE DX										
A. *Not Operated*	1356	16.4	194	3	4	13	21	35	47	88
B. *Operated*	946	19.7	251	3	5	15	25	40	53	91
1. SINGLE DX	1153	13.0	112	2	3	10	17	27	33	54
2. MULTIPLE DX	2302	17.8	220	3	4	14	23	37	49	89
A. NOT OPERATED	2063	15.3	171	3	4	12	19	31	43	80
B. OPERATED	1392	17.5	211	3	4	14	22	36	46	86
TOTAL 0-19 YRS	154	9.2	76	2	3	7	12	18	24	52
20-34	549	14.7	176	2	3	11	17	29	41	80
35-49	684	15.9	158	2	4	13	21	33	41	78
50-64	932	16.6	210	3	4	13	21	33	50	96
65+	1136	17.7	202	3	4	14	23	37	45	76
GRAND TOTAL	**3455**	**16.2**	**189**	**3**	**4**	**13**	**21**	**33**	**44**	**83**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	9.5	77	1	1	3	18	21	21	21
20-34	17	9.5	52	1	2	7	13	21	23	24
35-49	18	7.7	34	1	2	5	13	17	18	19
50-64	15	9.6	112	1	3	5	10	21	37	43
65+	21	13.8	351	1	2	8	19	27	55	87
B. *Operated*										
0-19 YRS	37	6.8	81	<1	1	3	9	15	20	49
20-34	54	8.4	66	1	1	5	12	21	26	36
35-49	42	10.1	91	1	2	6	14	25	30	39
50-64	40	16.2	379	1	2	10	20	39	67	85
65+	32	15.0	302	<1	3	11	21	23	33	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	18.3	240	<1	2	16	33	40	43	43
20-34	35	10.1	41	3	4	9	13	17	26	29
35-49	37	13.3	295	2	4	8	16	23	41	99
50-64	42	12.8	130	2	3	9	18	31	46	99+
65+	64	13.9	155	2	3	10	17	30	46	61
B. *Operated*										
0-19 YRS	13	10.7	61	2	3	6	18	23	24	24
20-34	81	16.9	182	2	3	14	24	34	42	66
35-49	53	17.5	251	3	5	12	26	37	64	99
50-64	74	20.3	191	6	6	16	29	41	51	89
65+	87	26.2	446	2	5	21	42	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	10.2	138	1	2	7	14	21	25	73
B. *Operated*	205	11.0	181	1	1	6	14	23	31	83
2. MULTIPLE DX										
A. *Not Operated*	190	13.1	161	2	3	9	16	28	43	84
B. *Operated*	308	20.2	281	2	4	16	29	45	69	99+
1. SINGLE DX	287	10.8	168	1	2	7	14	22	29	84
2. MULTIPLE DX	498	17.5	246	2	4	13	24	41	56	99+
A. NOT OPERATED	272	12.3	155	2	3	9	16	25	37	81
B. OPERATED	513	16.5	261	2	2	12	23	39	54	99+
TOTAL 0-19 YRS	73	9.8	115	<1	1	5	15	22	34	48
20-34	187	12.5	124	1	2	9	17	28	34	54
35-49	150	13.2	201	2	3	8	17	30	39	99
50-64	171	16.6	223	2	4	11	23	39	51	96
65+	204	19.3	354	2	3	14	24	53	78	99+
GRAND TOTAL	**785**	**15.0**	**228**	**2**	**3**	**11**	**21**	**35**	**49**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	993	2.8	2	1	1	3	4	4	5	7
20-34	369	3.4	3	2	2	3	4	5	6	9
35-49	96	3.8	3	2	2	3	5	7	7	9
50-64	52	4.5	4	2	2	4	6	7	8	11
65+	23	5.2	6	2	3	5	6	8	10	13
B. *Operated*										
0-19 YRS	94	1.9	1	1	1	2	2	2	4	9
20-34	19	1.9	1	<1	1	2	2	3	4	4
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1474	3.4	4	1	1	3	4	5	7	12
20-34	543	3.8	5	1	2	3	5	6	8	10
35-49	187	4.7	9	2	2	4	5	8	10	18
50-64	157	5.8	16	2	2	5	7	9	13	23
65+	90	6.7	21	2	3	5	8	13	18	24
B. *Operated*										
0-19 YRS	76	3.5	9	1	1	2	4	7	9	16
20-34	34	5.7	29	2	2	5	6	10	12	32
35-49	11	9.8	57	2	3	8	13	21	27	28
50-64	5	14.2	163	4	4	8	23	34	34	34
65+	9	10.3	26	3	3	13	13	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1533	3.1	3	1	2	3	4	5	6	8
B. *Operated*	115	2.0	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	2451	3.8	7	1	2	3	5	7	8	14
B. *Operated*	135	5.4	31	1	1	4	6	12	16	32
1. SINGLE DX	1648	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	2586	3.9	8	1	2	3	5	7	9	15
A. NOT OPERATED	3984	3.6	5	1	2	3	4	6	7	13
B. OPERATED	250	3.8	20	1	1	2	4	8	13	28
TOTAL 0-19 YRS	2637	3.1	4	1	1	3	4	5	6	10
20-34	965	3.7	5	1	2	3	4	6	7	10
35-49	296	4.6	10	2	2	4	6	8	10	18
50-64	214	5.7	18	2	2	5	7	9	12	26
65+	122	6.7	20	2	3	5	8	13	15	23
GRAND TOTAL	**4234**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1010	5.7	16	2	2	5	7	11	12	18
20-34	119	7.0	35	2	2	5	9	13	20	30
35-49	64	7.0	22	2	3	6	8	11	14	30
50-64	100	10.1	43	3	4	8	14	20	23	28
65+	262	11.1	43	3	4	10	15	19	25	34
B. *Operated*										
0-19 YRS	29	9.2	54	1	2	8	11	19	22	36
20-34	9	11.8	61	4	5	8	17	25	27	27
35-49	14	11.3	44	4	5	10	11	24	26	26
50-64	14	20.3	262	2	4	16	24	44	55	58
65+	13	25.7	331	5	7	18	41	50	61	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1232	7.3	31	2	2	6	10	14	17	30
20-34	435	11.0	92	2	3	8	13	24	32	45
35-49	423	10.8	65	3	4	9	13	20	29	47
50-64	1165	13.0	89	4	5	11	16	24	31	54
65+	4325	15.0	123	5	6	12	18	27	36	66
B. *Operated*										
0-19 YRS	133	14.7	136	2	5	11	19	30	34	61
20-34	137	21.3	286	3	6	16	28	49	57	73
35-49	164	22.4	299	5	7	20	29	43	89	99+
50-64	407	23.9	313	5	7	19	32	50	62	98
65+	972	26.2	310	8	10	21	34	54	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	7.1	28	2	2	6	9	14	17	28
B. *Operated*	79	14.6	167	2	4	10	19	35	42	62
2. MULTIPLE DX										
A. *Not Operated*	7580	13.0	106	3	4	10	16	24	32	58
B. *Operated*	1813	24.1	304	6	8	20	32	50	69	99+
1. SINGLE DX	1634	7.4	38	2	2	6	9	14	19	31
2. MULTIPLE DX	9393	15.1	164	3	4	12	18	30	42	80
A. NOT OPERATED	9135	12.0	98	3	4	10	15	23	30	53
B. OPERATED	1892	23.7	302	5	8	19	31	49	67	99+
TOTAL 0-19 YRS	2404	7.1	35	2	2	5	9	13	17	32
20-34	700	12.4	141	2	3	8	14	28	40	59
35-49	665	13.3	146	3	4	10	17	28	38	99+
50-64	1686	15.5	165	4	5	12	19	31	43	75
65+	5572	16.8	172	5	6	13	20	32	44	83
GRAND TOTAL	**11027**	**14.0**	**152**	**3**	**4**	**11**	**17**	**28**	**39**	**75**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	821	7.5	23	1	2	7	11	14	16	22
20-34	250	6.5	29	2	2	5	8	12	14	31
35-49	138	7.5	43	2	3	6	9	14	17	46
50-64	138	7.6	26	3	3	6	9	14	18	24
65+	94	8.2	31	2	3	6	10	18	21	25
B. *Operated*										
0-19 YRS	52	9.2	52	1	2	9	12	15	20	45
20-34	27	11.0	82	2	2	10	15	27	30	33
35-49	24	18.2	451	1	1	10	24	47	64	92
50-64	38	12.4	114	2	2	10	15	24	38	47
65+	26	11.7	101	1	1	9	16	28	32	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	647	7.6	25	2	2	6	11	14	17	22
20-34	241	7.3	30	2	3	6	9	12	18	28
35-49	223	9.4	67	3	3	7	11	18	26	36
50-64	351	10.4	67	3	4	8	13	20	29	45
65+	565	12.1	98	3	4	10	15	23	31	56
B. *Operated*										
0-19 YRS	60	11.8	50	2	3	11	16	20	23	38
20-34	72	16.5	192	4	5	12	25	37	47	94
35-49	84	17.2	155	2	4	15	24	36	39	60
50-64	132	19.4	344	3	4	15	24	52	72	99+
65+	170	20.4	225	4	7	17	26	41	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1441	7.4	27	2	2	6	10	14	16	24
B. *Operated*	167	11.9	140	1	2	10	15	25	33	51
2. MULTIPLE DX										
A. *Not Operated*	2027	9.5	61	2	3	7	12	18	23	39
B. *Operated*	518	18.1	225	3	5	15	24	38	54	99+
1. SINGLE DX	1608	7.9	40	2	2	6	10	14	18	31
2. MULTIPLE DX	2545	11.2	106	2	3	8	14	22	31	65
A. NOT OPERATED	3468	8.6	48	2	3	7	11	16	20	36
B. OPERATED	685	16.6	211	2	4	12	22	35	47	92
TOTAL 0-19 YRS	1580	7.8	26	2	2	7	11	14	17	23
20-34	590	8.3	62	2	3	6	10	16	24	45
35-49	469	10.7	108	2	3	7	13	22	31	47
50-64	659	11.7	132	3	3	8	15	24	33	77
65+	855	13.3	129	3	4	10	17	26	36	72
GRAND TOTAL	**4153**	**9.9**	**84**	**2**	**3**	**8**	**12**	**19**	**26**	**52**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2411	3.7	5	1	2	3	5	7	8	12
20-34	1595	4.3	8	1	2	4	5	8	9	15
35-49	278	5.5	15	2	2	4	7	10	14	20
50-64	61	6.4	18	1	2	5	9	12	14	22
65+	18	7.6	27	2	2	7	10	17	17	17
B. *Operated*										
0-19 YRS	30	6.5	27	2	2	5	7	12	22	23
20-34	12	5.3	10	2	2	5	7	9	12	13
35-49	9	15.1	310	2	4	10	14	42	61	61
50-64	2	12.5	25	9	9	12	16	16	16	16
65+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	824	4.8	12	1	2	4	6	9	11	16
20-34	592	5.8	20	2	2	5	7	11	13	22
35-49	168	6.7	27	2	2	5	8	12	17	29
50-64	75	7.7	47	2	3	6	10	14	18	43
65+	52	14.6	160	4	5	12	16	26	44	75
B. *Operated*										
0-19 YRS	25	10.0	39	3	4	9	14	24	41	99+
20-34	37	11.2	72	3	4	8	15	23	38	99+
35-49	19	9.8	41	2	3	8	12	21	24	24
50-64	15	13.1	150	3	3	11	13	33	45	49
65+	11	25.9	677	3	6	15	25	76	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4363	4.1	7	1	2	3	5	7	9	15
B. *Operated*	55	7.9	75	2	2	6	9	14	20	59
2. MULTIPLE DX										
A. *Not Operated*	1711	5.7	25	2	2	4	7	11	14	24
B. *Operated*	107	12.4	146	3	4	9	15	25	43	99+
1. SINGLE DX	4418	4.2	8	1	2	3	5	7	9	15
2. MULTIPLE DX	1818	6.1	34	2	2	5	7	12	15	30
A. NOT OPERATED	6074	4.6	13	1	2	4	6	8	11	17
B. OPERATED	162	10.9	126	2	3	8	13	23	32	97
TOTAL 0-19 YRS	3290	4.0	8	1	2	3	5	7	10	14
20-34	2236	4.8	13	1	2	4	6	9	11	19
35-49	474	6.3	27	2	2	5	8	11	16	24
50-64	153	7.8	48	2	3	6	11	14	17	49
65+	83	14.3	218	2	3	10	16	25	46	79
GRAND TOTAL	**6236**	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1594	3.4	7	1	1	3	4	6	7	12
20-34	338	4.7	7	2	2	4	6	8	9	12
35-49	129	5.3	20	1	2	4	7	9	14	28
50-64	304	6.1	20	1	2	5	8	11	13	24
65+	702	7.4	33	2	2	6	9	14	17	31
B. *Operated*										
0-19 YRS	9	10.6	335	2	2	4	8	79	99+	99+
20-34	26	4.7	16	1	1	3	5	12	13	14
35-49	20	5.6	23	1	1	4	9	13	16	17
50-64	22	8.7	78	2	2	7	8	17	28	42
65+	43	9.6	71	1	2	7	13	19	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2186	3.9	7	1	2	3	5	7	9	13
20-34	474	5.7	21	2	2	5	7	10	13	26
35-49	239	7.6	41	2	2	6	9	14	20	35
50-64	853	7.9	40	2	3	6	9	15	20	30
65+	3074	10.8	85	2	3	8	13	21	28	55
B. *Operated*										
0-19 YRS	47	12.6	184	2	3	9	16	36	44	99+
20-34	52	12.0	179	2	3	8	12	29	43	63
35-49	43	14.2	167	2	3	8	21	32	38	63
50-64	88	14.6	249	2	3	10	18	30	51	98
65+	313	16.8	192	3	4	13	23	35	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3067	4.8	18	1	2	4	6	9	12	20
B. *Operated*	120	7.8	73	1	2	5	10	15	23	71
2. MULTIPLE DX										
A. *Not Operated*	6826	7.7	57	2	2	5	9	16	21	40
B. *Operated*	543	15.4	199	2	3	11	21	34	45	94
1. SINGLE DX	3187	4.9	20	1	2	4	6	9	12	22
2. MULTIPLE DX	7369	8.3	72	2	2	6	10	17	24	46
A. NOT OPERATED	9893	6.8	47	1	2	5	8	14	19	35
B. OPERATED	663	14.1	185	2	3	10	18	31	43	92
TOTAL 0-19 YRS	3836	3.8	11	1	1	3	5	7	9	14
20-34	890	5.7	27	2	2	4	7	10	12	28
35-49	431	7.5	52	2	2	5	9	14	23	36
50-64	1267	8.0	54	2	3	6	9	15	21	37
65+	4132	10.6	89	2	3	8	13	21	28	55
GRAND TOTAL	**10556**	**7.3**	**59**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	794	6.6	16	2	2	6	8	12	14	20
20-34	2159	7.5	21	2	3	7	9	13	16	25
35-49	604	8.8	32	2	3	8	11	15	18	32
50-64	324	8.9	36	3	3	8	11	16	19	29
65+	128	8.6	28	2	3	8	11	17	19	25
B. Operated										
0-19 YRS	18	8.4	43	<1	1	7	15	19	19	19
20-34	106	8.4	45	1	1	7	12	19	22	30
35-49	49	9.9	79	1	2	8	13	22	27	43
50-64	33	12.7	223	2	3	10	13	20	35	87
65+	25	13.7	102	2	4	11	18	30	35	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	327	7.4	44	2	2	6	9	13	16	32
20-34	1026	8.5	39	2	3	7	10	15	19	30
35-49	485	9.8	50	3	4	8	12	18	23	37
50-64	467	10.5	51	3	3	9	13	19	25	37
65+	402	12.1	69	4	5	10	16	22	29	44
B. Operated										
0-19 YRS	17	15.3	175	1	2	11	22	34	44	50
20-34	122	12.6	113	2	3	10	16	22	27	64
35-49	92	12.8	133	1	2	9	16	24	34	58
50-64	99	13.7	119	1	2	12	18	26	35	57
65+	105	17.2	200	3	4	13	22	36	55	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4009	7.7	24	2	3	7	10	13	17	25
B. Operated	231	9.9	86	1	2	8	13	21	23	41
2. MULTIPLE DX										
A. Not Operated	2707	9.4	50	3	3	8	12	17	23	37
B. Operated	435	14.1	144	2	3	11	18	27	38	65
1. SINGLE DX	4240	7.8	28	2	3	7	10	14	17	27
2. MULTIPLE DX	3142	10.1	65	2	3	8	12	19	24	42
A. NOT OPERATED	6716	8.4	35	2	3	7	10	15	19	30
B. OPERATED	666	12.6	128	1	2	10	16	25	33	63
TOTAL 0-19 YRS	1156	7.0	28	2	2	6	9	12	15	24
20-34	3413	8.0	31	2	3	7	10	14	18	28
35-49	1230	9.5	49	2	3	8	12	17	22	37
50-64	923	10.3	61	2	3	9	13	19	24	39
65+	660	12.3	89	3	4	10	16	23	30	58
GRAND TOTAL	**7382**	**8.8**	**45**	**2**	**3**	**7**	**11**	**16**	**20**	**35**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2427	4.5	7	2	2	4	6	8	9	13
20-34	781	5.5	12	2	2	5	7	10	12	17
35-49	109	6.0	12	2	2	5	7	11	13	17
50-64	25	5.7	10	1	2	6	7	10	12	12
65+	4	4.3	2	3	3	4	5	6	6	6
B. Operated										
0-19 YRS	35	4.5	7	1	2	4	5	8	10	14
20-34	18	8.1	15	1	2	9	11	12	14	15
35-49	4	10.5	38	5	5	9	15	19	19	19
50-64	3	13.3	16	11	11	11	16	18	18	18
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2305	5.0	11	2	2	4	6	8	10	16
20-34	696	5.6	12	2	2	5	7	10	12	16
35-49	105	6.6	22	2	2	6	8	12	14	26
50-64	44	7.7	20	2	3	6	11	13	16	20
65+	18	7.4	14	2	3	7	11	13	15	15
B. Operated										
0-19 YRS	63	8.4	43	2	3	7	11	14	17	41
20-34	48	10.2	55	2	2	9	13	20	24	38
35-49	20	11.6	55	4	4	10	16	18	27	35
50-64	11	12.0	20	4	6	12	15	18	19	19
65+	6	10.0	16	6	6	9	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3346	4.8	9	2	2	4	6	8	10	14
B. Operated	60	6.4	18	1	2	5	10	11	14	19
2. MULTIPLE DX										
A. Not Operated	3168	5.2	12	2	2	4	6	9	11	17
B. Operated	148	9.7	46	2	3	8	13	17	21	38
1. SINGLE DX	3406	4.9	9	2	2	4	6	9	10	15
2. MULTIPLE DX	3316	5.4	14	2	2	4	7	10	12	19
A. NOT OPERATED	6514	5.0	10	2	2	4	6	9	11	16
B. OPERATED	208	8.8	40	2	3	7	11	15	19	36
TOTAL 0-19 YRS	4830	4.8	9	2	2	4	6	8	10	15
20-34	1543	5.7	14	2	2	5	7	11	13	18
35-49	238	6.8	22	2	2	6	9	13	18	25
50-64	83	7.8	21	2	2	7	11	14	17	20
65+	28	7.5	15	2	3	7	10	13	18	17
GRAND TOTAL	**6722**	**5.1**	**11**	**2**	**2**	**4**	**6**	**9**	**11**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	3	<1	<1	2	3	5	6	7
20-34	32	2.1	1	<1	<1	2	2	4	4	5
35-49	6	2.8	7	<1	<1	2	3	8	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	1282	1.9	2	<1	<1	2	2	3	4	8
20-34	2971	2.2	2	<1	<1	2	3	4	5	7
35-49	674	2.5	4	<1	<1	2	3	4	6	10
50-64	240	2.6	3	<1	<1	2	3	4	5	9
65+	51	3.3	6	<1	1	2	4	7	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.6	19	<1	<1	2	4	8	14	20
20-34	47	2.8	10	<1	<1	2	3	6	7	20
35-49	12	6.2	16	2	2	5	9	12	15	15
50-64	15	6.3	47	<1	2	4	6	21	23	24
65+	6	8.5	32	1	1	8	14	15	15	15
B. *Operated*										
0-19 YRS	245	3.0	8	<1	1	2	3	5	7	17
20-34	894	3.3	7	<1	1	2	4	6	8	14
35-49	355	4.0	12	1	1	3	5	8	10	21
50-64	185	4.8	36	1	1	3	5	9	15	35
65+	83	6.3	62	1	2	3	7	13	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.3	3	<1	<1	2	3	4	6	8
B. *Operated*	5218	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	101	4.2	22	<1	<1	3	5	9	15	22
B. *Operated*	1762	3.7	14	<1	1	3	4	7	10	20
1. SINGLE DX	5274	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1863	3.7	15	<1	1	3	4	7	10	21
A. NOT OPERATED	157	3.5	16	<1	<1	2	4	8	11	21
B. OPERATED	6980	2.6	6	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	1564	2.1	3	<1	<1	2	2	4	5	9
20-34	3944	2.4	3	<1	<1	2	3	4	5	10
35-49	1047	3.0	7	<1	1	2	3	6	8	13
50-64	441	3.6	20	<1	1	2	4	6	9	24
65+	141	5.3	42	1	2	3	6	11	17	38
GRAND TOTAL	**7137**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6000	3.0	3	1	1	3	4	5	6	9
20-34	1623	3.9	11	1	1	3	5	7	9	14
35-49	632	4.4	9	1	2	4	5	8	11	14
50-64	441	4.7	10	1	2	4	6	9	11	16
65+	388	5.1	24	1	2	4	6	9	11	26
B. *Operated*										
0-19 YRS	157	3.4	8	<1	1	3	4	6	9	15
20-34	107	5.2	19	1	1	4	7	11	15	20
35-49	39	6.1	30	1	1	4	7	13	19	27
50-64	25	9.7	122	2	3	7	9	18	30	57
65+	14	13.7	372	2	3	7	9	52	62	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5713	3.5	8	1	1	3	4	6	7	13
20-34	2391	4.4	14	1	2	4	5	8	10	17
35-49	1410	5.1	13	2	2	4	6	9	12	18
50-64	1666	5.9	22	2	2	5	7	10	14	24
65+	2759	7.5	43	2	3	6	9	14	18	34
B. *Operated*										
0-19 YRS	182	6.9	73	1	2	4	8	14	24	61
20-34	170	9.2	110	2	2	7	11	18	25	98
35-49	148	10.3	95	2	3	8	14	21	23	74
50-64	158	13.0	146	3	4	10	15	27	37	89
65+	175	12.5	84	3	4	11	16	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9084	3.5	7	1	1	3	4	6	8	12
B. *Operated*	342	5.2	42	1	1	4	6	9	15	29
2. MULTIPLE DX										
A. *Not Operated*	13939	4.9	21	1	2	4	6	9	12	22
B. *Operated*	833	10.3	105	2	3	8	13	21	27	76
1. SINGLE DX	9426	3.5	8	1	1	3	4	6	8	13
2. MULTIPLE DX	14772	5.2	27	1	2	4	6	10	14	26
A. NOT OPERATED	23023	4.3	16	1	2	3	5	8	10	19
B. OPERATED	1175	8.8	92	1	2	6	11	18	25	69
TOTAL 0-19 YRS	12052	3.3	7	1	1	3	4	6	7	12
20-34	4291	4.4	18	1	2	3	5	8	10	20
35-49	2229	5.3	20	1	2	4	6	10	13	22
50-64	2290	6.2	33	2	2	5	7	11	16	30
65+	3336	7.5	46	2	2	6	9	14	19	35
GRAND TOTAL	**24198**	**4.5**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	4.5	6	2	2	4	5	8	9	14
20-34	216	4.5	6	1	2	4	6	7	9	14
35-49	98	4.9	6	2	2	5	6	8	10	11
50-64	46	5.8	10	1	2	6	8	10	11	15
65+	17	6.5	11	1	2	5	10	11	12	12
B. *Operated*										
0-19 YRS	6	7.0	14	4	4	5	10	13	13	13
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	6.0	19	3	3	4	9	11	11	11
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	1	6.0		6	6	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.1	8	2	2	4	6	8	10	16
20-34	98	5.2	11	2	2	4	6	11	14	16
35-49	53	6.3	13	2	3	5	8	10	13	19
50-64	65	8.5	52	3	4	6	9	17	23	40
65+	40	9.2	45	2	3	8	11	19	21	35
B. *Operated*										
0-19 YRS	5	20.0	516	6	6	14	26	60	60	60
20-34	11	11.5	57	3	4	9	18	50	93	99+
35-49	5	9.0	8	6	6	8	12	12	12	12
50-64	13	14.7	63	4	6	13	19	28	29	29
65+	7	22.3	278	7	7	13	38	44	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	4.7	7	2	2	4	6	8	10	14
B. *Operated*	14	6.1	11	2	3	5	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	339	6.4	25	2	3	5	8	12	16	26
B. *Operated*	41	15.1	148	4	6	11	18	36	51	99+
1. SINGLE DX	702	4.7	7	2	2	4	6	8	10	14
2. MULTIPLE DX	380	7.4	45	2	3	5	9	14	19	40
A. NOT OPERATED	1027	5.3	13	2	2	4	6	9	11	19
B. OPERATED	55	12.8	128	3	4	9	15	29	43	98
TOTAL 0-19 YRS	405	4.8	14	2	2	4	6	8	10	15
20-34	326	4.9	11	1	2	4	6	8	12	18
35-49	159	5.5	9	2	2	5	7	10	11	17
50-64	127	8.1	43	2	3	6	9	15	22	38
65+	65	9.8	77	2	3	7	10	19	34	44
GRAND TOTAL	**1082**	**5.7**	**22**	**2**	**2**	**5**	**7**	**10**	**13**	**27**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	5.4	9	2	2	5	7	9	11	15
20-34	654	5.3	12	2	2	4	6	9	11	19
35-49	119	6.6	33	1	2	5	8	14	18	29
50-64	41	5.2	22	<1	1	4	7	11	16	22
65+	37	6.5	38	1	1	4	9	17	19	22
B. *Operated*										
0-19 YRS	104	3.0	9	<1	<1	2	3	6	8	18
20-34	357	3.0	11	<1	<1	2	3	6	8	14
35-49	88	3.3	10	<1	1	2	4	8	10	15
50-64	43	3.8	10	1	2	3	4	7	12	14
65+	20	9.0	49	1	2	6	14	19	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	294	5.9	15	2	2	5	7	10	13	21
20-34	557	5.9	17	2	2	5	7	10	14	22
35-49	151	7.4	24	2	2	6	10	14	17	20
50-64	88	7.2	43	1	1	5	10	16	20	34
65+	146	10.9	95	1	2	8	15	22	28	69
B. *Operated*										
0-19 YRS	66	5.2	15	<1	1	4	7	11	14	17
20-34	210	5.9	54	1	1	4	7	11	18	42
35-49	90	7.0	136	1	2	4	7	13	19	77
50-64	68	9.7	90	2	2	5	13	22	33	39
65+	72	14.2	162	2	3	12	19	29	40	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1236	5.5	14	2	2	5	7	10	13	21
B. *Operated*	612	3.3	13	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	1236	6.8	31	1	2	5	8	13	17	28
B. *Operated*	506	7.7	92	1	2	4	9	18	25	54
1. SINGLE DX	1848	4.8	15	1	1	4	6	9	12	20
2. MULTIPLE DX	1742	7.1	49	1	2	5	9	14	19	35
A. NOT OPERATED	2472	6.1	23	2	2	5	7	11	15	23
B. OPERATED	1118	5.3	53	<1	1	3	6	12	18	36
TOTAL 0-19 YRS	849	5.3	12	1	2	4	7	9	12	16
20-34	1778	5.1	19	1	2	4	6	9	12	23
35-49	448	6.3	48	1	1	4	8	13	17	31
50-64	240	7.0	51	1	1	4	9	16	22	38
65+	275	11.0	106	1	2	8	16	22	30	70
GRAND TOTAL	**3590**	**5.9**	**32**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	4.3	15	1	2	3	5	7	9	24
20-34	76	7.9	141	<1	2	4	7	15	31	67
35-49	77	5.8	63	<1	<1	3	8	14	20	41
50-64	72	8.6	179	<1	<1	4	9	18	44	68
65+	37	8.4	36	1	3	6	12	17	20	27
B. *Operated*										
0-19 YRS	22	14.0	362	<1	1	5	18	38	59	78
20-34	111	5.0	76	1	1	1	5	13	19	51
35-49	126	10.4	139	1	2	7	11	25	37	57
50-64	122	8.7	179	1	1	4	10	20	31	87
65+	64	10.6	112	2	2	8	11	21	36	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	5.5	43	2	2	4	6	9	13	22
20-34	156	7.7	94	1	2	5	8	14	27	59
35-49	173	7.7	109	<1	1	5	9	16	22	88
50-64	222	11.0	202	2	3	7	11	21	45	82
65+	308	11.7	92	3	4	9	14	22	29	53
B. *Operated*										
0-19 YRS	31	12.1	255	1	2	8	14	22	57	75
20-34	113	17.1	377	2	2	10	19	46	75	96
35-49	153	13.1	250	2	2	8	14	29	47	98
50-64	199	12.9	156	2	2	9	17	32	41	85
65+	177	16.8	328	2	3	11	21	42	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	6.5	83	<1	<1	4	7	12	20	55
B. *Operated*	445	8.8	146	1	1	5	10	20	33	60
2. MULTIPLE DX										
A. *Not Operated*	1116	9.0	111	2	2	6	10	17	26	62
B. *Operated*	673	14.6	267	2	2	10	17	38	55	99
1. SINGLE DX	840	7.7	117	<1	1	4	9	17	29	59
2. MULTIPLE DX	1789	11.1	177	2	2	7	13	24	40	82
A. NOT OPERATED	1511	8.3	105	<1	2	5	9	16	25	60
B. OPERATED	1118	12.3	227	1	1	8	14	31	45	86
TOTAL 0-19 YRS	443	6.0	71	1	2	4	6	10	16	50
20-34	456	9.4	187	1	1	5	10	22	39	77
35-49	529	9.6	156	<1	1	6	12	20	34	82
50-64	615	10.9	182	<1	1	7	12	25	41	82
65+	586	12.9	168	2	3	9	15	27	42	78
GRAND TOTAL	**2629**	**10.0**	**161**	**1**	**2**	**6**	**11**	**22**	**36**	**78**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.5	8	1	1	3	4	7	12	13
20-34	39	5.3	12	<1	1	5	7	9	11	18
35-49	14	5.5	13	1	1	5	8	11	11	11
50-64	11	5.5	18	1	2	4	8	13	15	15
65+	4	5.8	20	1	1	6	9	10	10	10
B. *Operated*										
0-19 YRS	41	4.0	5	1	2	4	5	7	9	12
20-34	35	7.1	29	2	3	5	9	17	18	20
35-49	16	6.6	10	<1	1	7	9	10	11	11
50-64	7	3.4	4	<1	<1	3	5	6	6	6
65+	2	12.5	265	1	1	12	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.5	15	<1	1	3	6	9	14	18
20-34	47	6.0	19	1	2	5	8	11	15	23
35-49	36	7.2	15	2	2	7	10	13	15	15
50-64	27	7.8	23	2	2	7	10	16	18	20
65+	30	9.6	52	3	4	8	12	15	18	41
B. *Operated*										
0-19 YRS	50	5.1	24	1	2	4	6	8	13	31
20-34	44	10.4	92	1	2	7	14	24	32	41
35-49	26	13.0	99	2	3	10	17	22	33	49
50-64	19	16.8	212	2	3	14	21	32	53	66
65+	15	17.0	133	6	8	12	20	34	44	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	4.5	11	1	1	4	6	9	12	15
B. *Operated*	101	5.6	19	1	2	4	7	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	200	6.6	25	1	2	6	9	13	16	21
B. *Operated*	154	10.5	107	2	2	7	14	21	31	49
1. SINGLE DX	239	5.0	15	1	1	4	6	10	13	19
2. MULTIPLE DX	354	8.3	64	1	2	6	11	17	21	41
A. NOT OPERATED	338	5.7	20	1	1	5	8	12	14	19
B. OPERATED	255	8.6	78	1	2	6	11	20	24	48
TOTAL 0-19 YRS	221	4.2	13	1	1	3	5	8	12	19
20-34	165	7.2	42	1	2	5	9	15	20	35
35-49	92	8.5	45	1	2	7	11	15	19	41
50-64	64	9.6	98	1	2	7	13	20	22	62
65+	51	11.6	87	1	3	10	12	22	34	48
GRAND TOTAL	**593**	**6.9**	**47**	**1**	**2**	**5**	**9**	**15**	**18**	**37**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	5.2	16	1	1	4	7	10	14	21
20-34	216	5.6	19	1	2	5	8	11	12	25
35-49	136	5.6	21	1	1	4	8	12	14	39
50-64	55	6.6	36	1	1	5	10	15	19	29
65+	20	8.7	28	2	2	8	12	16	18	20
B. *Operated*										
0-19 YRS	44	5.2	29	1	1	3	7	10	16	30
20-34	670	6.1	30	1	2	4	8	13	15	27
35-49	362	6.5	55	1	2	4	8	13	17	30
50-64	144	6.9	35	1	2	5	10	13	17	31
65+	43	9.1	57	2	2	7	10	20	29	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	6.3	30	2	2	5	8	12	14	29
20-34	388	6.7	46	1	2	5	8	12	17	36
35-49	367	9.0	61	2	2	7	11	18	23	41
50-64	227	9.3	40	2	3	8	12	17	21	34
65+	179	11.6	102	3	4	9	15	22	30	66
B. *Operated*										
0-19 YRS	37	11.2	120	2	2	8	12	27	41	43
20-34	454	9.0	57	2	2	7	12	18	22	34
35-49	394	11.1	108	2	2	9	15	23	32	66
50-64	237	11.5	121	2	2	8	15	26	37	96
65+	96	16.5	170	3	3	13	21	35	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	514	5.8	21	1	1	5	8	12	14	25
B. *Operated*	1263	6.4	39	1	2	5	8	13	16	30
2. MULTIPLE DX										
A. *Not Operated*	1365	8.3	57	2	2	6	10	16	21	37
B. *Operated*	1218	10.9	100	2	2	8	14	22	32	59
1. SINGLE DX	1777	6.2	34	1	2	5	8	12	16	29
2. MULTIPLE DX	2583	9.5	79	2	2	7	12	19	27	43
A. NOT OPERATED	1879	7.6	48	1	2	6	10	15	19	35
B. OPERATED	2481	8.6	74	2	2	6	11	17	24	42
TOTAL 0-19 YRS	372	6.4	38	1	2	5	8	13	15	39
20-34	1728	6.9	41	1	2	5	9	13	17	32
35-49	1259	8.6	74	2	2	6	11	18	23	44
50-64	663	9.3	71	2	2	7	12	18	27	40
65+	338	12.5	118	3	3	9	15	27	34	62
GRAND TOTAL	**4360**	**8.2**	**63**	**1**	**2**	**6**	**10**	**16**	**22**	**40**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	5	8.0	7	4	4	8	9	11	11	11
35-49	5	6.0	19	1	1	5	8	13	13	13
50-64	4	4.8	8	2	2	4	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	4.0	6	2	2	4	6	7	7	7
20-34	6	9.0	48	3	3	6	15	19	20	20
35-49	9	3.4	5	<1	<1	3	5	7	7	7
50-64	8	4.9	15	2	2	3	7	11	12	12
65+	5	6.4	56	1	1	4	10	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	15	1	1	4	6	11	13	13
20-34	12	8.0	54	1	1	5	13	19	23	24
35-49	24	9.7	78	1	2	6	14	23	28	34
50-64	26	9.3	64	3	4	6	12	17	30	35
65+	40	10.0	67	2	3	8	13	18	26	44
B. *Operated*										
0-19 YRS	7	5.7	10	2	2	5	8	10	11	11
20-34	23	6.8	28	2	3	5	8	11	19	26
35-49	30	12.4	174	2	3	8	13	35	42	59
50-64	30	13.3	181	2	2	9	16	25	44	66
65+	25	16.8	140	3	5	14	20	34	47	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.5	12	1	2	5	8	10	12	13
B. *Operated*	32	5.4	24	1	1	4	7	13	19	20
2. MULTIPLE DX										
A. *Not Operated*	111	9.1	63	2	2	6	12	19	25	39
B. *Operated*	115	12.1	139	2	3	9	15	26	40	61
1. SINGLE DX	50	5.4	19	1	1	4	7	11	15	20
2. MULTIPLE DX	226	10.6	103	2	3	7	13	20	34	51
A. NOT OPERATED	129	8.6	57	2	2	6	12	17	24	37
B. OPERATED	147	10.6	121	2	2	7	13	20	35	59
TOTAL 0-19 YRS	23	4.6	10	1	2	4	6	9	12	13
20-34	46	7.5	33	2	3	6	9	16	21	26
35-49	68	9.8	113	1	2	6	12	22	35	56
50-64	68	10.3	114	2	2	7	13	20	30	62
65+	71	12.0	103	2	3	10	15	21	34	48
GRAND TOTAL	**276**	**9.7**	**92**	**2**	**2**	**6**	**12**	**19**	**29**	**48**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	17	6.2	24	1	2	4	11	12	15	16
35-49	65	5.5	29	1	1	4	7	11	13	32
50-64	261	5.6	52	1	1	4	6	11	20	42
65+	238	6.8	53	1	1	5	8	14	25	42
B. *Operated*										
0-19 YRS	17	5.9	11	2	2	5	8	10	13	14
20-34	130	5.3	25	1	2	4	6	10	12	28
35-49	404	6.4	53	1	1	4	8	15	19	35
50-64	1205	7.7	91	1	2	4	9	19	26	55
65+	1255	6.7	64	1	2	4	8	16	22	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.7	80	1	2	5	6	13	33	39
20-34	45	5.3	25	1	1	4	7	10	17	23
35-49	165	7.7	55	<1	1	5	10	17	22	30
50-64	672	9.4	109	1	2	6	11	20	32	51
65+	721	9.7	118	1	2	6	12	21	32	57
B. *Operated*										
0-19 YRS	25	6.0	31	1	1	5	10	12	42	99+
20-34	70	13.8	299	2	2	8	15	35	43	84
35-49	379	14.2	244	1	2	10	19	30	48	98
50-64	1721	14.2	219	2	2	10	18	33	47	85
65+	1912	14.3	234	2	2	9	18	35	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	6.1	48	1	1	4	7	12	22	42
B. *Operated*	3011	7.0	72	1	2	4	8	16	23	47
2. MULTIPLE DX										
A. *Not Operated*	1627	9.2	105	1	2	6	11	20	31	51
B. *Operated*	4107	14.2	229	2	2	9	18	34	48	87
1. SINGLE DX	3603	6.8	68	1	1	4	8	16	23	46
2. MULTIPLE DX	5734	12.8	199	2	2	8	16	30	43	79
A. NOT OPERATED	2219	8.3	92	1	1	5	10	18	28	46
B. OPERATED	7118	11.1	175	1	2	6	14	26	40	75
TOTAL 0-19 YRS	77	5.6	39	1	1	4	7	10	22	83
20-34	262	7.6	111	1	2	5	8	15	24	66
35-49	1013	9.5	137	1	2	5	12	22	29	71
50-64	3859	10.7	159	1	2	6	14	25	37	72
65+	4126	10.7	163	1	2	6	13	26	38	73
GRAND TOTAL	**9337**	**10.5**	**157**	**1**	**2**	**6**	**13**	**25**	**37**	**72**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	22.0	578	5	5	22	39	39	39	39
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	21	6.3	23	2	2	5	7	13	19	21
50-64	126	8.7	81	1	1	6	10	19	29	43
65+	155	8.1	68	1	2	6	9	14	27	48
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	5	10.8	57	4	4	7	19	19	19	19
35-49	46	18.7	278	3	4	14	21	36	61	75
50-64	276	14.4	182	1	2	11	20	32	43	66
65+	352	14.5	177	2	2	10	20	32	43	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.3	9	3	3	6	8	10	10	10
35-49	55	10.9	168	2	3	7	11	23	41	75
50-64	309	11.0	142	1	2	7	14	24	34	72
65+	479	11.3	117	2	3	8	14	25	35	58
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	3	15.0	91	6	6	14	22	25	25	25
35-49	92	23.5	331	3	5	19	31	55	65	94
50-64	632	20.9	281	3	5	16	27	44	58	88
65+	852	20.1	261	2	4	16	27	43	55	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	8.3	73	1	2	6	10	17	28	45
B. *Operated*	681	14.7	185	2	2	11	20	32	43	70
2. MULTIPLE DX										
A. *Not Operated*	847	11.1	129	1	2	8	14	24	34	61
B. *Operated*	1580	20.6	273	3	4	17	27	44	57	90
1. SINGLE DX	987	12.7	159	2	2	8	18	28	39	63
2. MULTIPLE DX	2427	17.3	243	2	3	12	23	39	51	84
A. NOT OPERATED	1153	10.4	115	1	2	7	12	22	33	57
B. OPERATED	2261	18.8	254	2	3	15	25	41	54	82
TOTAL 0-19 YRS	5	20.6	409	4	4	9	41	46	46	46
20-34	14	10.1	46	3	4	7	14	20	24	25
35-49	214	17.5	284	2	3	12	22	44	58	80
50-64	1343	16.1	232	2	3	12	22	35	48	80
65+	1838	15.7	210	2	3	11	21	36	47	72
GRAND TOTAL	**3414**	**16.0**	**223**	**2**	**3**	**11**	**22**	**36**	**48**	**76**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	113	3	3	10	18	18	18	18
20-34	12	4.4	16	1	1	3	7	10	13	14
35-49	50	7.6	107	1	1	4	8	18	31	55
50-64	116	6.5	62	1	1	4	9	14	19	43
65+	233	7.9	62	1	2	6	9	18	24	40
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	14	12.6	21	5	7	11	16	19	19	19
35-49	74	15.3	81	2	5	14	18	27	34	46
50-64	298	15.5	103	2	5	13	20	26	33	55
65+	540	16.6	122	2	4	15	21	30	35	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	13	2	2	3	7	11	12	12
20-34	11	14.9	587	1	2	7	15	45	83	86
35-49	141	8.0	43	1	2	6	11	17	24	36
50-64	453	8.9	77	1	2	6	11	20	29	43
65+	1172	10.2	92	1	2	7	13	21	29	49
B. *Operated*										
0-19 YRS	4	19.3	17	14	14	19	22	24	24	24
20-34	36	20.2	229	4	8	15	26	55	87	99+
35-49	247	19.7	205	4	6	16	26	35	50	77
50-64	1082	20.0	177	5	7	17	24	37	49	70
65+	2477	22.1	216	5	8	19	28	42	53	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	7.4	66	1	1	5	9	17	22	41
B. *Operated*	928	16.1	111	2	5	14	20	29	34	59
2. MULTIPLE DX										
A. *Not Operated*	1784	9.7	87	1	2	7	12	21	29	47
B. *Operated*	3846	21.3	205	5	8	18	27	40	51	82
1. SINGLE DX	1341	13.4	113	1	2	11	19	27	33	55
2. MULTIPLE DX	5630	17.6	197	2	4	15	23	35	46	75
A. NOT OPERATED	2197	9.2	84	1	2	6	12	20	28	47
B. OPERATED	4774	20.3	191	4	7	17	25	38	49	78
TOTAL 0-19 YRS	15	9.7	58	2	2	8	17	20	23	24
20-34	73	15.4	232	1	2	12	19	41	64	99+
35-49	512	14.6	161	1	2	12	19	30	37	71
50-64	1949	15.9	161	2	3	13	21	31	41	62
65+	4422	17.5	195	2	4	14	23	35	46	75
GRAND TOTAL	**6971**	**16.8**	**184**	**2**	**3**	**14**	**22**	**33**	**44**	**71**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	4.3	8	1	1	4	6	8	8	8
65+	8	6.0	22	1	1	4	10	13	14	14
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	14.7	20	10	10	15	18	19	19	19
35-49	15	22.5	489	5	6	13	24	62	68	70
50-64	27	18.3	153	5	8	14	22	37	50	53
65+	34	18.1	49	9	10	17	24	28	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	6.6	10	4	4	5	10	11	11	11
35-49	12	8.3	37	1	2	7	10	19	20	20
50-64	33	9.2	80	2	3	6	11	18	21	49
65+	67	10.5	162	2	3	6	11	20	38	75
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	16.5	63	8	8	15	23	28	29	29
35-49	62	16.0	96	6	7	13	18	26	39	51
50-64	173	19.6	200	8	9	15	23	33	43	89
65+	269	23.4	223	8	9	20	30	44	57	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.2	15	1	1	4	8	11	13	14
B. *Operated*	80	18.8	163	7	9	15	23	30	51	68
2. MULTIPLE DX										
A. *Not Operated*	120	9.6	117	2	3	6	11	19	22	59
B. *Operated*	513	21.1	203	7	9	17	26	39	51	80
1. SINGLE DX	94	16.7	164	2	4	13	21	29	48	66
2. MULTIPLE DX	633	18.9	207	4	5	15	24	36	49	79
A. NOT OPERATED	134	9.1	108	2	3	6	11	18	21	55
B. OPERATED	593	20.8	198	7	9	17	25	38	51	75
TOTAL 0-19 YRS	3	8.3	25	3	3	9	12	13	13	13
20-34	19	11.8	57	3	4	10	16	23	27	29
35-49	90	15.9	163	4	6	12	18	29	46	67
50-64	237	17.8	190	4	6	14	21	32	43	70
65+	378	20.3	220	3	5	17	25	39	51	80
GRAND TOTAL	**727**	**18.6**	**202**	**4**	**5**	**15**	**23**	**36**	**49**	**73**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	17	5.8	36	1	1	4	6	18	21	21
35-49	86	5.1	19	1	2	4	6	8	12	28
50-64	217	6.0	46	1	1	5	7	11	16	52
65+	410	7.8	62	1	2	5	9	15	25	43
B. *Operated*										
0-19 YRS	4	17.8	69	7	7	18	23	27	27	27
20-34	52	11.3	26	3	5	11	15	18	19	27
35-49	364	12.1	31	4	7	12	15	17	21	32
50-64	1485	13.2	44	3	8	12	16	20	24	38
65+	2978	15.6	67	5	8	14	18	25	31	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	35	2	2	6	11	16	16	16
20-34	49	7.6	45	<1	1	5	11	18	20	28
35-49	243	7.4	39	1	2	5	9	17	20	32
50-64	1200	8.9	74	1	2	6	11	19	26	44
65+	2984	10.2	92	2	3	7	13	22	29	51
B. *Operated*										
0-19 YRS	22	16.8	400	3	3	13	17	32	61	98
20-34	159	15.6	87	6	7	13	19	29	37	47
35-49	815	15.7	94	5	8	13	19	27	32	54
50-64	4466	17.8	127	6	9	15	21	30	38	67
65+	12417	20.7	148	8	10	18	25	36	45	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	732	6.9	52	1	2	5	8	13	21	44
B. *Operated*	4883	14.6	59	4	8	13	17	23	28	44
2. MULTIPLE DX										
A. *Not Operated*	4480	9.7	84	2	2	7	12	20	28	47
B. *Operated*	17879	19.7	143	7	9	17	24	34	43	73
1. SINGLE DX	5615	13.6	64	2	4	13	17	22	28	44
2. MULTIPLE DX	22359	17.7	147	3	5	15	22	32	41	68
A. NOT OPERATED	5212	9.3	81	2	2	6	11	19	27	46
B. OPERATED	22762	18.6	129	7	9	16	22	32	41	68
TOTAL 0-19 YRS	32	15.0	298	3	3	12	17	28	36	98
20-34	277	12.8	78	2	3	11	16	24	30	46
35-49	1508	12.9	78	2	4	11	16	23	28	46
50-64	7368	15.1	113	3	5	13	18	27	34	59
65+	18789	17.9	142	3	6	16	22	32	41	67
GRAND TOTAL	**27974**	**16.9**	**133**	**3**	**5**	**14**	**21**	**30**	**39**	**64**

24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	7.4	13	2	3	8	9	13	13	13
35-49	51	5.4	41	1	1	4	6	9	18	41
50-64	149	6.1	47	1	2	4	6	12	19	42
65+	306	7.2	66	1	2	5	9	13	23	48
B. *Operated*										
0-19 YRS	8	11.3	15	7	7	10	15	16	17	17
20-34	53	13.4	76	2	3	11	18	24	32	40
35-49	285	12.4	60	2	3	12	15	20	24	43
50-64	1298	14.3	62	3	4	13	18	24	28	40
65+	2108	15.4	90	2	4	14	20	27	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	9.4	77	1	2	7	11	27	29	30
35-49	162	7.2	35	1	2	5	9	14	18	34
50-64	836	9.0	82	1	2	6	11	19	25	49
65+	1733	11.0	120	2	2	7	14	24	34	57
B. *Operated*										
0-19 YRS	10	16.3	114	1	1	15	24	30	33	33
20-34	86	15.4	60	4	7	15	20	26	30	99+
35-49	504	17.0	109	3	5	15	22	29	35	56
50-64	2783	18.6	126	5	8	16	23	31	40	66
65+	6181	21.1	184	4	7	19	26	38	48	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	516	6.7	57	1	2	5	7	12	21	43
B. *Operated*	3752	14.8	78	2	4	14	19	25	30	45
2. MULTIPLE DX										
A. *Not Operated*	2753	10.2	104	2	2	7	12	21	30	56
B. *Operated*	9564	20.1	164	4	7	18	25	36	45	79
1. SINGLE DX	4268	13.8	83	2	3	13	18	25	29	45
2. MULTIPLE DX	12317	17.9	167	3	4	16	23	34	43	73
A. NOT OPERATED	3269	9.6	98	1	2	6	12	21	29	54
B. OPERATED	13316	18.6	145	3	6	16	23	33	42	70
TOTAL 0-19 YRS	20	12.8	80	1	1	11	16	26	30	33
20-34	169	13.6	70	2	4	12	19	26	30	89
35-49	1002	13.5	96	2	3	12	18	25	30	47
50-64	5066	15.5	115	2	4	14	20	28	35	58
65+	10328	17.8	169	3	4	16	23	34	43	73
GRAND TOTAL	**16585**	**16.8**	**149**	**3**	**4**	**15**	**22**	**31**	**40**	**67**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.2	11	<1	<1	2	3	8	11	14
20-34	32	7.0	20	2	3	5	9	13	15	22
35-49	57	6.5	58	1	2	5	6	12	24	44
50-64	108	7.8	48	1	1	6	9	16	23	34
65+	152	9.3	99	2	2	7	11	19	26	47
B. *Operated*										
0-19 YRS	17	11.7	38	2	3	12	17	20	22	22
20-34	36	13.0	93	2	4	10	16	29	33	42
35-49	94	14.7	93	2	4	13	18	30	31	47
50-64	212	15.9	122	2	4	13	21	30	37	62
65+	309	17.0	167	2	3	14	21	33	40	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.0	11	1	1	3	5	9	11	16
20-34	62	7.5	62	1	1	5	8	18	27	37
35-49	98	6.8	33	1	1	5	9	15	18	27
50-64	359	9.0	75	1	2	6	11	19	25	42
65+	687	11.2	94	2	3	8	14	22	31	48
B. *Operated*										
0-19 YRS	18	12.7	47	2	4	12	20	24	66	99+
20-34	60	18.4	187	3	6	14	22	41	51	56
35-49	162	18.7	187	4	5	15	24	36	52	96
50-64	697	20.0	203	4	7	16	25	38	52	74
65+	1460	22.1	206	6	8	19	27	41	51	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	7.9	68	1	2	5	10	16	23	38
B. *Operated*	668	16.0	136	2	4	14	20	31	37	63
2. MULTIPLE DX										
A. *Not Operated*	1241	9.8	83	1	2	7	13	21	28	44
B. *Operated*	2397	21.1	204	6	8	18	26	40	52	76
1. SINGLE DX	1036	13.1	127	2	2	10	18	27	34	59
2. MULTIPLE DX	3638	17.2	191	2	4	14	23	35	46	72
A. NOT OPERATED	1609	9.4	80	1	2	7	12	20	27	44
B. OPERATED	3065	20.0	193	4	7	17	25	37	50	74
TOTAL 0-19 YRS	89	7.1	40	<1	1	4	11	17	21	70
20-34	190	11.9	123	2	2	8	15	27	38	54
35-49	411	13.2	139	2	2	10	18	28	35	68
50-64	1376	15.5	170	2	3	12	20	32	42	71
65+	2608	17.8	191	3	4	15	23	35	46	70
GRAND TOTAL	**4674**	**16.3**	**179**	**2**	**3**	**13**	**22**	**33**	**43**	**70**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	3	6.3	30	1	1	6	10	12	12	12
35-49	50	8.6	50	2	4	5	11	18	22	35
50-64	195	7.1	39	1	2	5	8	16	20	34
65+	266	9.0	65	1	2	7	12	19	23	38
B. *Operated*										
0-19 YRS	3	17.7	80	12	12	13	24	28	28	28
20-34	2	11.5	61	6	6	11	17	17	17	17
35-49	34	17.4	178	2	4	16	22	28	46	68
50-64	204	16.6	140	2	3	15	22	29	35	77
65+	326	19.7	156	3	6	18	26	35	44	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	13	2	2	6	8	10	10	10
20-34	21	10.7	243	2	2	5	8	32	52	66
35-49	169	7.7	50	1	2	6	9	15	24	40
50-64	665	8.3	55	1	2	6	11	17	23	37
65+	1248	10.8	100	1	2	8	14	22	29	54
B. *Operated*										
0-19 YRS	3	21.7	22	18	18	20	25	27	27	27
20-34	19	20.0	217	3	6	16	25	29	53	72
35-49	229	21.0	192	4	7	18	26	39	54	65
50-64	1116	21.8	202	6	8	18	28	39	51	83
65+	2155	22.8	173	7	10	20	28	39	52	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	516	8.2	54	1	2	6	11	18	23	35
B. *Operated*	569	18.4	153	2	5	17	24	32	41	65
2. MULTIPLE DX										
A. *Not Operated*	2108	9.5	85	1	2	7	13	20	27	46
B. *Operated*	3522	22.3	184	7	9	19	28	39	52	74
1. SINGLE DX	1085	13.6	131	2	2	11	19	28	34	61
2. MULTIPLE DX	5630	17.6	184	2	4	15	24	35	44	69
A. NOT OPERATED	2624	9.5	79	1	2	7	12	19	26	42
B. OPERATED	4091	21.8	181	6	8	19	27	39	50	73
TOTAL 0-19 YRS	13	11.9	79	2	2	10	18	27	28	28
20-34	45	14.4	227	2	3	10	17	28	46	72
35-49	482	14.8	166	2	3	12	20	30	40	60
50-64	2180	15.9	178	2	3	13	22	32	42	73
65+	3995	17.9	176	3	4	15	24	35	43	66
GRAND TOTAL	**6715**	**17.0**	**177**	**2**	**4**	**14**	**23**	**34**	**43**	**67**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	9.4	37	3	3	10	15	18	18	18
20-34	28	3.4	8	1	1	2	5	7	9	13
35-49	354	5.3	37	1	1	3	7	12	16	30
50-64	1452	6.1	51	1	1	4	8	13	20	35
65+	1651	7.8	70	1	1	5	10	17	23	42
B. *Operated*										
0-19 YRS	4	18.3	176	10	10	12	26	38	38	38
20-34	61	11.5	61	1	2	10	16	21	26	37
35-49	698	11.7	68	2	3	10	16	21	26	40
50-64	3345	11.9	75	2	3	10	16	22	27	41
65+	3410	12.2	94	2	2	10	16	23	30	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	8.1	168	1	1	3	7	23	42	50
20-34	87	9.1	85	1	2	6	11	23	29	44
35-49	1336	8.9	85	1	2	6	11	21	28	48
50-64	6486	9.3	83	1	2	7	12	20	27	47
65+	8682	11.0	102	2	2	8	14	24	32	50
B. *Operated*										
0-19 YRS	16	11.8	42	3	4	11	16	19	25	28
20-34	87	15.9	170	3	4	12	19	25	39	79
35-49	1830	14.9	114	3	4	12	19	28	36	54
50-64	9210	15.7	137	3	4	13	20	30	39	63
65+	11349	16.6	154	3	4	14	22	32	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3492	6.8	59	1	1	4	8	15	21	37
B. *Operated*	7518	12.0	83	2	3	10	16	23	28	45
2. MULTIPLE DX										
A. *Not Operated*	16607	10.2	94	1	2	7	13	22	30	49
B. *Operated*	22492	16.1	144	3	4	13	21	31	40	64
1. SINGLE DX	11010	10.4	81	1	2	8	14	21	27	42
2. MULTIPLE DX	39099	13.6	131	2	3	11	18	28	36	59
A. NOT OPERATED	20099	9.6	90	1	2	7	12	21	29	47
B. OPERATED	30010	15.1	132	2	4	12	19	29	37	61
TOTAL 0-19 YRS	43	10.6	102	1	2	8	15	20	31	50
20-34	263	11.3	113	1	2	9	15	23	29	47
35-49	4218	11.7	101	2	2	9	16	25	31	49
50-64	20493	12.4	114	2	2	10	17	25	33	54
65+	25092	13.5	131	2	3	10	18	28	36	58
GRAND TOTAL	**50109**	**12.9**	**122**	**2**	**2**	**10**	**17**	**26**	**34**	**56**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.8	58	2	2	3	8	20	22	22
20-34	8	3.9	4	<1	<1	4	5	6	6	6
35-49	42	5.3	30	1	2	4	6	10	14	33
50-64	163	5.5	33	1	1	4	7	11	20	29
65+	127	7.9	106	1	1	4	9	18	30	56
B. *Operated*										
0-19 YRS	17	6.7	52	<1	<1	5	9	20	23	24
20-34	67	7.4	57	1	2	5	10	14	19	45
35-49	299	9.0	114	1	1	5	14	19	26	47
50-64	1182	8.2	91	1	1	4	12	20	25	45
65+	1096	7.6	86	1	1	3	12	18	25	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	3	<1	1	4	5	6	6	6
20-34	31	5.4	13	1	2	5	6	10	12	17
35-49	82	7.7	76	1	2	5	9	17	21	53
50-64	299	8.2	77	1	1	6	10	17	23	44
65+	366	10.6	149	1	2	7	13	24	38	78
B. *Operated*										
0-19 YRS	14	19.6	396	2	3	13	27	78	94	99+
20-34	42	15.0	153	2	2	13	23	35	44	99+
35-49	251	14.7	180	2	2	12	20	31	42	70
50-64	1152	15.2	196	1	2	12	22	35	43	73
65+	1366	15.2	199	2	2	13	21	33	45	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	6.4	60	1	1	4	7	14	22	38
B. *Operated*	2661	8.0	90	1	1	3	12	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	787	9.1	109	1	2	6	10	19	29	55
B. *Operated*	2825	15.2	196	2	2	12	22	33	44	82
1. SINGLE DX	3010	7.8	87	1	1	3	12	19	24	41
2. MULTIPLE DX	3612	13.8	183	2	2	10	19	31	42	76
A. NOT OPERATED	1136	8.3	96	1	2	5	10	18	25	52
B. OPERATED	5486	11.7	157	1	2	8	17	28	37	68
TOTAL 0-19 YRS	49	9.9	175	<1	1	5	13	23	42	99+
20-34	148	9.0	87	1	2	6	12	23	30	52
35-49	674	10.7	138	1	2	7	15	24	32	63
50-64	2796	10.9	142	1	2	7	15	26	35	61
65+	2955	11.5	159	1	2	8	16	27	37	70
GRAND TOTAL	**6622**	**11.1**	**148**	**1**	**2**	**7**	**16**	**26**	**36**	**65**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.4	18	<1	<1	2	4	5	8	27
20-34	59	5.5	42	1	1	4	6	8	14	40
35-49	54	4.3	13	1	1	4	5	7	15	17
50-64	92	5.9	33	1	1	5	7	11	13	37
65+	91	6.3	42	1	1	4	7	15	18	36
B. *Operated*										
0-19 YRS	176	7.1	45	1	2	5	9	15	20	35
20-34	210	7.8	61	2	2	6	10	16	21	37
35-49	234	7.4	46	1	2	5	9	15	19	38
50-64	365	9.1	84	1	2	7	12	19	26	58
65+	489	10.2	122	1	2	7	13	24	31	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	4.7	33	1	1	3	5	9	16	32
20-34	128	7.0	63	1	1	4	8	16	17	51
35-49	70	5.7	25	1	1	4	7	12	18	26
50-64	249	9.6	154	1	2	5	11	21	37	58
65+	342	10.4	105	1	2	7	13	22	30	61
B. *Operated*										
0-19 YRS	80	11.3	86	2	3	8	16	22	30	47
20-34	119	14.9	219	2	2	10	20	32	42	84
35-49	148	15.0	181	2	3	12	19	32	43	80
50-64	382	16.1	188	2	3	13	23	36	43	81
65+	602	16.1	206	2	3	12	21	35	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	5.1	31	1	1	4	6	11	15	36
B. *Operated*	1474	8.8	84	1	2	6	11	18	26	50
2. MULTIPLE DX										
A. *Not Operated*	928	8.5	100	1	2	5	10	17	28	55
B. *Operated*	1331	15.6	193	2	3	12	21	34	43	83
1. SINGLE DX	1871	8.0	75	1	2	5	10	17	24	46
2. MULTIPLE DX	2259	12.7	167	1	2	6	17	29	40	73
A. NOT OPERATED	1325	7.5	82	1	1	5	8	16	24	49
B. OPERATED	2805	12.0	147	2	2	8	16	27	37	69
TOTAL 0-19 YRS	496	6.4	49	1	1	4	8	15	20	37
20-34	516	9.0	107	1	2	6	11	19	28	52
35-49	506	9.0	94	1	2	6	12	19	25	56
50-64	1088	11.4	145	1	2	8	15	27	37	65
65+	1524	12.3	157	1	2	8	16	28	37	72
GRAND TOTAL	4130	10.5	131	1	2	7	14	24	34	63

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	49	3	3	5	13	16	16	16
20-34	47	5.3	80	1	1	3	6	9	12	62
35-49	70	4.2	16	1	1	3	5	9	14	20
50-64	108	5.2	42	<1	1	4	6	9	14	41
65+	69	6.0	27	2	2	4	6	12	18	28
B. *Operated*										
0-19 YRS	28	4.4	25	<1	<1	3	6	10	12	25
20-34	440	5.7	19	1	1	5	8	10	12	21
35-49	620	6.0	20	1	2	5	8	11	14	23
50-64	735	7.0	30	1	2	6	9	13	18	27
65+	588	7.0	36	1	2	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	14	2	2	3	7	10	10	10
20-34	74	6.4	19	1	2	5	9	13	15	19
35-49	131	6.1	26	1	1	5	7	13	16	26
50-64	199	8.7	112	1	2	5	9	21	32	55
65+	241	9.4	104	2	2	6	11	18	24	56
B. *Operated*										
0-19 YRS	7	6.0	8	3	3	6	7	10	11	11
20-34	169	7.8	43	1	2	6	10	17	22	30
35-49	306	8.3	58	1	2	7	10	16	22	38
50-64	508	10.3	92	2	2	8	13	22	29	58
65+	627	11.4	101	2	2	9	15	23	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	5.2	38	1	1	4	6	10	14	33
B. *Operated*	2411	6.4	27	1	2	5	9	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	649	8.2	82	1	2	5	10	16	22	51
B. *Operated*	1617	10.1	85	2	2	8	13	21	27	55
1. SINGLE DX	2708	6.3	28	1	2	5	8	12	16	27
2. MULTIPLE DX	2266	9.5	85	1	2	7	12	20	26	53
A. NOT OPERATED	946	7.2	70	1	1	5	8	15	21	49
B. OPERATED	4028	7.9	54	1	2	6	10	16	22	37
TOTAL 0-19 YRS	42	4.9	22	<1	1	3	7	10	13	25
20-34	730	6.2	29	1	1	5	8	12	15	27
35-49	1127	6.5	32	1	2	5	9	12	16	27
50-64	1550	8.2	64	1	2	6	10	16	24	46
65+	1525	9.2	78	2	2	7	12	19	25	48
GRAND TOTAL	4974	7.8	57	1	2	6	10	16	22	39

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	18	6.0	40	1	2	4	9	11	22	28
50-64	19	6.2	45	1	2	4	7	15	24	28
65+	56	8.3	94	<1	1	5	10	19	31	49
B. *Operated*										
0-19 YRS	28	3.7	10	<1	1	2	5	8	10	14
20-34	189	3.5	12	<1	<1	2	4	8	11	17
35-49	556	3.0	9	<1	<1	2	3	6	9	16
50-64	1452	3.2	12	<1	<1	2	3	7	9	19
65+	2647	3.7	21	<1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	5.7	16	2	2	6	10	11	11	11
35-49	22	6.6	48	<1	1	5	7	12	23	33
50-64	81	6.9	104	1	1	5	8	12	16	68
65+	236	10.5	131	1	2	6	14	27	40	70
B. *Operated*										
0-19 YRS	13	3.5	9	<1	<1	2	5	8	10	10
20-34	102	4.2	17	<1	1	2	6	9	11	23
35-49	364	5.1	58	<1	1	3	6	11	17	40
50-64	1209	5.4	63	<1	1	3	5	12	19	40
65+	3266	7.0	73	1	1	4	8	15	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	7.3	72	1	1	4	9	19	27	44
B. *Operated*	4872	3.5	16	<1	<1	2	4	7	11	21
2. MULTIPLE DX										
A. *Not Operated*	347	9.3	110	1	1	6	11	22	35	66
B. *Operated*	4954	6.4	65	1	1	3	8	14	21	42
1. SINGLE DX	4968	3.6	18	<1	1	2	4	8	11	22
2. MULTIPLE DX	5301	6.6	72	1	1	4	8	15	22	44
A. NOT OPERATED	443	8.8	109	1	1	5	11	21	34	62
B. OPERATED	9826	4.9	45	<1	1	3	5	11	16	33
TOTAL 0-19 YRS	44	3.6	9	<1	1	2	5	8	10	14
20-34	299	3.8	14	<1	<1	2	5	9	11	18
35-49	960	3.9	30	<1	<1	2	4	9	11	27
50-64	2761	4.3	38	<1	1	2	4	9	14	29
65+	6205	5.7	56	<1	1	3	7	13	19	40
GRAND TOTAL	10269	5.1	48	<1	1	3	6	11	17	37

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	37	3.9	28	<1	<1	2	4	8	10	31
35-49	230	4.2	20	1	1	3	5	8	11	23
50-64	447	6.4	56	1	1	4	8	13	21	35
65+	380	7.5	72	1	1	5	8	17	26	42
B. *Operated*										
0-19 YRS	18	3.8	9	<1	1	2	5	10	10	10
20-34	677	6.5	21	1	2	6	8	11	13	19
35-49	3363	6.9	14	1	2	7	9	11	13	18
50-64	5529	7.7	17	2	3	7	9	12	14	21
65+	5550	8.4	22	2	4	8	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.3	81	2	2	5	10	24	28	28
20-34	152	7.3	35	1	2	5	10	16	19	27
35-49	928	8.8	90	1	1	6	11	19	28	47
50-64	2291	9.6	102	1	2	6	12	21	29	55
65+	2902	11.2	121	1	2	8	14	24	33	60
B. *Operated*										
0-19 YRS	14	9.7	15	3	6	9	13	15	16	16
20-34	552	9.2	53	2	4	8	10	15	20	41
35-49	3360	9.3	53	2	3	8	11	15	21	41
50-64	6860	10.6	66	3	4	9	12	18	24	49
65+	9242	12.2	83	3	5	10	14	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1094	6.2	54	1	1	4	7	14	21	38
B. *Operated*	15137	7.7	19	2	3	7	10	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	6281	10.2	108	1	2	7	13	22	31	56
B. *Operated*	20028	11.1	72	3	4	9	13	19	25	50
1. SINGLE DX	16231	7.6	21	2	2	7	9	12	15	23
2. MULTIPLE DX	26309	10.9	81	2	3	9	13	20	27	51
A. NOT OPERATED	7375	9.6	102	1	2	6	12	21	29	54
B. OPERATED	35165	9.6	52	2	4	8	11	16	21	40
TOTAL 0-19 YRS	40	6.8	31	1	2	5	9	14	16	28
20-34	1418	7.6	37	1	2	7	9	13	16	31
35-49	7881	8.1	41	1	2	7	10	13	17	35
50-64	15127	9.3	55	2	3	8	11	16	21	41
65+	18074	10.7	73	2	4	9	13	19	26	49
GRAND TOTAL	42540	9.6	61	2	3	8	11	17	23	44

33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	150	3.3	3	1	1	3	4	5	6	11
35-49	339	3.8	5	2	2	3	4	6	8	13
50-64	430	4.1	13	1	2	4	4	6	9	22
65+	328	4.4	13	1	2	4	5	7	10	20
B. *Operated*										
0-19 YRS	9	4.6	10	1	1	4	7	9	10	10
20-34	650	5.5	25	1	2	4	7	12	15	21
35-49	646	6.6	33	1	2	5	9	14	17	32
50-64	602	6.2	32	1	2	4	8	13	17	29
65+	428	6.5	36	2	2	4	8	13	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	117	7.1	73	1	1	4	9	16	24	46
35-49	291	6.3	42	1	2	4	7	13	21	33
50-64	523	7.2	77	1	1	4	8	16	23	45
65+	553	9.5	95	2	2	6	12	21	29	54
B. *Operated*										
0-19 YRS	7	5.4	30	1	1	4	6	15	17	17
20-34	424	7.4	42	1	2	6	9	15	20	31
35-49	767	10.9	114	2	3	8	13	22	29	68
50-64	748	12.4	138	2	2	9	16	27	37	65
65+	783	13.2	177	2	3	9	16	30	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	4.0	9	1	2	4	4	6	9	18
B. *Operated*	2335	6.2	31	1	2	4	8	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	1485	7.9	78	1	2	5	9	18	25	48
B. *Operated*	2729	11.4	131	2	2	8	14	24	33	65
1. SINGLE DX	3583	5.4	25	1	2	4	6	11	15	25
2. MULTIPLE DX	4214	10.1	115	1	2	7	12	22	31	59
A. NOT OPERATED	2733	6.1	50	1	2	4	6	12	19	36
B. OPERATED	5064	9.0	92	2	2	6	11	19	27	52
TOTAL 0-19 YRS	18	4.7	16	1	1	3	7	9	14	17
20-34	1341	6.0	34	1	2	4	8	12	16	28
35-49	2043	7.7	67	1	2	5	10	16	22	41
50-64	2303	8.1	83	1	2	4	10	18	26	49
65+	2092	9.5	111	2	2	6	11	21	31	55
GRAND TOTAL	**7797**	**8.0**	**79**	**1**	**2**	**5**	**10**	**17**	**24**	**48**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	4.2	4	1	2	4	6	7	8	9
35-49	77	3.7	4	1	2	3	4	6	7	12
50-64	380	3.8	6	1	1	3	4	6	8	17
65+	430	5.1	38	1	2	4	5	9	15	36
B. *Operated*										
0-19 YRS	3	9.3	10	7	7	8	12	13	13	13
20-34	64	6.5	13	2	2	6	8	10	13	21
35-49	372	6.2	13	1	1	6	8	10	13	16
50-64	1800	6.4	19	1	2	6	8	11	13	19
65+	1789	7.3	35	1	2	7	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.2	5	2	2	4	5	8	10	10
35-49	75	6.3	73	1	1	4	5	15	24	47
50-64	421	7.6	91	1	1	4	8	17	28	44
65+	755	9.1	95	1	2	6	11	21	31	64
B. *Operated*										
0-19 YRS	7	6.3	12	2	2	6	9	11	11	11
20-34	92	7.9	43	1	2	7	9	13	19	42
35-49	656	8.9	65	2	2	8	10	15	20	47
50-64	2942	8.9	52	1	2	8	11	16	21	41
65+	3539	11.2	91	2	2	9	14	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	4.4	22	1	2	3	4	6	10	27
B. *Operated*	4028	6.8	25	1	2	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1262	8.4	92	1	2	5	10	19	29	50
B. *Operated*	7236	10.0	73	2	2	8	12	19	25	48
1. SINGLE DX	4930	6.3	26	1	2	6	8	11	14	24
2. MULTIPLE DX	8498	9.8	76	2	2	8	12	19	25	48
A. NOT OPERATED	2164	6.7	67	1	2	4	7	15	22	43
B. OPERATED	11264	8.9	59	1	2	8	11	16	21	41
TOTAL 0-19 YRS	11	7.0	11	2	2	7	9	12	13	13
20-34	181	6.9	28	2	2	6	8	12	15	31
35-49	1180	7.5	48	1	2	7	9	13	17	33
50-64	5543	7.6	43	1	2	7	9	14	18	35
65+	6513	9.5	77	2	2	8	12	18	25	47
GRAND TOTAL	**13428**	**8.5**	**60**	**1**	**2**	**7**	**10**	**16**	**22**	**41**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	5	1	1	4	5	6	7	10
20-34	76	3.3	6	1	1	2	5	7	8	13
35-49	342	2.6	12	1	1	2	2	5	6	21
50-64	1039	2.6	11	1	1	2	3	5	6	17
65+	654	3.5	22	1	1	2	3	7	12	23
B. *Operated*										
0-19 YRS	33	8.3	9	4	5	8	10	12	15	15
20-34	121	8.4	16	4	4	7	10	13	17	21
35-49	243	9.5	28	3	5	8	11	15	18	34
50-64	411	11.3	43	[illegible]	6	10	13	18	22	38
65+	273	13.5	64	3	6	12	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.1	38	<1	1	5	6	11	20	29
20-34	116	4.2	19	1	1	3	4	7	12	26
35-49	469	4.3	36	1	1	2	5	9	14	33
50-64	1684	4.8	47	1	1	2	5	11	17	34
65+	1521	6.8	77	1	1	3	8	16	24	44
B. *Operated*										
0-19 YRS	28	9.1	27	4	5	8	10	17	22	23
20-34	178	10.2	36	5	5	8	12	19	25	29
35-49	610	12.9	70	5	6	11	16	21	28	43
50-64	1564	15.6	119	6	7	13	19	28	37	63
65+	1567	19.9	164	7	8	17	25	36	47	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2139	2.9	14	1	1	2	3	5	8	21
B. *Operated*	1081	11.0	44	4	5	9	13	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	3810	5.5	58	1	1	3	6	13	19	41
B. *Operated*	3947	16.6	134	6	7	13	20	30	40	68
1. SINGLE DX	3220	5.6	39	1	1	3	8	13	17	29
2. MULTIPLE DX	7757	11.2	127	1	2	8	15	25	33	58
A. NOT OPERATED	5949	4.6	44	1	1	2	5	10	16	34
B. OPERATED	5028	15.4	120	5	6	12	19	28	37	63
TOTAL 0-19 YRS	109	7.0	22	1	2	6	9	11	15	25
20-34	491	7.3	30	1	2	6	9	13	19	28
35-49	1664	7.9	61	1	1	6	11	17	21	39
50-64	4698	8.5	93	1	1	5	12	19	26	48
65+	4015	11.8	148	1	1	9	17	27	36	62
GRAND TOTAL	10977	9.5	108	1	1	7	13	22	29	51

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	11	3.5	7	1	1	3	5	8	9	9
35-49	22	4.3	17	1	1	3	5	7	13	21
50-64	46	4.6	42	1	1	4	5	8	15	99+
65+	74	7.0	108	2	2	4	6	14	25	61
B. *Operated*										
0-19 YRS	6	3.2	15	1	1	2	3	10	11	11
20-34	36	7.9	77	<1	1	4	10	22	23	40
35-49	64	8.0	83	1	2	4	10	19	24	46
50-64	137	9.2	86	2	2	6	11	22	29	45
65+	291	9.5	93	2	2	6	13	23	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	6	<1	<1	2	5	6	6	6
20-34	23	5.5	20	1	1	4	8	11	16	17
35-49	36	7.3	41	2	2	5	9	17	22	25
50-64	92	6.2	47	1	2	3	8	14	19	38
65+	193	9.3	96	1	2	6	11	20	29	49
B. *Operated*										
0-19 YRS	6	23.7	607	4	4	17	35	62	65	65
20-34	37	12.3	189	1	2	7	14	27	47	62
35-49	100	13.7	172	2	2	8	20	31	41	59
50-64	270	13.9	168	2	3	10	18	31	45	64
65+	527	17.3	241	2	3	13	23	36	47	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	5.6	68	1	1	4	5	10	18	61
B. *Operated*	534	9.0	88	1	2	6	11	22	27	46
2. MULTIPLE DX										
A. *Not Operated*	349	7.9	73	1	2	5	10	18	24	38
B. *Operated*	940	15.8	215	2	3	11	20	34	47	78
1. SINGLE DX	690	8.3	86	1	2	5	10	20	27	47
2. MULTIPLE DX	1289	13.6	189	2	2	9	18	31	43	75
A. NOT OPERATED	505	7.2	73	1	2	4	8	16	23	50
B. OPERATED	1474	13.3	180	2	2	9	18	30	41	71
TOTAL 0-19 YRS	20	9.3	260	<1	<1	3	6	32	50	65
20-34	107	8.5	104	1	1	5	10	21	26	56
35-49	222	10.1	120	1	2	6	13	25	33	52
50-64	545	10.6	128	1	2	7	14	25	34	62
65+	1085	13.1	183	2	2	9	17	30	39	78
GRAND TOTAL	1979	11.8	159	2	2	8	16	27	37	67

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	14	5.1	12	1	1	4	8	10	11	11
50-64	203	5.6	47	1	1	3	6	14	20	36
65+	654	6.6	56	1	1	5	8	14	20	42
B. *Operated*										
0-19 YRS	9	9.6	37	2	3	8	12	19	23	23
20-34	5	5.4	12	2	2	5	7	11	11	11
35-49	60	7.0	29	2	2	5	9	16	18	22
50-64	1909	7.7	39	1	2	6	10	15	19	29
65+	6126	8.0	35	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	11.3	72	3	3	9	14	25	28	28
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	40	8.5	88	1	1	6	10	20	25	52
50-64	636	8.7	90	1	2	6	11	17	24	50
65+	4958	10.1	98	2	2	7	13	21	29	53
B. *Operated*										
0-19 YRS	12	14.9	135	4	5	9	22	35	37	37
20-34	11	15.0	302	2	3	10	14	45	58	59
35-49	65	10.4	77	2	2	8	15	25	28	34
50-64	2843	11.2	92	2	3	9	14	22	28	52
65+	14474	12.1	95	3	4	9	15	23	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	872	6.4	53	1	1	4	8	14	20	41
B. *Operated*	8109	7.9	36	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	5643	9.9	97	1	2	7	12	21	28	53
B. *Operated*	17405	12.0	95	3	4	9	15	23	30	53
1. SINGLE DX	8981	7.8	38	2	2	7	10	15	18	29
2. MULTIPLE DX	23248	11.4	96	2	3	9	14	22	30	53
A. NOT OPERATED	6715	9.4	92	1	2	7	12	20	27	52
B. OPERATED	25514	10.7	79	2	3	8	13	21	27	48
TOTAL 0-19 YRS	29	12.1	86	3	4	9	14	29	34	37
20-34	18	11.4	203	2	2	6	11	30	50	59
35-49	179	8.4	30	1	2	6	10	19	24	34
50-64	5791	9.5	76	2	2	7	12	19	25	43
65+	26212	10.6	84	2	3	8	13	21	27	50
GRAND TOTAL	**32229**	**10.4**	**82**	**2**	**3**	**8**	**13**	**20**	**27**	**49**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.7	5	<1	1	3	5	7	8	8
20-34	124	4.8	7	1	1	5	6	8	9	14
35-49	26	3.5	5	1	1	3	5	6	7	9
50-64	27	4.6	17	1	1	3	8	12	13	15
65+	6	5.2	9	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	64	6.7	29	2	2	5	8	11	16	33
20-34	615	5.9	19	1	2	5	8	11	15	22
35-49	200	5.7	17	1	2	5	7	11	14	21
50-64	114	6.7	23	2	2	5	9	14	17	22
65+	84	7.6	71	1	2	5	9	15	20	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.5	14	2	3	5	6	8	17	19
20-34	231	5.5	38	1	2	5	6	8	10	29
35-49	68	6.4	78	1	2	5	6	12	14	62
50-64	37	6.6	36	1	2	4	8	16	22	26
65+	22	7.2	24	1	2	7	7	15	19	21
B. *Operated*										
0-19 YRS	30	13.9	138	3	4	11	17	27	46	50
20-34	269	9.6	53	2	3	6	12	18	23	41
35-49	109	9.5	64	2	2	7	13	18	24	42
50-64	113	10.1	82	2	3	8	12	22	29	47
65+	147	12.6	148	2	3	9	15	22	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	4.5	8	1	1	5	6	8	9	14
B. *Operated*	1077	6.1	24	1	2	5	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	391	5.9	42	1	2	5	6	9	14	27
B. *Operated*	668	10.5	86	2	3	8	13	20	27	47
1. SINGLE DX	1278	5.8	21	1	2	5	8	11	15	22
2. MULTIPLE DX	1059	8.8	74	2	2	6	10	17	23	46
A. NOT OPERATED	592	5.4	31	1	1	5	6	8	12	22
B. OPERATED	1745	7.8	52	2	2	6	10	16	20	39
TOTAL 0-19 YRS	145	7.5	56	2	2	5	8	16	20	46
20-34	1239	6.5	31	1	2	5	8	12	17	27
35-49	403	6.7	42	1	2	5	8	13	16	36
50-64	291	7.8	50	1	2	5	10	16	22	39
65+	259	10.4	115	2	2	8	13	19	31	62
GRAND TOTAL	**2337**	**7.2**	**48**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	6.3	70	1	1	2	12	16	16	16
35-49	20	2.6	3	<1	1	2	3	5	7	7
50-64	121	4.6	50	1	1	2	5	10	14	43
65+	322	6.6	70	1	1	4	7	15	23	47
B. *Operated*										
0-19 YRS	14	5.1	13	1	1	5	9	10	11	11
20-34	121	3.9	13	1	1	3	5	7	9	21
35-49	642	4.6	18	1	1	3	5	10	13	21
50-64	3434	5.4	29	1	2	4	6	12	16	29
65+	7140	5.9	35	1	2	4	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	9.0	67	1	1	7	15	20	20	20
35-49	38	6.0	31	1	1	4	8	16	17	21
50-64	356	7.1	64	1	1	4	8	19	26	37
65+	1464	9.8	99	1	2	7	13	21	30	53
B. *Operated*										
0-19 YRS	23	5.3	19	1	2	4	6	12	16	18
20-34	48	10.1	243	1	1	3	14	32	51	99+
35-49	331	8.8	106	1	2	5	11	22	29	60
50-64	3003	9.2	101	2	2	6	11	21	28	53
65+	10078	10.3	104	2	2	7	13	22	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	5.9	63	1	1	3	6	13	21	46
B. *Operated*	11351	5.7	32	1	2	4	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	1865	9.2	92	1	2	6	12	20	27	50
B. *Operated*	13483	10.0	104	2	2	7	13	22	30	54
1. SINGLE DX	11819	5.7	33	1	2	4	7	12	17	30
2. MULTIPLE DX	15348	9.9	103	2	2	7	12	22	30	54
A. NOT OPERATED	2333	8.5	88	1	1	5	11	19	27	50
B. OPERATED	24834	8.0	76	1	2	5	10	18	24	45
TOTAL 0-19 YRS	40	5.1	15	1	1	4	7	10	13	18
20-34	176	5.7	84	1	1	3	6	13	19	75
35-49	1031	6.0	51	1	1	4	6	13	20	36
50-64	6916	7.1	66	1	2	4	8	16	22	41
65+	19004	8.6	81	2	2	6	10	19	26	47
GRAND TOTAL	27167	8.1	77	1	2	5	10	18	25	45

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.6	8	<1	<1	4	5	6	10	11
20-34	5	7.2	39	3	3	4	10	18	18	18
35-49	19	4.7	26	1	1	2	8	11	16	20
50-64	85	5.1	43	1	1	3	5	12	15	40
65+	88	6.6	42	1	2	4	8	15	22	29
B. *Operated*										
0-19 YRS	40	11.7	47	2	6	10	13	20	29	32
20-34	40	10.9	43	2	3	10	13	17	20	39
35-49	226	10.9	33	2	2	10	14	18	21	28
50-64	584	12.3	47	2	4	12	16	20	24	36
65+	657	12.5	57	2	3	12	16	22	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.4	6	1	2	4	5	9	10	11
20-34	38	6.1	33	1	2	4	7	13	19	30
35-49	108	9.3	169	1	1	5	10	18	37	70
50-64	450	9.3	79	1	2	6	13	22	28	39
65+	673	10.9	100	2	2	8	14	23	29	62
B. *Operated*										
0-19 YRS	37	16.8	202	5	6	13	20	31	55	65
20-34	51	13.2	75	2	4	10	17	28	32	39
35-49	298	14.9	103	2	5	12	18	28	36	50
50-64	1254	16.1	114	3	6	14	20	28	37	57
65+	1959	17.6	141	4	6	15	22	32	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	5.6	39	1	1	4	7	12	18	29
B. *Operated*	1547	12.1	49	2	3	11	15	20	24	35
2. MULTIPLE DX										
A. *Not Operated*	1291	9.9	96	1	2	7	13	22	29	57
B. *Operated*	3599	16.8	129	3	6	14	21	30	39	65
1. SINGLE DX	1757	11.4	52	2	2	11	15	20	24	35
2. MULTIPLE DX	4890	15.0	129	2	3	13	19	28	37	62
A. NOT OPERATED	1501	9.3	91	1	2	6	12	21	28	54
B. OPERATED	5146	15.4	109	3	5	13	19	27	35	58
TOTAL 0-19 YRS	112	11.0	111	1	2	9	13	23	31	64
20-34	134	10.3	60	2	3	9	13	19	29	39
35-49	651	12.3	94	2	2	10	16	22	31	52
50-64	2373	13.5	98	2	3	12	17	25	32	51
65+	3377	15.0	124	2	4	13	19	28	36	63
GRAND TOTAL	6647	14.0	111	2	3	12	18	26	33	57

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	2	<1	1	2	3	4	4	4
20-34	4	4.5		4	4	4	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	9	5.2	7	1	2	5	7	9	9	9
65+	10	10.3	196	2	2	5	10	30	49	49
B. *Operated*										
0-19 YRS	20	3.7	10	<1	1	3	5	7	11	14
20-34	14	4.8	12	1	2	4	6	9	14	15
35-49	34	3.8	4	1	1	4	5	7	8	9
50-64	76	4.2	7	1	2	4	5	7	9	15
65+	83	4.8	19	1	2	4	5	8	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	2	1	1	3	4	5	5	5
20-34	7	9.4	88	<1	1	5	13	26	28	28
35-49	7	6.4	31	1	1	6	11	15	15	15
50-64	15	6.1	59	1	3	4	6	8	27	33
65+	41	8.0	53	1	2	6	10	13	23	41
B. *Operated*										
0-19 YRS	15	9.9	167	<1	<1	2	16	31	39	42
20-34	3	5.0	12	3	3	3	8	9	9	9
35-49	14	3.9	19	1	1	3	4	9	16	18
50-64	48	8.9	79	2	2	6	11	24	28	43
65+	82	9.6	78	1	2	6	11	25	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.0	56	1	1	4	5	9	11	49
B. *Operated*	227	4.4	12	1	2	4	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	80	7.0	50	1	1	5	8	13	23	39
B. *Operated*	162	8.8	82	1	2	5	10	24	28	42
1. SINGLE DX	269	4.4	18	1	1	4	5	8	10	21
2. MULTIPLE DX	242	8.2	72	1	2	5	10	22	27	41
A. NOT OPERATED	122	6.3	53	1	1	4	7	12	18	43
B. OPERATED	389	6.2	46	1	2	4	7	13	23	34
TOTAL 0-19 YRS	63	4.5	51	<1	1	2	4	8	20	41
20-34	28	5.9	31	1	2	4	6	13	17	28
35-49	56	4.2	11	1	1	3	5	8	12	18
50-64	148	6.0	39	2	2	4	7	11	18	35
65+	216	7.5	60	1	2	5	9	19	25	39
GRAND TOTAL	**511**	**6.2**	**47**	**1**	**2**	**4**	**7**	**13**	**23**	**36**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	5.5	61	1	1	3	5	11	20	46
20-34	112	7.8	129	<1	<1	4	9	17	25	65
35-49	150	9.3	94	1	2	6	12	23	32	63
50-64	270	12.0	162	1	2	8	16	31	37	75
65+	192	14.1	206	2	3	9	18	32	44	95
B. *Operated*										
0-19 YRS	148	15.3	106	4	6	13	19	28	33	54
20-34	218	14.5	126	3	6	12	16	25	33	65
35-49	286	16.3	145	4	6	14	18	29	39	70
50-64	480	17.4	170	4	7	15	20	30	45	86
65+	277	20.5	204	4	7	16	27	40	53	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	6.8	104	1	1	4	8	12	24	65
20-34	152	8.7	84	1	2	6	11	21	25	63
35-49	229	11.6	143	2	3	7	14	29	38	71
50-64	499	12.8	172	2	2	9	16	30	45	80
65+	435	16.4	253	3	3	11	21	39	56	85
B. *Operated*										
0-19 YRS	134	23.9	328	4	6	19	30	50	75	99+
20-34	170	23.0	298	5	8	18	28	48	58	82
35-49	199	23.1	404	4	7	17	28	57	79	99+
50-64	401	27.0	403	5	7	21	36	63	79	99+
65+	379	28.3	406	7	10	23	37	64	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	791	10.8	153	1	2	7	13	26	36	83
B. *Operated*	1409	17.1	161	4	6	14	20	31	43	72
2. MULTIPLE DX										
A. *Not Operated*	1434	12.8	186	2	2	8	15	30	45	75
B. *Operated*	1283	25.9	386	5	8	20	33	59	77	99+
1. SINGLE DX	2200	14.9	167	2	3	12	19	29	41	73
2. MULTIPLE DX	2717	19.0	323	2	3	14	25	46	65	99+
A. NOT OPERATED	2225	12.1	175	1	2	8	15	29	42	77
B. OPERATED	2692	21.3	288	5	7	16	26	46	64	94
TOTAL 0-19 YRS	468	14.2	214	1	2	10	19	31	45	79
20-34	652	14.2	195	2	2	11	17	29	45	73
35-49	864	15.4	219	2	3	11	19	32	49	89
50-64	1650	17.4	259	2	3	13	22	39	56	91
65+	1283	20.5	310	3	4	15	27	47	65	99+
GRAND TOTAL	**4917**	**17.1**	**258**	**2**	**3**	**13**	**22**	**38**	**56**	**91**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	7.8	67	1	1	7	18	70	99+	99+
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	8	12.0	114	1	1	10	19	28	30	30
50-64	7	14.7	39	5	6	15	20	22	22	22
65+	10	9.6	75	2	2	6	13	24	29	29
B. *Operated*										
0-19 YRS	19	14.6	221	2	4	11	15	29	51	68
20-34	21	14.6	110	4	5	12	19	27	38	50
35-49	23	17.0	133	3	7	16	21	26	41	58
50-64	27	21.3	361	2	4	16	25	55	79	99+
65+	13	23.4	415	5	7	20	27	51	75	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.5	225	1	1	3	5	17	49	57
20-34	11	4.9	15	1	1	4	7	11	13	13
35-49	15	11.1	184	2	3	7	11	22	47	56
50-64	32	13.8	218	1	2	7	20	34	50	58
65+	24	15.7	306	2	3	10	18	30	55	83
B. *Operated*										
0-19 YRS	20	21.8	433	4	5	16	21	56	76	78
20-34	23	21.1	351	2	6	15	43	64	99+	99+
35-49	25	25.3	333	2	4	28	34	48	62	76
50-64	37	24.6	255	7	9	21	32	45	47	91
65+	54	25.4	337	5	7	21	37	64	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	10.3	71	1	2	7	16	24	30	99+
B. *Operated*	103	18.0	241	3	6	13	21	43	57	90
2. MULTIPLE DX										
A. *Not Operated*	95	12.0	218	1	2	6	15	28	49	72
B. *Operated*	159	24.1	325	4	6	19	33	57	72	99+
1. SINGLE DX	139	16.0	208	2	3	13	20	30	54	99+
2. MULTIPLE DX	254	19.6	319	2	3	15	28	48	64	99+
A. NOT OPERATED	131	11.5	177	1	2	7	16	28	43	86
B. OPERATED	262	21.7	300	4	6	16	29	51	68	99+
TOTAL 0-19 YRS	60	14.5	296	1	2	9	17	38	71	98
20-34	58	14.9	217	1	3	10	19	47	61	99+
35-49	71	18.1	237	2	3	15	25	37	56	72
50-64	103	19.7	273	2	4	16	27	47	54	95
65+	101	21.3	336	3	5	16	27	57	70	99+
GRAND TOTAL	**393**	**18.3**	**282**	**2**	**3**	**14**	**24**	**46**	**59**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.8	15	1	1	3	7	12	13	17
20-34	69	2.3	1	1	1	2	3	4	4	5
35-49	73	3.6	25	1	1	3	3	5	7	33
50-64	43	3.9	17	1	2	3	4	6	9	27
65+	59	6.8	83	<1	1	3	7	14	27	52
B. *Operated*										
0-19 YRS	78	7.1	66	2	2	4	7	14	22	47
20-34	366	5.3	12	2	3	4	6	9	11	23
35-49	332	5.6	20	2	3	4	6	9	12	30
50-64	241	6.3	21	3	3	5	7	12	15	26
65+	150	8.1	64	3	3	6	10	16	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.3	9	<1	1	4	6	9	10	13
20-34	71	4.9	72	1	1	3	4	7	17	55
35-49	85	6.4	92	1	2	4	6	12	22	62
50-64	91	6.9	42	1	1	4	9	17	18	32
65+	164	8.8	66	1	2	7	13	17	20	61
B. *Operated*										
0-19 YRS	70	12.9	252	2	3	7	15	33	48	96
20-34	312	7.0	30	2	3	5	8	12	19	31
35-49	335	8.2	60	3	3	6	9	16	22	46
50-64	341	11.3	127	3	4	7	14	25	36	61
65+	357	15.2	235	3	4	10	18	32	51	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	4.2	30	1	1	3	4	7	12	33
B. *Operated*	1167	6.1	27	2	3	5	6	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	480	6.8	61	1	1	4	8	15	18	47
B. *Operated*	1415	10.7	133	3	3	7	12	23	33	67
1. SINGLE DX	1463	5.7	28	2	2	4	6	10	15	29
2. MULTIPLE DX	1895	9.7	118	2	3	6	11	20	30	64
A. NOT OPERATED	776	5.8	51	1	1	3	7	13	17	37
B. OPERATED	2582	8.6	90	3	3	5	9	17	25	58
TOTAL 0-19 YRS	269	7.4	101	1	2	5	8	15	25	75
20-34	818	5.7	25	2	2	4	6	10	14	28
35-49	825	6.6	46	2	2	5	7	12	18	36
50-64	716	8.6	81	2	3	5	10	18	25	50
65+	730	11.7	162	2	3	7	14	24	35	72
GRAND TOTAL	**3358**	**8.0**	**83**	**2**	**2**	**5**	**9**	**15**	**24**	**54**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.9	33	1	1	4	5	8	15	34
20-34	77	6.4	45	1	1	4	9	12	17	39
35-49	235	6.9	54	1	1	5	8	15	20	46
50-64	856	7.6	75	1	1	5	9	17	23	46
65+	1031	9.1	83	1	2	6	11	20	28	45
B. *Operated*										
0-19 YRS	43	9.1	103	1	2	6	10	22	28	57
20-34	154	8.1	108	1	2	6	9	15	19	66
35-49	424	8.5	87	1	1	6	11	18	28	45
50-64	1122	9.5	100	1	2	7	12	19	29	53
65+	1486	9.5	87	1	2	7	13	21	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.9	51	1	1	4	7	11	17	38
20-34	748	6.8	43	1	2	5	8	15	19	38
35-49	2828	8.5	78	1	2	6	11	19	25	46
50-64	9776	9.8	94	1	2	7	12	21	29	49
65+	13947	11.5	114	2	3	8	15	25	33	54
B. *Operated*										
0-19 YRS	99	12.1	188	3	3	8	13	23	50	71
20-34	743	11.5	118	2	2	9	15	25	31	64
35-49	2682	13.3	155	2	3	10	17	28	38	70
50-64	8488	15.0	172	2	3	11	20	31	41	70
65+	11270	15.8	178	2	3	12	21	33	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2241	8.1	75	1	2	5	10	18	25	46
B. *Operated*	3229	9.3	93	1	2	7	12	20	27	50
2. MULTIPLE DX										
A. *Not Operated*	27450	10.4	102	1	2	7	13	22	31	51
B. *Operated*	23282	15.1	172	2	3	11	20	31	41	72
1. SINGLE DX	5470	8.8	86	1	2	6	11	19	26	47
2. MULTIPLE DX	50732	12.5	140	2	2	9	16	27	36	62
A. NOT OPERATED	29691	10.2	101	1	2	7	13	22	30	50
B. OPERATED	26511	14.4	166	2	3	11	19	30	40	69
TOTAL 0-19 YRS	335	8.0	103	1	2	5	9	16	24	64
20-34	1722	9.0	86	1	2	6	11	19	26	55
35-49	6169	10.5	117	1	2	7	13	23	32	57
50-64	20242	11.8	133	1	2	8	15	26	35	60
65+	27734	13.0	143	2	3	9	17	28	37	61
GRAND TOTAL	**56202**	**12.2**	**136**	**2**	**2**	**9**	**16**	**27**	**35**	**60**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.0	17	<1	<1	1	3	7	10	26
20-34	336	3.3	16	1	1	2	4	7	10	26
35-49	141	4.1	15	<1	1	3	5	9	12	16
50-64	80	5.6	78	1	1	3	6	11	18	52
65+	86	9.1	116	1	1	6	12	22	27	59
B. *Operated*										
0-19 YRS	304	7.6	37	1	2	6	10	16	19	28
20-34	845	8.0	40	1	2	7	10	17	22	30
35-49	289	9.0	66	1	2	7	12	18	24	32
50-64	192	11.4	108	2	2	8	16	26	34	48
65+	159	11.2	113	2	3	9	14	20	29	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	4.3	20	1	1	3	6	10	11	26
20-34	328	5.7	52	1	1	4	7	12	17	40
35-49	152	6.6	43	1	1	4	9	15	19	35
50-64	181	6.7	45	1	1	4	9	15	20	33
65+	233	10.0	93	1	2	7	13	20	31	50
B. *Operated*										
0-19 YRS	95	11.2	71	2	2	9	16	23	26	44
20-34	437	12.0	96	2	3	10	16	24	31	53
35-49	179	13.3	142	2	3	10	18	26	35	70
50-64	228	15.3	158	2	4	12	19	31	40	64
65+	278	19.2	187	4	5	17	25	35	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	753	4.3	37	<1	1	2	5	10	14	31
B. *Operated*	1789	8.8	59	1	2	7	11	18	24	36
2. MULTIPLE DX										
A. *Not Operated*	1002	6.9	59	1	1	4	9	15	21	38
B. *Operated*	1217	14.4	141	2	3	11	19	29	35	68
1. SINGLE DX	2542	7.4	56	1	1	5	10	17	22	34
2. MULTIPLE DX	2219	11.0	118	1	1	8	15	24	32	55
A. NOT OPERATED	1755	5.8	51	1	1	3	7	13	19	35
B. OPERATED	3006	11.0	100	2	2	8	15	23	30	50
TOTAL 0-19 YRS	617	6.8	42	1	1	5	9	16	20	28
20-34	1946	7.7	58	1	1	6	10	17	23	35
35-49	761	8.6	80	1	1	6	11	19	24	40
50-64	681	10.8	115	1	2	7	14	24	32	52
65+	756	13.5	153	1	2	10	18	29	36	71
GRAND TOTAL	**4761**	**9.1**	**88**	**1**	**1**	**6**	**12**	**20**	**27**	**46**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	230	5.2	36	<1	<1	3	7	14	17	26
20-34	66	6.4	24	<1	1	6	8	11	13	30
35-49	16	6.6	49	<1	1	4	9	14	24	28
50-64	108	6.7	75	<1	1	4	8	14	26	48
65+	217	7.2	58	1	1	5	10	15	20	41
B. Operated										
0-19 YRS	178	10.6	197	<1	1	5	14	28	42	74
20-34	56	16.0	144	3	4	13	27	34	36	47
35-49	29	9.8	98	1	2	5	19	22	34	42
50-64	89	8.1	55	2	2	6	9	15	20	42
65+	135	8.1	67	2	2	5	10	18	26	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	248	6.2	46	<1	1	4	8	13	19	34
20-34	60	8.8	107	1	1	5	10	20	28	53
35-49	59	7.2	50	1	1	5	10	16	22	36
50-64	369	8.7	83	1	1	6	11	18	24	46
65+	1260	9.7	93	1	2	7	13	20	26	49
B. Operated										
0-19 YRS	152	15.8	248	1	3	11	23	35	49	89
20-34	46	26.2	421	2	4	24	39	59	71	99+
35-49	62	17.4	220	3	4	13	28	41	51	95
50-64	287	12.8	145	2	3	9	16	26	38	76
65+	718	14.3	161	2	4	10	18	31	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	6.3	50	<1	1	4	8	14	19	35
B. *Operated*	487	10.0	128	1	2	6	13	25	33	51
2. MULTIPLE DX										
A. *Not Operated*	1996	9.0	85	1	1	6	12	18	25	47
B. *Operated*	1265	14.7	185	2	3	10	19	33	45	82
1. SINGLE DX	1124	7.9	87	<1	1	5	10	18	27	48
2. MULTIPLE DX	3261	11.2	132	1	2	8	14	24	34	63
A. NOT OPERATED	2633	8.3	78	1	1	6	11	17	24	45
B. OPERATED	1752	13.4	174	2	3	9	17	31	41	77
TOTAL 0-19 YRS	808	8.7	130	<1	1	5	11	23	31	62
20-34	228	13.4	208	1	2	7	18	34	48	72
35-49	166	11.4	142	1	2	7	15	29	41	59
50-64	853	9.7	104	1	2	7	12	26	30	54
65+	2330	10.8	115	1	2	8	14	22	32	56
GRAND TOTAL	4385	10.4	123	1	2	7	13	24	33	59

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	151	4.2	18	<1	<1	3	5	9	11	23
20-34	146	7.2	76	<1	<1	5	8	19	27	38
35-49	154	7.5	81	<1	<1	5	9	21	25	44
50-64	274	7.5	97	<1	1	4	8	22	30	49
65+	451	6.2	61	<1	1	4	8	14	21	41
B. Operated										
0-19 YRS	73	19.6	410	1	2	10	35	55	64	97
20-34	118	19.1	337	2	3	11	30	49	59	73
35-49	138	19.4	302	2	2	11	31	45	54	73
50-64	185	16.6	244	2	2	10	28	41	48	70
65+	225	14.8	212	2	3	10	19	35	49	66
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	172	5.2	27	<1	<1	4	7	11	15	26
20-34	156	8.1	115	<1	1	5	9	18	29	52
35-49	255	8.8	90	<1	1	6	11	23	29	54
50-64	506	7.9	71	1	1	5	10	20	28	39
65+	1296	8.2	80	1	1	5	11	18	26	47
B. Operated										
0-19 YRS	84	21.5	308	2	3	17	32	44	56	74
20-34	171	25.8	421	2	5	20	38	57	72	98
35-49	246	26.9	454	3	4	23	41	60	70	87
50-64	440	24.0	449	3	4	17	35	56	72	98
65+	816	19.0	320	3	4	13	25	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1176	6.6	70	<1	1	4	8	16	25	42
B. *Operated*	739	17.3	278	2	3	10	28	42	53	73
2. MULTIPLE DX										
A. *Not Operated*	2385	8.0	78	1	1	5	10	18	26	43
B. *Operated*	1757	22.1	390	3	4	15	32	52	69	98
1. SINGLE DX	1915	10.7	177	<1	1	6	12	30	40	64
2. MULTIPLE DX	4142	14.0	259	1	2	8	18	36	50	85
A. NOT OPERATED	3561	7.5	76	<1	1	5	9	18	26	42
B. OPERATED	2496	20.7	362	2	3	14	31	49	64	94
TOTAL 0-19 YRS	480	9.9	187	<1	1	5	11	29	41	69
20-34	591	15.2	302	<1	1	8	23	40	53	85
35-49	793	16.0	307	1	1	8	25	42	54	79
50-64	1405	14.0	271	1	1	7	20	37	48	84
65+	2788	11.6	185	1	1	7	14	28	40	80
GRAND TOTAL	6057	12.9	236	1	1	7	16	34	47	80

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	5.1	24	<1	1	4	6	13	16	72
20-34	200	4.9	33	1	1	3	6	11	16	31
35-49	331	5.6	34	1	1	4	8	14	17	26
50-64	908	5.9	47	1	1	4	7	13	20	34
65+	1166	7.7	77	1	1	5	10	19	25	41
B. *Operated*										
0-19 YRS	110	8.8	71	1	1	6	12	19	25	42
20-34	266	9.0	100	1	2	5	11	19	32	43
35-49	560	8.6	62	1	2	7	11	17	21	39
50-64	1363	9.3	77	1	2	7	12	19	25	44
65+	1589	10.4	83	2	2	8	13	22	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	5.7	49	1	1	4	7	10	14	47
20-34	185	6.5	58	1	1	4	7	14	22	38
35-49	530	8.8	106	1	1	6	10	19	33	51
50-64	1914	9.0	96	1	1	6	11	20	28	45
65+	3901	10.2	107	1	2	7	13	23	31	55
B. *Operated*										
0-19 YRS	62	14.4	178	2	3	10	19	31	44	66
20-34	185	14.9	212	2	2	10	20	32	44	77
35-49	574	14.2	160	2	3	11	18	31	42	96
50-64	2013	15.9	200	2	4	12	20	34	47	82
65+	3530	17.7	213	3	4	14	23	37	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2690	6.5	57	1	1	4	8	16	22	36
B. *Operated*	3888	9.6	79	1	2	7	12	20	27	45
2. MULTIPLE DX										
A. *Not Operated*	6625	9.6	102	1	1	7	12	21	30	52
B. *Operated*	6364	16.7	205	3	4	13	22	35	47	83
1. SINGLE DX	6578	8.4	73	1	1	6	11	18	25	42
2. MULTIPLE DX	12989	13.1	165	1	2	9	17	29	40	71
A. NOT OPERATED	9315	8.7	91	1	1	6	11	20	28	49
B. OPERATED	10252	14.0	169	2	3	10	18	30	41	72
TOTAL 0-19 YRS	352	8.1	83	1	1	5	10	18	25	49
20-34	836	8.8	112	1	1	5	11	21	31	47
35-49	1995	9.8	106	1	2	7	13	21	31	59
50-64	6198	10.8	132	1	2	7	14	24	34	63
65+	10186	12.6	151	1	2	9	17	28	38	65
GRAND TOTAL	19567	11.5	139	1	2	8	15	26	35	63

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	8	1	1	3	7	8	8	8
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	5	2.0	2	1	1	2	3	4	4	4
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	236	2.9	8	1	1	2	3	5	7	15
20-34	614	3.2	4	1	1	3	4	5	6	9
35-49	692	3.4	4	1	2	3	4	5	6	10
50-64	931	3.8	11	1	2	3	4	6	7	11
65+	644	4.1	5	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	8	3.6	14	1	1	2	6	10	10	10
65+	10	5.3	26	<1	<1	4	8	13	17	17
B. *Operated*										
0-19 YRS	45	4.4	20	<1	1	3	5	13	16	17
20-34	130	4.0	8	1	1	3	5	7	9	15
35-49	213	4.3	8	1	2	4	5	7	10	14
50-64	457	4.9	14	1	2	4	6	9	13	20
65+	486	6.2	30	2	2	5	7	11	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.3	6	1	1	3	4	7	8	8
B. *Operated*	3117	3.6	7	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	23	4.4	17	<1	1	3	7	10	13	17
B. *Operated*	1331	5.2	19	1	2	4	6	9	14	22
1. SINGLE DX	3140	3.6	7	1	2	3	4	6	7	12
2. MULTIPLE DX	1354	5.2	19	1	2	4	6	9	14	22
A. NOT OPERATED	46	3.9	11	<1	1	3	5	8	10	17
B. OPERATED	4448	4.0	11	1	2	3	5	7	9	17
TOTAL 0-19 YRS	290	3.1	10	<1	1	2	4	6	8	17
20-34	749	3.3	4	1	1	3	4	5	7	14
35-49	910	3.6	5	1	2	3	4	6	7	12
50-64	1401	4.1	12	1	2	3	5	7	9	17
65+	1144	5.0	17	2	2	4	6	9	12	22
GRAND TOTAL	4494	4.0	11	1	2	3	5	7	9	17

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.3	6	1	1	3	4	6	8	14
20-34	67	2.7	5	<1	1	2	4	6	7	10
35-49	125	2.6	7	<1	1	2	3	5	7	13
50-64	264	2.7	7	<1	1	2	3	5	8	16
65+	330	3.4	16	1	1	2	4	7	10	18
B. *Operated*										
0-19 YRS	182	3.7	10	1	1	2	5	7	10	15
20-34	291	5.2	22	1	1	4	8	11	13	25
35-49	726	3.8	13	1	1	2	5	9	11	17
50-64	2105	3.8	20	1	1	2	4	10	12	21
65+	2454	4.4	28	1	1	2	5	11	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.5	6	1	1	3	5	7	9	9
20-34	76	5.5	23	1	2	4	7	10	13	29
35-49	166	4.8	15	1	1	4	6	11	14	18
50-64	481	4.5	16	1	1	3	6	10	12	19
65+	918	5.6	28	1	1	4	7	11	15	20
B. *Operated*										
0-19 YRS	105	5.0	17	1	1	3	7	11	14	18
20-34	312	8.5	78	1	2	6	11	16	22	49
35-49	868	6.7	42	1	1	5	9	14	18	28
50-64	2873	7.0	47	1	1	5	10	15	20	32
65+	4825	8.5	77	1	2	6	12	19	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	3.0	11	<1	1	2	4	6	9	16
B. *Operated*	5758	4.2	23	1	1	2	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	1684	5.2	23	1	1	4	7	11	13	23
B. *Operated*	8983	7.9	64	1	2	5	11	17	23	37
1. SINGLE DX	6596	4.0	21	1	1	2	5	10	13	22
2. MULTIPLE DX	10667	7.4	59	1	1	5	10	16	22	36
A. NOT OPERATED	2522	4.4	20	1	1	3	6	9	12	22
B. OPERATED	14741	6.4	51	1	1	4	9	15	20	33
TOTAL 0-19 YRS	382	4.0	11	1	1	3	6	8	11	16
20-34	746	6.4	48	1	1	4	9	13	17	33
35-49	1885	5.2	28	1	1	3	7	11	15	25
50-64	5723	5.4	35	1	1	3	8	13	16	27
65+	8527	6.9	59	1	1	4	9	16	22	37
GRAND TOTAL	17263	6.1	47	1	1	3	8	14	19	32

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.1	3	1	1	2	2	3	5	10
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	10	3.1	3	<1	1	3	4	5	6	6
50-64	17	3.1	4	<1	1	2	5	6	7	8
65+	9	2.1	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	283	2.2	6	<1	<1	2	2	3	8	15
20-34	249	3.0	9	<1	<1	2	3	8	10	13
35-49	300	3.9	13	<1	<1	2	6	9	11	18
50-64	340	4.9	23	1	1	2	7	12	15	20
65+	236	4.8	32	<1	1	2	5	13	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.4	14	<1	1	4	5	10	14	14
20-34	4	5.0	5	3	3	4	6	8	8	8
35-49	6	2.5	4	1	1	2	3	6	6	6
50-64	21	4.8	15	1	1	4	6	12	14	14
65+	19	8.3	87	1	1	6	11	15	31	42
B. *Operated*										
0-19 YRS	91	3.5	12	1	1	2	4	9	11	16
20-34	70	5.3	36	<1	1	2	7	12	18	29
35-49	122	6.4	43	1	1	4	9	14	20	33
50-64	251	8.7	79	1	2	5	12	19	27	49
65+	284	10.3	102	1	2	7	15	23	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	1408	3.8	18	<1	1	2	4	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	61	5.6	38	1	1	4	7	12	14	39
B. *Operated*	818	8.0	75	1	1	5	11	19	26	38
1. SINGLE DX	1485	3.7	17	<1	1	2	4	9	12	19
2. MULTIPLE DX	879	7.9	73	1	1	5	11	18	25	39
A. NOT OPERATED	138	3.8	21	1	1	2	5	8	12	20
B. OPERATED	2226	5.4	43	<1	1	2	7	13	18	32
TOTAL 0-19 YRS	420	2.5	8	<1	1	2	2	5	9	15
20-34	329	3.5	16	<1	<1	2	4	9	12	19
35-49	438	4.5	22	<1	1	2	6	10	13	21
50-64	629	6.4	48	1	1	3	9	15	19	37
65+	548	7.7	77	1	1	4	11	19	25	41
GRAND TOTAL	2364	5.3	42	<1	1	2	7	13	18	32

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	8	<1	1	2	3	5	6	17
20-34	51	3.2	8	<1	<1	2	4	7	9	15
35-49	44	2.5	4	<1	<1	2	3	5	6	10
50-64	58	3.4	15	<1	<1	2	4	6	14	19
65+	35	3.8	19	<1	1	2	6	8	11	22
B. *Operated*										
0-19 YRS	2798	3.0	5	1	1	2	3	5	6	12
20-34	3566	2.8	5	<1	1	2	3	5	7	12
35-49	3674	2.8	6	<1	<1	2	3	5	7	12
50-64	3485	3.0	9	<1	1	2	3	5	7	14
65+	1459	3.6	14	<1	1	3	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	9	<1	<1	1	3	7	9	15
20-34	46	3.6	7	<1	1	3	5	8	8	11
35-49	66	5.0	17	<1	1	4	7	10	14	20
50-64	91	4.2	11	<1	1	3	6	10	11	15
65+	118	6.3	24	1	1	5	8	14	18	21
B. *Operated*										
0-19 YRS	441	3.8	16	<1	1	3	4	7	9	23
20-34	1105	4.0	16	1	1	3	5	8	10	20
35-49	1775	4.7	25	1	1	3	5	10	13	25
50-64	2354	5.0	26	1	2	3	6	10	14	29
65+	1410	6.2	41	1	2	4	7	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	3.2	11	<1	<1	2	4	6	9	18
B. *Operated*	14982	3.0	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	362	4.8	17	<1	1	4	6	10	14	18
B. *Operated*	7085	4.9	27	1	1	3	6	10	14	27
1. SINGLE DX	15203	3.0	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	7447	4.9	27	1	1	3	6	10	14	27
A. NOT OPERATED	583	4.2	15	<1	<1	3	5	9	13	18
B. OPERATED	22067	3.6	14	<1	1	3	4	7	10	20
TOTAL 0-19 YRS	3313	3.1	6	<1	1	2	4	5	7	13
20-34	4768	3.1	8	<1	1	2	4	6	8	14
35-49	5559	3.4	13	<1	1	2	4	7	10	19
50-64	5988	3.8	17	<1	1	3	4	7	11	21
65+	3022	4.9	29	1	1	3	5	11	16	28
GRAND TOTAL	22650	3.6	14	<1	1	3	4	7	10	20

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.3	27	<1	<1	2	3	6	9	35
20-34	33	3.3	6	<1	1	3	5	7	8	9
35-49	26	3.5	6	<1	1	3	5	7	8	9
50-64	20	4.6	14	1	1	3	6	11	13	14
65+	22	4.9	20	1	2	3	6	13	14	16
B. *Operated*										
0-19 YRS	2735	2.2	5	<1	<1	2	2	4	6	11
20-34	1294	2.9	8	<1	<1	2	3	5	8	14
35-49	941	3.0	10	<1	<1	2	3	6	8	15
50-64	915	3.1	12	<1	<1	2	4	6	9	16
65+	518	3.8	23	<1	1	2	4	8	11	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	3.3	9	<1	<1	2	5	8	9	64
20-34	24	3.3	9	<1	<1	2	4	8	11	11
35-49	28	4.1	13	<1	1	3	6	10	11	15
50-64	54	6.1	34	1	1	5	8	13	16	29
65+	81	9.5	77	1	2	7	12	24	32	84
B. *Operated*										
0-19 YRS	574	3.6	34	<1	1	2	3	7	11	31
20-34	596	3.8	34	<1	<1	2	4	8	10	20
35-49	698	4.5	29	<1	1	2	5	10	16	28
50-64	819	5.3	47	<1	1	3	7	11	16	35
65+	681	7.6	95	1	1	4	9	17	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.7	17	<1	<1	2	5	8	11	16
B. *Operated*	6403	2.7	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	278	5.7	40	<1	1	4	8	12	16	46
B. *Operated*	3368	5.1	51	<1	1	3	6	11	17	37
1. SINGLE DX	6566	2.8	9	<1	<1	2	3	5	8	15
2. MULTIPLE DX	3646	5.1	50	<1	1	3	6	11	17	37
A. NOT OPERATED	441	5.0	33	<1	1	3	7	11	15	37
B. OPERATED	9771	3.5	25	<1	<1	2	4	7	11	25
TOTAL 0-19 YRS	3462	2.5	10	<1	<1	2	3	5	7	15
20-34	1947	3.2	16	<1	<1	2	3	6	9	17
35-49	1693	3.7	19	<1	<1	2	4	8	11	22
50-64	1808	4.2	30	<1	1	2	5	9	13	29
65+	1302	6.2	68	<1	1	3	7	14	23	45
GRAND TOTAL	10212	3.6	25	<1	<1	2	4	7	11	26

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	19	1.8	2	<1	<1	1	2	4	5	5
35-49	17	2.2	6	<1	<1	1	2	6	9	10
50-64	8	2.3	1	1	1	2	3	4	4	4
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1509	1.9	1	<1	<1	2	2	3	3	5
20-34	3293	2.0	1	<1	<1	2	2	3	3	5
35-49	1958	2.3	12	<1	1	2	2	3	4	6
50-64	825	2.4	2	1	1	2	3	3	4	6
65+	445	2.8	3	1	2	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	14	2.5	4	<1	<1	1	4	5	7	7
35-49	16	5.1	32	<1	<1	3	7	12	19	22
50-64	14	5.3	20	1	1	4	8	10	16	18
65+	8	4.6	23	<1	<1	2	7	12	14	14
B. *Operated*										
0-19 YRS	215	2.7	3	1	1	2	3	5	6	11
20-34	963	2.8	13	<1	1	2	3	5	6	12
35-49	1210	3.1	7	1	1	2	3	5	8	16
50-64	710	3.6	11	1	2	3	4	7	9	19
65+	475	4.5	14	2	2	3	5	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.0	3	<1	<1	2	2	4	5	10
B. *Operated*	8030	2.1	4	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	59	4.0	19	<1	<1	2	5	10	13	22
B. *Operated*	3573	3.3	11	1	1	2	3	6	8	16
1. SINGLE DX	8082	2.1	4	<1	1	2	2	3	4	6
2. MULTIPLE DX	3632	3.3	11	1	1	2	3	6	9	17
A. NOT OPERATED	111	3.1	12	<1	<1	2	4	7	10	20
B. OPERATED	11603	2.5	6	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	1736	2.0	2	<1	1	2	2	3	4	6
20-34	4289	2.2	4	<1	<1	2	2	3	4	8
35-49	3201	2.6	10	<1	1	2	3	4	5	11
50-64	1557	3.0	7	1	2	2	3	5	7	14
65+	931	3.7	9	1	2	3	4	7	10	17
GRAND TOTAL	11714	2.5	6	<1	1	2	3	4	5	11

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	100	2.9	8	<1	<1	2	4	5	8	16
35-49	172	3.2	5	<1	1	3	4	7	8	9
50-64	30	4.0	8	<1	<1	3	6	8	8	13
65+	11	5.1	4	3	3	5	6	8	9	9
B. *Operated*										
0-19 YRS	24	5.6	15	1	2	5	8	9	13	19
20-34	2347	5.7	8	1	2	6	7	9	10	13
35-49	6832	6.1	8	1	2	6	8	9	10	14
50-64	1326	6.0	11	1	1	7	8	9	11	15
65+	105	7.2	21	1	2	7	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	4	1	1	2	4	5	5	5
20-34	227	3.6	9	<1	1	3	5	7	9	15
35-49	560	3.9	12	<1	1	3	5	8	10	19
50-64	144	4.2	19	1	1	3	5	8	9	25
65+	71	7.0	34	1	2	5	9	14	18	30
B. *Operated*										
0-19 YRS	42	5.8	15	<1	1	6	8	9	13	19
20-34	6719	6.4	11	1	2	6	8	10	11	16
35-49	30011	7.1	12	2	2	7	8	10	12	19
50-64	6726	7.4	18	1	2	7	9	11	14	21
65+	831	10.5	44	2	5	9	13	18	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	3.2	7	<1	1	3	4	7	8	14
B. *Operated*	10634	6.0	9	1	2	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	1006	4.1	14	<1	1	3	5	8	10	19
B. *Operated*	44329	7.1	14	2	2	7	8	11	13	20
1. SINGLE DX	10951	6.0	9	1	2	6	8	9	10	14
2. MULTIPLE DX	45335	7.0	14	1	2	7	8	10	13	20
A. NOT OPERATED	1323	3.9	13	<1	1	3	5	8	10	18
B. OPERATED	54963	6.9	13	1	2	7	8	10	12	19
TOTAL 0-19 YRS	74	5.4	14	<1	1	5	7	9	12	19
20-34	9393	6.1	10	1	2	6	8	9	11	16
35-49	37575	6.9	12	1	2	7	8	10	12	18
50-64	8226	7.1	18	1	2	7	9	11	13	21
65+	1018	9.9	43	2	3	8	12	17	22	32
GRAND TOTAL	56286	6.8	13	1	2	7	8	10	12	19

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	106	3.6	12	<1	1	2	5	7	7	19
35-49	140	4.8	11	<1	1	5	7	9	10	13
50-64	52	2.8	6	<1	<1	2	4	6	8	14
65+	32	4.1	9	1	1	3	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	5	4.2	10	1	1	5	6	8	8	8
65+	4	6.0	22	1	1	5	9	12	12	12
B. *Operated*										
0-19 YRS	7	3.0	5	1	1	2	4	7	7	7
20-34	186	5.5	20	1	1	6	7	9	11	25
35-49	462	6.4	17	1	2	6	8	10	12	21
50-64	212	5.6	19	1	1	6	8	10	13	27
65+	63	7.2	26	1	2	7	10	14	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	8	<1	<1	2	5	7	7	7
B. *Operated*	335	4.0	11	<1	1	3	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	17	3.8	9	1	1	3	5	8	11	12
B. *Operated*	930	6.1	19	1	1	6	8	10	13	22
1. SINGLE DX	339	4.0	11	<1	1	3	6	8	9	13
2. MULTIPLE DX	947	6.0	19	1	1	6	8	10	13	21
A. NOT OPERATED	21	3.7	9	<1	1	3	5	8	10	12
B. OPERATED	1265	5.5	18	1	1	6	7	9	11	21
TOTAL 0-19 YRS	13	2.5	3	1	1	2	3	5	7	7
20-34	296	4.8	18	<1	1	4	7	8	10	24
35-49	607	6.0	16	1	2	6	8	10	11	19
50-64	270	5.1	18	<1	1	4	8	9	11	24
65+	100	6.1	22	1	2	4	9	13	15	20
GRAND TOTAL	1284	5.5	17	1	[illegible]	6	7	9	11	20

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	3	1	1	5	5	6	6	6
20-34	19	3.8	11	<1	1	3	5	8	12	15
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	3	3.3		3	3	3	4	4	4	4
65+	6	7.3	105	1	1	3	6	26	28	28
B. *Operated*										
0-19 YRS	456	6.0	3	4	4	6	7	8	9	12
20-34	1737	5.8	3	4	4	6	7	8	8	11
35-49	507	6.6	5	4	4	6	7	9	11	14
50-64	373	7.9	7	5	5	7	9	11	13	19
65+	218	9.7	51	5	6	8	10	14	17	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	11	3.8	8	1	1	3	8	8	9	9
35-49	6	3.7	7	1	1	3	5	8	8	8
50-64	4	8.8	16	3	3	10	11	12	12	12
65+	7	10.6	30	5	5	9	13	20	21	21
B. *Operated*										
0-19 YRS	358	6.3	5	4	4	6	7	9	10	14
20-34	1758	6.6	7	4	4	6	7	9	11	18
35-49	1281	7.7	10	4	5	7	9	11	13	20
50-64	913	9.3	20	5	6	8	10	14	18	27
65+	663	12.8	48	6	7	11	15	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.3	22	<1	1	3	5	6	13	28
B. *Operated*	3291	6.5	8	4	4	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	30	6.1	22	1	1	5	9	11	14	21
B. *Operated*	4973	8.2	20	4	5	7	9	13	16	26
1. SINGLE DX	3329	6.4	8	4	4	6	7	9	10	15
2. MULTIPLE DX	5003	8.2	20	4	5	7	9	13	16	26
A. NOT OPERATED	68	5.1	28	1	1	4	6	10	14	27
B. OPERATED	8264	7.5	16	4	5	7	8	11	14	23
TOTAL 0-19 YRS	823	6.1	4	4	4	6	7	8	10	13
20-34	3525	6.2	5	4	4	6	7	8	10	15
35-49	1797	7.4	9	4	5	7	8	10	12	19
50-64	1293	8.9	17	5	6	8	10	13	16	26
65+	894	12.0	51	6	6	10	14	20	25	41
GRAND TOTAL	8332	7.5	16	4	5	7	8	11	14	23

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
F. Not Operated										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. Operated										
0-19 YRS	31	2.4	5	<1	<1	2	3	5	9	9
20-34	83	3.1	6	<1	<1	2	5	7	8	10
35-49	88	3.1	7	<1	<1	2	4	7	8	14
50-64	64	2.9	5	<1	1	2	3	6	7	11
65+	37	3.8	9	1	1	2	6	9	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64	4	1.3		1	1	1	2	2	2	2
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	13	3.4	4	1	1	3	5	6	7	7
20-34	112	4.7	14	1	1	4	6	8	9	22
35-49	100	4.6	12	<1	1	4	7	8	9	19
50-64	67	5.9	20	1	2	5	8	13	15	20
65+	46	7.7	39	1	2	6	11	16	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	2	1	1	2	3	4	4	4
B. Operated	303	3.1	6	<1	<1	2	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	12	2.2	3	1	1	2	3	5	5	5
B. Operated	338	5.3	19	1	1	4	7	9	14	24
1. SINGLE DX	307	3.1	6	<1	<1	2	4	7	8	12
2. MULTIPLE DX	350	5.2	18	1	1	4	7	9	14	24
A. NOT OPERATED	16	2.2	2	1	1	2	3	5	5	5
B. OPERATED	641	4.2	14	<1	1	3	6	6	10	18
TOTAL 0-19 YRS	44	2.7	4	<1	<1	2	4	6	8	9
20-34	199	4.0	11	<1	1	3	6	7	9	14
35-49	193	3.9	10	<1	<1	3	6	8	9	14
50-64	136	4.3	15	<1	1	3	6	9	13	18
65+	85	5.9	29	1	2	4	8	13	20	26
GRAND TOTAL	657	4.2	14	<1	1	3	6	8	10	18

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	23	2.2	3	<1	<1	2	3	5	6	6
20-34	108	2.9	3	1	1	3	4	5	6	10
35-49	71	2.8	3	1	1	3	3	4	7	10
50-64	56	3.3	5	1	1	3	4	6	10	11
65+	48	3.6	6	<1	1	3	4	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	11	3.5	18	<1	1	2	4	9	15	15
20-34	36	3.3	5	1	1	3	4	5	10	10
35-49	44	3.7	8	1	2	3	4	6	7	13
50-64	46	4.7	10	1	2	4	6	9	12	18
65+	65	6.9	46	1	2	4	9	16	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	7	1	1	3	5	7	7	7
B. Operated	306	3.0	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. Not Operated	3	1.0		<1	<1	<1	1	1	1	1
B. Operated	202	4.9	22	1	2	3	5	10	18	26
1. SINGLE DX	310	3.0	4	1	1	3	4	5	7	11
2. MULTIPLE DX	205	4.8	22	1	1	3	5	10	18	26
A. NOT OPERATED	7	2.4	5	<1	<1	1	3	6	7	7
B. OPERATED	508	3.8	12	1	1	3	4	7	10	19
TOTAL 0-19 YRS	36	2.7	8	<1	<1	2	3	6	7	16
20-34	145	3.0	3	1	1	3	4	5	7	10
35-49	117	3.1	4	1	1	3	4	5	7	11
50-64	102	3.9	8	1	2	3	5	8	11	14
65+	115	5.4	31	1	1	3	7	12	18	30
GRAND TOTAL	515	3.7	12	1	1	3	4	7	10	19

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	9	2.1	1	1	1	2	3	4	4	4
20-34	61	3.7	13	<1	1	2	4	10	12	16
35-49	79	4.4	14	1	1	3	6	10	13	18
50-64	181	3.9	17	1	1	2	4	9	13	23
65+	217	3.4	8	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	3	6.0	12	2	2	8	8	8	8	8
50-64	4	5.0	32	1	1	3	9	13	13	13
65+	7	6.7	16	2	2	6	8	13	14	14
B. *Operated*										
0-19 YRS	10	3.3	14	<1	<1	2	2	10	12	12
20-34	33	5.9	40	<1	1	4	8	15	19	20
35-49	67	7.8	47	1	2	5	11	18	23	30
50-64	162	6.7	39	1	2	4	9	15	20	31
65+	298	[illegible]	49	1	2	4	8	15	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	1	1	1	2	3	4	4	4
B. *Operated*	547	3.7	12	1	1	2	4	8	12	17
2. MULTIPLE DX										
A. *Not Operated*	16	6.4	16	1	1	6	9	13	14	14
B. *Operated*	570	6.8	45	1	2	4	9	15	21	31
1. SINGLE DX	553	3.7	12	1	1	2	4	8	12	17
2. MULTIPLE DX	586	6.8	44	1	2	4	9	15	21	31
A. NOT OPERATED	22	5.2	16	1	1	4	8	12	13	14
B. OPERATED	1117	5.3	31	1	1	3	6	12	16	28
TOTAL 0-19 YRS	19	2.7	8	<1	<1	2	2	6	10	12
20-34	96	4.5	23	<1	1	2	6	12	15	23
35-49	151	5.9	31	1	1	3	8	13	18	25
50-64	349	5.2	29	1	1	3	6	12	16	25
65+	524	5.4	34	1	2	3	6	13	16	31
GRAND TOTAL	1139	5.3	31	1	1	3	6	12	16	28

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.3	4	5	5	8	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	102	1.7	2	<1	<1	2	2	2	3	9
20-34	42	1.9	1	<1	<1	2	2	3	4	5
35-49	18	1.9	1	<1	<1	2	2	3	4	4
50-64	30	2.6	3	<1	<1	2	3	3	6	10
65+	22	4.5	43	1	1	3	4	6	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	3	6.7	24	1	1	9	10	10	10	10
50-64	1	15.0		15	15	15	15	15	15	15
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	9	2.9	10	1	1	2	3	[illegible]	11	11
20-34	7	3.6	14	2	2	2	3	10	12	12
35-49	11	2.6	5	<1	<1	2	3	6	9	9
50-64	8	5.5	18	2	2	4	8	12	13	13
65+	20	3.5	6	<1	<1	3	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.6	23	1	1	4	8	13	15	15
B. *Operated*	214	2.2	6	<1	<1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	8	5.9	26	<1	<1	5	9	13	15	15
B. *Operated*	55	3.5	9	<1	1	2	4	9	11	13
1. SINGLE DX	222	2.3	7	<1	<1	2	2	4	5	13
2. MULTIPLE DX	63	3.8	12	<1	1	2	5	9	12	15
A. NOT OPERATED	16	5.8	23	<1	<1	4	9	14	15	15
B. OPERATED	269	2.5	7	<1	<1	2	2	4	6	12
TOTAL 0-19 YRS	115	1.8	2	<1	<1	2	2	2	3	11
20-34	51	2.4	6	<1	<1	2	2	4	5	15
35-49	33	2.6	5	<1	1	2	3	5	9	10
50-64	42	3.8	11	<1	1	3	4	9	12	15
65+	44	4.0	24	1	1	3	5	7	8	33
GRAND TOTAL	285	2.6	9	<1	<1	2	3	5	8	14

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.4	7	1	1	3	6	7	7	7
20-34	22	3.0	4	<1	1	3	4	6	8	9
35-49	36	4.6	44	1	1	2	4	10	18	36
50-64	62	5.0	46	1	1	3	5	10	13	39
65+	57	7.4	52	2	2	6	9	15	18	46
B. Operated										
0-19 YRS	40	11.3	108	2	2	9	13	22	32	56
20-34	165	12.5	65	2	3	11	16	22	29	37
35-49	302	12.8	67	2	5	11	16	21	29	40
50-64	453	14.3	92	2	4	13	18	28	30	51
65+	265	18.4	183	3	5	15	23	34	47	75
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	3	1	1	2	4	5	5	5
20-34	22	4.6	10	1	1	4	6	9	17	14
35-49	43	9.4	193	1	1	4	10	19	39	78
50-64	92	9.2	137	1	1	6	10	18	40	91
65+	270	12.3	139	2	3	9	16	24	35	96
B. Operated										
0-19 YRS	27	17.6	172	2	5	14	21	43	47	48
20-34	112	16.2	114	3	6	14	21	29	41	81
35-49	230	18.0	162	4	7	15	22	34	46	79
50-64	440	21.0	249	4	7	16	27	47	60	99+
65+	468	27.6	386	6	9	22	38	56	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	5.4	43	1	1	3	7	10	15	38
B. Operated	1225	14.5	107	2	4	12	18	26	33	55
2. MULTIPLE DX										
A. Not Operated	432	10.8	140	1	2	8	13	22	38	86
B. Operated	1277	22.4	287	4	7	17	29	49	63	99+
1. SINGLE DX	1409	13.2	108	2	2	11	17	25	32	54
2. MULTIPLE DX	1709	19.5	275	3	4	15	25	45	58	99+
A. NOT OPERATED	616	9.2	117	1	2	6	11	19	33	81
B. OPERATED	2502	18.5	215	3	6	15	23	37	52	88
TOTAL 0-19 YRS	79	12.2	135	1	2	9	16	26	41	53
20-34	321	12.6	89	2	3	11	17	23	31	49
35-49	611	14.1	123	2	3	12	17	28	35	62
50-64	1047	16.1	182	2	3	13	20	33	47	80
65+	1060	20.3	304	3	4	15	26	46	59	99+
GRAND TOTAL	3118	16.7	269	2	3	13	21	38	49	86

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	13	3.1	4	<1	1	3	4	6	7	7
35-49	6	3.3	7	1	1	2	5	8	8	8
50-64	5	7.4	19	2	3	6	12	12	12	12
65+	6	3.5	5	2	2	3	3	8	8	8
B. Operated										
0-19 YRS	151	3.7	2	2	2	4	4	5	6	7
20-34	1093	3.9	2	2	3	4	4	5	6	8
35-49	1202	4.3	3	2	3	4	5	6	7	11
50-64	940	4.4	3	3	3	4	5	6	7	12
65+	393	5.1	5	3	3	5	6	7	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	11	3.5	8	<1	<1	3	6	8	9	9
35-49	9	4.4	12	<1	<1	4	6	10	12	12
50-64	25	5.2	20	1	1	4	5	14	16	18
65+	30	7.6	37	1	1	6	10	15	24	28
B. Operated										
0-19 YRS	38	5.0	8	2	3	4	5	9	13	14
20-34	338	4.7	7	2	3	4	5	7	9	15
35-49	594	5.0	8	3	3	4	5	8	10	17
50-64	622	6.1	17	3	3	5	6	10	14	24
65+	378	7.7	36	3	4	6	9	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	3.8	8	1	1	3	5	8	11	12
B. Operated	3779	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	77	5.8	25	1	1	5	7	12	17	20
B. Operated	1970	5.6	17	3	3	5	6	10	14	23
1. SINGLE DX	3811	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX	2047	5.6	17	3	3	5	6	10	14	24
A. NOT OPERATED	109	5.2	21	1	1	4	6	11	14	24
B. OPERATED	5749	4.8	8	3	3	4	5	7	9	17
TOTAL 0-19 YRS	193	4.0	3	2	2	4	4	5	7	13
20-34	1455	4.1	3	2	3	4	5	6	7	11
35-49	1811	4.5	5	2	3	4	5	6	8	13
50-64	1592	5.1	9	3	3	4	5	8	10	18
65+	807	6.4	22	3	3	5	7	11	15	28
GRAND TOTAL	5858	4.8	9	2	3	4	5	7	9	17

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.2	21	1	2	4	5	13	17	17
20-34	41	4.0	7	1	1	3	6	7	9	14
35-49	22	6.2	26	1	2	4	8	15	19	19
50-64	22	6.6	33	1	2	5	8	11	19	29
65+	8	12.9	456	1	1	5	10	49	65	65
B. *Operated*										
0-19 YRS	27	10.0	58	3	4	7	14	16	30	35
20-34	190	8.7	19	3	4	8	10	15	18	22
35-49	155	9.2	38	3	3	7	12	18	22	29
50-64	204	10.1	55	3	4	8	13	19	23	39
65+	127	11.3	94	4	4	8	14	24	26	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	14	1	1	2	7	9	9	9
20-34	56	5.4	24	1	1	4	6	12	16	27
35-49	40	7.3	55	1	1	5	8	19	21	36
50-64	66	8.4	75	2	2	6	10	16	20	57
65+	60	10.8	87	2	3	9	13	17	23	62
B. *Operated*										
0-19 YRS	18	18.2	539	5	6	10	15	51	82	95
20-34	130	11.2	71	3	4	9	13	22	27	46
35-49	193	12.1	114	4	4	9	15	24	27	52
50-64	369	12.7	129	3	4	9	17	26	33	52
65+	240	15.4	175	4	4	10	22	35	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	5.8	53	1	1	4	7	11	15	46
B. *Operated*	703	9.8	49	3	4	6	12	18	22	35
2. MULTIPLE DX										
A. *Not Operated*	227	8.0	64	1	2	6	10	16	20	42
B. *Operated*	950	13.1	139	3	4	9	17	26	36	65
1. SINGLE DX	807	9.3	51	2	3	7	11	17	22	35
2. MULTIPLE DX	1177	12.1	128	3	3	9	15	25	34	64
A. NOT OPERATED	331	7.3	61	1	2	5	9	15	19	41
B. OPERATED	1653	11.7	103	3	4	9	14	23	31	53
TOTAL 0-19 YRS	61	11.0	208	2	3	7	12	17	32	91
20-34	417	8.6	40	2	3	7	10	15	21	31
35-49	410	10.2	78	2	3	8	12	21	25	41
50-64	661	11.3	100	3	4	8	14	22	30	51
65+	435	13.5	147	3	4	9	17	30	40	77
GRAND TOTAL	1984	11.0	99	3	3	8	13	22	29	53

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	2.1	2	<1	1	1	3	4	5	5
35-49	10	3.8	10	<1	<1	2	7	8	9	9
50-64	7	3.0	2	1	1	3	4	5	5	5
65+	9	4.9	8	1	2	4	6	9	11	11
B. *Operated*										
0-19 YRS	71	2.4	2	<1	1	2	3	5	6	7
20-34	3564	3.9	7	1	1	3	6	7	8	11
35-49	1348	4.9	12	1	2	5	7	8	9	13
50-64	350	4.9	9	1	1	4	7	9	10	12
65+	157	5.3	11	1	2	4	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	38	2.2	5	<1	1	1	2	6	8	9
35-49	17	2.2	4	<1	<1	1	3	6	7	7
50-64	8	3.5	5	1	1	4	5	6	6	6
65+	9	3.4	7	1	1	3	3	7	10	10
B. *Operated*										
0-19 YRS	29	3.1	5	1	1	2	5	7	9	10
20-34	2334	5.2	11	1	2	5	7	9	10	15
35-49	1511	6.7	17	2	2	6	8	10	12	21
50-64	484	7.6	31	2	2	7	9	12	17	29
65+	245	8.2	45	2	2	7	10	15	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.3	6	<1	1	3	4	7	8	11
B. *Operated*	5490	4.3	9	1	1	3	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	75	2.5	5	<1	1	1	3	6	7	10
B. *Operated*	4603	6.1	18	1	2	6	8	10	12	21
1. SINGLE DX	5532	4.2	9	1	1	3	6	8	9	12
2. MULTIPLE DX	4678	6.0	18	1	2	6	8	10	12	21
A. NOT OPERATED	117	2.8	5	<1	1	2	4	6	8	10
B. OPERATED	10093	5.1	14	1	2	5	7	9	10	16
TOTAL 0-19 YRS	103	2.5	3	<1	1	2	3	5	6	9
20-34	5952	4.4	9	1	1	4	6	8	9	13
35-49	2886	5.8	16	1	2	6	8	9	11	17
50-64	849	6.4	24	1	2	6	8	11	13	26
65+	420	6.9	33	1	2	6	9	13	16	27
GRAND TOTAL	10210	5.0	14	1	1	5	7	9	10	16

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	9	4.3	15	1	1	3	5	11	14	14
50-64	13	2.8	2	<1	<1	2	4	5	6	6
65+	16	4.8	15	1	1	3	8	11	12	13
B. *Operated*										
0-19 YRS	9	2.1	2	1	1	2	2	5	6	6
20-34	124	4.1	9	<1	1	3	6	8	10	15
35-49	244	4.8	14	1	1	4	7	9	12	18
50-64	496	5.0	20	1	1	3	7	10	13	21
65+	543	5.6	32	1	1	3	7	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	4	4.5	12	<1	<1	4	7	9	9	9
35-49	13	4.8	12	<1	1	3	7	11	12	12
50-64	21	5.7	16	1	2	5	8	11	14	16
65+	46	10.7	142	1	3	8	11	26	36	67
B. *Operated*										
0-19 YRS	9	3.9	9	<1	<1	3	5	9	10	10
20-34	122	5.7	17	1	2	5	8	10	12	22
35-49	347	6.7	26	1	2	6	9	13	16	24
50-64	710	7.7	48	1	2	6	10	17	21	32
65+	974	9.6	91	2	2	7	13	19	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.0	10	<1	1	3	5	9	12	14
B. *Operated*	1416	5.1	22	1	1	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	86	8.1	89	1	2	5	10	15	26	56
B. *Operated*	2162	8.3	64	1	2	6	11	17	23	36
1. SINGLE DX	1457	5.1	22	1	1	3	7	11	14	24
2. MULTIPLE DX	2248	8.3	65	1	2	6	11	17	23	36
A. NOT OPERATED	127	6.8	67	1	1	4	9	13	18	43
B. OPERATED	3578	7.0	50	1	2	5	9	15	19	32
TOTAL 0-19 YRS	21	3.0	6	<1	1	2	4	6	8	10
20-34	252	4.9	14	<1	1	4	7	9	11	19
35-49	613	5.9	22	1	2	5	8	11	15	23
50-64	1240	6.5	37	1	2	5	9	14	18	30
65+	1579	8.2	75	1	2	5	11	17	24	40
GRAND TOTAL	**3705**	**7.0**	**50**	**1**	**2**	**5**	**9**	**15**	**19**	**33**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	3.8	23	1	1	3	4	7	10	27
20-34	223	4.0	15	<1	1	3	5	7	9	25
35-49	218	4.4	24	1	1	3	5	9	11	23
50-64	338	4.5	14	1	1	3	6	10	12	19
65+	476	6.3	62	1	1	4	8	14	19	50
B. *Operated*										
0-19 YRS	662	4.2	23	<1	1	2	5	9	12	25
20-34	1248	4.9	36	1	1	3	6	10	14	26
35-49	1212	4.7	27	1	1	3	6	9	13	23
50-64	1675	5.1	29	1	1	3	6	11	15	27
65+	1811	5.9	45	1	1	3	7	14	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	4.5	34	<1	1	3	5	8	13	41
20-34	262	5.0	40	1	1	4	7	9	13	24
35-49	362	5.9	37	1	1	4	8	12	16	39
50-64	768	6.9	56	1	1	5	9	14	19	40
65+	1934	8.8	86	1	2	7	11	17	23	49
B. *Operated*										
0-19 YRS	232	9.2	144	1	1	6	10	20	35	68
20-34	770	7.6	72	1	2	6	9	14	21	56
35-49	1067	8.1	74	1	2	6	10	16	22	46
50-64	1863	9.1	88	1	2	6	11	20	26	51
65+	3227	11.2	116	2	2	8	15	23	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1393	4.9	34	1	1	3	6	10	14	25
B. *Operated*	6608	5.1	34	1	1	3	6	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	3469	7.6	71	1	1	5	9	15	21	45
B. *Operated*	7159	9.8	101	2	2	7	12	20	29	56
1. SINGLE DX	8001	5.1	34	1	1	3	6	11	15	27
2. MULTIPLE DX	10628	9.1	92	1	2	6	11	19	26	51
A. NOT OPERATED	4862	6.9	62	1	1	5	8	14	19	41
B. OPERATED	13767	7.5	74	1	2	5	9	17	23	43
TOTAL 0-19 YRS	1175	5.1	52	1	1	3	6	10	17	40
20-34	2503	5.7	47	1	1	4	7	11	16	32
35-49	2859	6.1	48	1	1	4	8	12	17	39
50-64	4644	7.0	60	1	1	4	9	15	21	39
65+	7448	9.0	92	1	2	6	12	19	26	49
GRAND TOTAL	**18629**	**7.4**	**71**	**1**	**1**	**5**	**9**	**16**	**22**	**43**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	5	1	1	2	3	5	8	11
20-34	67	3.7	6	1	1	3	4	7	8	13
35-49	65	3.5	5	1	1	3	4	6	8	14
50-64	56	3.6	6	1	1	3	4	7	8	14
65+	50	4.3	10	1	1	3	6	9	10	14
B. *Operated*										
0-19 YRS	104	4.0	3	2	2	4	5	6	7	10
20-34	830	4.2	3	2	3	4	5	6	7	10
35-49	1118	4.3	3	2	3	4	5	6	7	12
50-64	1141	4.7	4	3	3	4	5	7	8	12
65+	475	5.6	10	3	3	5	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.4	4	1	1	3	5	6	7	7
20-34	132	4.1	8	<1	1	4	5	8	10	14
35-49	143	4.8	11	1	2	4	7	9	11	14
50-64	192	6.1	22	1	1	5	8	13	15	22
65+	266	7.5	53	2	3	6	9	14	16	28
B. *Operated*										
0-19 YRS	39	5.6	27	2	3	4	6	9	13	34
20-34	352	5.2	8	2	3	4	6	9	11	19
35-49	574	5.8	16	3	3	5	6	10	13	18
50-64	814	7.0	38	3	3	5	8	13	17	31
65+	574	8.7	55	3	4	6	10	15	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	3.7	7	1	1	3	4	7	9	14
B. *Operated*	3668	4.6	4	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	762	5.9	29	1	2	5	7	11	14	21
B. *Operated*	2353	6.9	34	3	3	5	7	12	16	31
1. SINGLE DX	3926	4.5	5	2	3	4	5	7	8	13
2. MULTIPLE DX	3115	6.6	33	2	3	5	7	12	15	30
A. NOT OPERATED	1020	5.3	25	1	1	4	7	10	14	21
B. OPERATED	6021	5.5	17	3	3	4	6	9	12	21
TOTAL 0-19 YRS	192	4.1	9	1	2	4	5	6	7	13
20-34	1381	4.5	5	2	2	4	5	7	9	14
35-49	1900	4.8	8	2	3	4	5	7	10	16
50-64	2203	5.7	19	2	3	5	6	9	13	22
65+	1365	7.2	39	3	3	5	8	13	17	34
GRAND TOTAL	**7041**	**5.5**	**18**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	5.4	30	1	2	4	7	10	12	22
20-34	589	5.2	12	1	2	4	7	9	11	16
35-49	435	5.2	12	2	2	5	7	9	11	19
50-64	340	5.9	16	2	2	5	7	10	15	21
65+	247	7.5	31	2	2	6	10	15	19	29
B. *Operated*										
0-19 YRS	185	5.8	32	2	3	4	6	9	13	38
20-34	909	5.4	11	3	3	5	6	8	12	20
35-49	658	4.8	5	2	3	4	5	7	9	15
50-64	485	5.2	10	3	3	4	6	8	11	17
65+	150	6.2	20	3	3	5	7	10	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	6.0	40	1	1	4	7	11	15	38
20-34	773	6.3	21	2	2	5	8	11	13	24
35-49	1082	7.3	28	2	3	6	9	13	16	26
50-64	1573	8.2	40	2	3	7	10	15	19	31
65+	2041	11.0	91	3	3	8	14	21	29	55
B. *Operated*										
0-19 YRS	69	7.0	25	3	4	5	8	12	17	30
20-34	379	7.6	43	3	3	5	9	14	21	33
35-49	469	8.0	49	2	3	6	9	15	21	33
50-64	590	10.1	109	3	3	7	12	20	31	69
65+	510	14.7	197	4	4	11	19	30	46	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1820	5.7	18	1	2	5	7	10	13	21
B. *Operated*	2387	5.3	12	3	3	5	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	5660	8.7	57	2	3	7	11	16	21	39
B. *Operated*	2017	10.2	110	3	3	7	12	21	29	72
1. SINGLE DX	4207	5.4	14	2	2	5	6	9	12	21
2. MULTIPLE DX	7677	9.1	71	2	3	7	11	17	23	46
A. NOT OPERATED	7480	8.0	49	2	3	6	10	15	20	36
B. OPERATED	4404	7.5	63	3	3	5	8	14	21	44
TOTAL 0-19 YRS	654	5.9	33	1	2	4	7	11	14	32
20-34	2650	5.9	19	2	2	5	7	10	13	23
35-49	2644	6.4	25	2	3	5	8	12	15	25
50-64	2988	7.8	49	2	3	6	9	14	19	36
65+	2948	11.1	105	3	3	8	14	21	30	63
GRAND TOTAL	**11884**	**7.8**	**54**	**2**	**3**	**6**	**9**	**15**	**20**	**38**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1622	6.6	17	2	2	6	8	11	13	20
20-34	1377	6.1	19	2	2	5	7	11	13	20
35-49	1472	6.4	13	2	3	6	8	11	13	19
50-64	2115	6.9	14	2	3	6	9	12	14	19
65+	1816	7.7	24	2	3	7	10	13	17	25
B. *Operated*										
0-19 YRS	5	5.2	13	1	1	5	7	11	11	11
20-34	17	6.5	25	2	2	6	8	15	19	20
35-49	19	6.6	20	1	2	5	9	14	17	18
50-64	44	10.5	57	2	3	10	13	19	30	34
65+	34	9.7	41	2	2	8	13	21	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1120	6.0	28	1	2	5	8	11	14	23
20-34	2589	6.6	28	2	2	6	8	12	15	26
35-49	5547	7.7	28	2	3	7	10	14	17	27
50-64	12078	8.4	32	3	3	7	10	15	18	30
65+	15409	9.8	60	3	4	8	12	17	23	45
B. *Operated*										
0-19 YRS	62	9.5	124	2	2	7	11	17	40	96
20-34	328	11.9	132	2	3	9	15	22	36	81
35-49	792	12.5	113	2	3	10	15	24	31	59
50-64	1866	13.9	128	3	5	11	17	26	35	69
65+	2065	17.0	165	3	5	14	22	34	44	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8402	6.8	18	2	3	6	8	12	14	21
B. *Operated*	119	8.9	42	2	2	7	12	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	36743	8.7	44	2	3	7	11	15	20	35
B. *Operated*	5113	14.8	145	3	4	12	18	29	39	76
1. SINGLE DX	8521	6.8	18	2	3	6	9	12	14	21
2. MULTIPLE DX	41856	9.4	60	2	3	8	11	17	23	43
A. NOT OPERATED	45145	8.3	40	2	3	7	10	15	19	33
B. OPERATED	5232	14.6	143	3	4	11	18	28	39	76
TOTAL 0-19 YRS	2809	6.4	24	1	2	6	8	11	14	22
20-34	4311	6.8	35	2	2	6	8	12	16	31
35-49	7830	8.0	36	2	3	7	10	14	18	30
50-64	16103	8.9	44	3	3	7	11	16	20	35
65+	19324	10.4	74	3	4	8	12	19	26	51
GRAND TOTAL	**50377**	**9.0**	**54**	**2**	**3**	**7**	**11**	**16**	**21**	**40**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2558	5.2	13	1	2	4	7	10	12	18
20-34	1811	5.1	12	1	2	4	7	9	11	17
35-49	663	6.6	22	2	2	6	8	12	14	22
50-64	534	7.8	24	2	3	7	10	14	16	27
65+	435	9.0	36	2	3	8	11	16	21	33
B. *Operated*										
0-19 YRS	18	6.6	28	1	1	5	8	16	20	21
20-34	19	9.5	38	3	4	8	11	18	24	28
35-49	6	13.2	72	5	5	10	18	27	28	28
50-64	10	14.5	98	3	4	12	20	31	32	32
65+	5	21.6	281	3	3	21	31	47	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1915	6.0	26	1	2	5	8	11	14	25
20-34	2623	6.4	24	2	2	5	8	12	15	25
35-49	1650	8.4	39	2	3	7	10	15	19	34
50-64	1822	10.3	53	3	4	9	13	18	23	38
65+	2213	12.5	93	3	4	10	15	23	30	54
B. *Operated*										
0-19 YRS	59	11.7	104	2	3	9	14	23	33	56
20-34	213	15.0	183	4	5	10	17	33	46	76
35-49	205	18.0	179	6	7	14	21	36	52	90
50-64	249	20.8	213	5	8	17	27	41	57	99+
65+	259	24.9	270	7	9	20	35	48	61	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6001	5.8	18	1	2	5	8	11	13	21
B. *Operated*	58	10.9	81	2	3	8	13	25	29	46
2. MULTIPLE DX										
A. *Not Operated*	10223	8.7	53	2	3	7	11	17	21	38
B. *Operated*	985	19.5	224	5	6	15	25	41	54	97
1. SINGLE DX	6059	5.9	19	1	2	5	8	11	14	22
2. MULTIPLE DX	11208	9.6	78	2	3	7	12	19	25	48
A. NOT OPERATED	16224	7.6	42	2	2	6	10	15	19	33
B. OPERATED	1043	19.0	220	4	6	15	24	40	53	96
TOTAL 0-19 YRS	4550	5.6	21	1	2	4	7	10	13	22
20-34	4666	6.3	31	2	2	5	8	12	15	29
35-49	2524	8.7	54	2	3	7	10	16	21	41
50-64	2615	10.8	74	3	4	9	13	20	26	48
65+	2912	13.1	116	3	4	10	16	25	34	60
GRAND TOTAL	**17267**	**8.3**	**60**	**2**	**2**	**6**	**10**	**16**	**22**	**42**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1092	6.2	18	2	2	5	8	11	14	22
20-34	1583	6.2	16	2	3	5	8	10	13	23
35-49	1729	6.9	15	2	3	6	9	12	14	20
50-64	2636	7.6	20	3	3	7	9	12	15	23
65+	2177	8.2	30	2	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	14	3.1	3	2	2	3	3	6	7	7
20-34	106	5.9	38	1	1	4	7	12	17	34
35-49	143	7.5	99	1	2	4	9	18	26	36
50-64	401	6.8	59	1	2	4	8	15	21	40
65+	381	7.3	95	2	2	4	8	17	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	882	6.3	28	1	2	5	8	12	16	30
20-34	3458	7.4	33	2	2	6	9	14	18	31
35-49	6725	8.5	35	2	3	7	10	15	19	30
50-64	15067	9.3	44	3	4	8	11	16	21	35
65+	18156	10.6	64	3	4	9	13	19	24	44
B. *Operated*										
0-19 YRS	74	10.2	68	2	3	8	13	20	27	87
20-34	1008	13.3	183	2	3	9	17	28	41	77
35-49	2020	15.4	186	2	4	12	20	32	44	80
50-64	4897	18.6	263	3	4	14	24	43	57	97
65+	6214	21.9	302	3	5	17	30	50	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9217	7.2	21	2	3	6	9	12	15	23
B. *Operated*	1045	6.9	75	1	2	4	8	15	22	44
2. MULTIPLE DX										
A. *Not Operated*	44288	9.5	51	3	4	8	12	17	22	38
B. *Operated*	14213	19.2	271	3	4	14	26	44	59	99+
1. SINGLE DX	10262	7.2	27	2	3	6	9	12	16	25
2. MULTIPLE DX	58501	11.9	121	3	4	9	14	23	34	68
A. NOT OPERATED	53505	9.1	46	3	3	8	11	16	21	36
B. OPERATED	15258	18.3	267	2	3	14	25	43	57	99+
TOTAL 0-19 YRS	2062	6.4	25	1	2	5	8	12	15	27
20-34	6155	8.0	59	2	2	6	9	15	21	41
35-49	10617	9.5	70	2	3	7	11	18	24	46
50-64	23001	11.1	104	3	4	8	13	21	31	61
65+	26928	13.0	141	3	4	9	15	27	39	79
GRAND TOTAL	**68763**	**11.2**	**110**	**3**	**3**	**8**	**13**	**22**	**31**	**64**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.1	2	1	1	3	4	5	5	6
20-34	73	3.7	11	1	1	3	5	8	9	20
35-49	10	2.9	1	1	1	3	4	4	4	4
50-64	2	15.0	18	12	12	15	18	18	18	18
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	165	3.5	5	1	1	3	5	7	7	11
20-34	825	4.1	7	1	1	4	6	7	8	11
35-49	48	4.1	11	<1	<1	3	6	9	11	13
50-64	3	4.7	10	1	1	6	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.4	4	1	2	4	5	7	8	9
20-34	95	3.9	8	1	1	3	5	7	10	15
35-49	26	4.4	8	1	2	4	5	9	10	14
50-64	8	4.4	5	2	2	4	5	8	9	9
65+	2	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	166	4.7	8	1	2	4	6	8	10	16
20-34	1350	4.5	9	1	1	4	6	8	10	15
35-49	186	5.9	11	1	2	6	8	10	11	16
50-64	17	8.5	78	1	2	7	10	12	30	40
65+	6	8.7	39	<1	<1	9	12	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.7	10	1	1	3	4	7	9	20
B. *Operated*	1041	4.0	7	1	1	3	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	154	4.1	7	1	1	3	5	7	9	14
B. *Operated*	1725	4.7	11	1	1	4	6	8	10	15
1. SINGLE DX	1154	4.0	7	1	1	3	6	7	8	12
2. MULTIPLE DX	1879	4.6	10	1	1	4	6	8	10	15
A. NOT OPERATED	267	3.9	8	1	1	3	5	7	9	16
B. OPERATED	2766	4.4	9	1	1	4	6	8	9	14
TOTAL 0-19 YRS	381	4.1	7	1	1	4	5	7	9	12
20-34	2343	4.3	9	1	1	4	6	8	9	14
35-49	270	5.3	11	1	1	5	7	10	11	15
50-64	30	7.5	53	1	2	6	9	12	18	40
65+	9	7.9	26	<1	1	7	11	16	18	18
GRAND TOTAL	**3033**	**4.4**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	574	3.6	15	1	1	2	4	7	10	20
20-34	668	4.6	16	1	2	4	6	8	12	20
35-49	494	4.9	20	1	1	4	6	9	12	24
50-64	468	4.9	20	1	1	4	6	10	12	23
65+	426	6.0	33	1	1	4	8	13	16	27
B. *Operated*										
0-19 YRS	58	5.4	19	1	2	4	7	10	14	24
20-34	114	6.8	62	1	2	5	8	13	15	46
35-49	109	7.9	53	2	3	6	10	15	20	46
50-64	156	8.2	59	2	3	6	10	16	19	37
65+	69	9.3	69	3	3	7	11	18	25	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	786	4.2	27	1	1	3	5	8	11	30
20-34	1505	5.6	30	1	1	4	7	11	14	27
35-49	1695	6.6	36	1	2	5	8	12	17	30
50-64	2391	7.2	46	1	2	5	9	14	20	39
65+	4464	8.4	55	2	2	6	10	17	22	37
B. *Operated*										
0-19 YRS	75	8.6	98	1	2	5	9	18	33	50
20-34	298	9.7	91	1	2	7	13	20	27	60
35-49	375	10.4	88	2	2	8	13	22	28	49
50-64	561	12.8	134	3	4	9	16	27	34	75
65+	549	17.9	229	4	5	13	24	41	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2630	4.7	21	1	1	4	6	9	12	21
B. *Operated*	506	7.7	56	1	2	6	9	15	19	40
2. MULTIPLE DX										
A. *Not Operated*	10841	7.2	46	1	2	5	9	14	20	35
B. *Operated*	1858	13.1	155	2	3	9	17	29	40	79
1. SINGLE DX	3136	5.2	27	1	1	4	6	10	14	25
2. MULTIPLE DX	12699	8.0	67	1	2	6	10	17	23	44
A. NOT OPERATED	13471	6.7	42	1	2	5	8	13	18	33
B. OPERATED	2364	12.0	139	2	3	8	15	26	37	74
TOTAL 0-19 YRS	1493	4.3	27	1	1	3	5	8	11	31
20-34	2585	5.9	37	1	1	4	7	12	16	32
35-49	2673	6.9	43	1	2	5	9	14	19	35
50-64	3576	7.8	62	1	2	5	9	16	22	42
65+	5508	9.1	79	2	2	7	11	19	26	47
GRAND TOTAL	**15835**	**7.5**	**60**	**1**	**2**	**5**	**9**	**15**	**22**	**41**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	5.9	26	1	2	5	7	11	13	30
20-34	14	4.7	14	<1	1	3	8	10	12	13
35-49	18	8.8	52	2	2	7	11	20	26	28
50-64	22	9.0	41	2	3	8	10	16	23	31
65+	69	8.6	60	2	2	7	10	16	19	51
B. *Operated*										
0-19 YRS	9	3.7	6	1	1	3	5	8	8	8
20-34	12	5.0	14	<1	1	4	7	11	13	13
35-49	7	10.6	141	<1	<1	2	22	26	27	27
50-64	10	11.1	68	2	3	9	14	24	28	28
65+	16	7.9	91	<1	1	6	9	10	32	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	8.7	63	2	2	6	10	19	23	38
20-34	104	9.8	84	2	3	7	12	20	28	84
35-49	141	10.3	96	2	3	7	13	21	26	45
50-64	337	11.9	114	2	3	9	15	24	32	87
65+	1605	13.2	130	3	4	10	16	26	35	77
B. *Operated*										
0-19 YRS	21	13.9	137	4	5	8	18	34	41	43
20-34	59	13.7	183	4	5	8	18	43	56	99+
35-49	87	14.1	124	4	5	10	19	33	38	82
50-64	129	20.1	253	4	6	18	27	42	75	99+
65+	323	22.5	321	4	7	18	29	52	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	7.5	44	2	2	5	9	14	18	31
B. *Operated*	54	7.5	65	<1	1	5	9	19	26	41
2. MULTIPLE DX										
A. *Not Operated*	2341	12.4	121	3	4	9	15	24	33	74
B. *Operated*	619	19.7	272	4	6	15	26	45	66	99+
1. SINGLE DX	235	7.5	48	1	2	6	9	15	21	33
2. MULTIPLE DX	2960	13.9	161	3	4	10	17	29	41	97
A. NOT OPERATED	2522	12.0	117	3	4	9	15	23	31	71
B. OPERATED	673	18.7	266	3	4	14	26	43	64	99+
TOTAL 0-19 YRS	242	8.3	62	2	2	6	10	18	24	39
20-34	189	10.3	112	2	3	7	12	22	41	99+
35-49	253	11.5	106	2	3	8	15	25	33	53
50-64	498	13.9	159	2	3	10	18	30	40	99+
65+	2013	14.5	171	3	4	11	18	29	42	95
GRAND TOTAL	**3195**	**13.4**	**156**	**3**	**4**	**10**	**17**	**28**	**39**	**94**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	11.2	38	2	3	10	14	18	21	36
20-34	61	10.9	24	4	4	11	14	17	20	21
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	20.8	87	13	13	15	31	31	31	31
20-34	7	3.0	13	1	1	2	3	9	11	11
35-49	9	4.0	4	1	1	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	450	11.2	62	2	3	10	14	20	25	37
20-34	160	11.4	57	2	3	10	15	19	24	43
35-49	11	9.6	46	3	4	9	10	19	27	28
50-64										
65+										
B. *Operated*										
0-19 YRS	37	17.5	250	2	3	13	26	36	69	99+
20-34	26	12.6	157	1	2	9	17	28	36	54
35-49	14	4.8	46	<1	1	2	5	19	21	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	11.1	36	2	4	11	14	18	21	35
B. *Operated*	21	7.7	80	1	1	4	11	21	31	31
2. MULTIPLE DX										
A. *Not Operated*	621	11.2	60	2	3	10	14	19	25	39
B. *Operated*	77	13.6	200	1	1	10	22	30	42	96
1. SINGLE DX	382	10.9	39	2	3	10	14	18	21	35
2. MULTIPLE DX	698	11.5	76	2	3	10	14	21	27	46
A. NOT OPERATED	982	11.2	51	2	3	10	14	19	22	37
B. OPERATED	98	12.3	179	1	1	7	18	30	36	92
TOTAL 0-19 YRS	790	11.5	64	2	3	10	14	20	26	38
20-34	254	11.2	59	2	3	10	15	19	23	43
35-49	36	6.1	38	1	1	4	8	13	21	28
50-64										
65+										
GRAND TOTAL	**1080**	**11.3**	**63**	**2**	**3**	**10**	**14**	**20**	**25**	**39**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	8.9	266	1	2	4	6	19	54	83
20-34	72	4.4	18	1	1	3	6	11	12	82
35-49	65	6.1	80	1	1	3	7	11	18	58
50-64	21	5.6	29	1	2	4	6	10	18	26
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	77	8.6	21	5	6	8	9	11	14	35
20-34	1281	8.4	12	5	6	8	10	12	13	18
35-49	819	8.8	14	5	6	8	10	12	14	23
50-64	125	9.3	15	5	6	8	10	15	17	24
65+	3	8.0	9	5	5	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	5.1	16	1	2	4	6	10	14	51
20-34	301	5.3	41	1	1	3	6	10	16	46
35-49	385	6.5	36	1	2	5	8	13	19	34
50-64	357	8.1	43	2	2	6	10	16	22	34
65+	157	9.0	39	2	3	7	11	17	21	30
B. *Operated*										
0-19 YRS	76	10.7	91	5	6	8	10	16	30	63
20-34	1803	9.6	55	5	5	8	10	14	18	45
35-49	1995	10.1	48	5	5	9	11	15	20	49
50-64	544	10.7	59	4	5	9	11	18	24	41
65+	44	11.9	179	2	2	8	15	24	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	6.4	119	1	1	4	6	11	22	80
B. *Operated*	2305	8.6	13	5	6	8	10	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1314	6.8	39	1	2	5	8	14	20	35
B. *Operated*	4462	10.0	54	5	5	8	11	15	21	47
1. SINGLE DX	2542	8.4	23	4	5	8	10	12	14	24
2. MULTIPLE DX	5776	9.3	53	3	4	8	10	15	20	43
A. NOT OPERATED	1551	6.8	51	1	2	5	8	14	20	39
B. OPERATED	6767	9.5	41	5	5	8	10	14	18	40
TOTAL 0-19 YRS	344	8.0	93	2	2	6	9	11	21	72
20-34	3457	8.7	39	3	5	8	10	12	16	39
35-49	3264	9.3	40	3	5	8	10	14	19	39
50-64	1047	9.6	49	3	4	8	11	16	23	34
65+	206	9.5	69	2	3	7	11	18	22	40
GRAND TOTAL	**8318**	**9.0**	**44**	**3**	**4**	**8**	**10**	**14**	**18**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	390	3.8	43	<1	<1	2	4	7	9	29
20-34	295	4.6	29	<1	<1	3	6	9	14	32
35-49	227	4.6	22	<1	<1	4	6	9	13	25
50-64	238	4.4	21	<1	<1	3	6	9	14	20
65+	160	5.7	29	<1	1	4	7	11	14	27
B. *Operated*										
0-19 YRS	135	5.2	43	<1	1	3	6	10	17	39
20-34	240	5.3	22	1	1	4	6	11	14	23
35-49	272	4.6	15	<1	1	4	6	9	12	17
50-64	270	4.7	27	<1	1	3	5	11	15	28
65+	148	7.7	67	1	1	5	10	16	23	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	432	5.6	45	<1	1	4	7	11	16	40
20-34	575	6.0	34	1	2	4	7	12	15	30
35-49	757	6.9	44	1	2	5	9	13	18	32
50-64	936	8.1	43	2	2	6	10	16	20	32
65+	1146	9.5	66	2	3	8	12	18	24	46
B. *Operated*										
0-19 YRS	119	10.0	104	1	2	7	12	24	31	75
20-34	423	8.8	57	2	3	7	11	15	23	45
35-49	624	8.6	48	2	2	7	11	15	20	37
50-64	648	10.1	112	1	2	7	12	21	29	58
65+	538	13.9	142	2	3	10	19	30	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1310	4.5	31	<1	<1	3	5	9	13	28
B. *Operated*	1065	5.3	31	<1	1	4	6	11	15	32
2. MULTIPLE DX										
A. *Not Operated*	3846	7.7	51	1	2	6	10	15	20	36
B. *Operated*	2352	10.3	96	2	2	8	13	21	30	58
1. SINGLE DX	2375	4.8	31	<1	<1	3	6	10	14	29
2. MULTIPLE DX	6198	8.7	70	1	2	6	11	18	24	44
A. NOT OPERATED	5156	6.9	48	<1	1	5	9	14	19	34
B. OPERATED	3417	8.8	81	1	2	6	11	19	26	47
TOTAL 0-19 YRS	1076	5.4	54	<1	1	3	6	11	17	41
20-34	1533	6.4	40	<1	1	5	8	13	16	33
35-49	1880	6.9	41	1	2	5	9	13	18	32
50-64	2092	7.8	64	1	2	5	10	16	22	42
65+	1992	10.3	90	2	2	8	13	21	29	50
GRAND TOTAL	**8573**	**7.6**	**62**	**1**	**1**	**5**	**10**	**16**	**22**	**41**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	62	3.7	5	1	1	3	5	7	8	12
35-49	150	4.9	10	1	2	4	7	9	10	16
50-64	199	5.3	16	2	2	4	6	9	13	25
65+	258	5.6	15	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	3.7	7	<1	<1	3	5	8	9	9
35-49	20	7.1	46	1	2	5	10	13	22	30
50-64	52	5.8	41	2	2	3	6	15	18	37
65+	46	5.5	19	1	2	4	7	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.3	236	2	2	5	24	30	30	30
20-34	62	5.7	31	2	2	4	7	10	14	37
35-49	300	5.8	16	2	2	5	7	11	14	20
50-64	724	6.7	21	2	3	6	8	12	14	23
65+	1407	8.1	41	2	3	7	10	14	20	37
B. *Operated*										
0-19 YRS	5	4.6	9	1	1	5	7	8	8	8
20-34	12	7.7	39	1	2	6	10	18	21	22
35-49	52	9.3	116	1	2	7	10	18	32	64
50-64	138	11.5	110	2	3	8	16	24	33	50
65+	224	13.2	124	2	3	10	17	28	39	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	675	5.1	13	1	2	4	7	9	12	19
B. *Operated*	132	5.7	31	1	2	4	7	13	16	31
2. MULTIPLE DX										
A. *Not Operated*	2496	7.4	33	2	3	6	9	13	18	32
B. *Operated*	431	11.9	117	2	3	9	16	24	35	70
1. SINGLE DX	807	5.2	16	1	2	4	7	10	12	22
2. MULTIPLE DX	2927	8.1	48	2	3	6	10	15	20	39
A. NOT OPERATED	3171	6.9	30	2	2	6	9	12	18	29
B. OPERATED	563	10.4	104	2	2	8	14	21	32	64
TOTAL 0-19 YRS	15	5.1	52	1	1	3	5	8	24	30
20-34	149	4.9	20	1	2	4	6	8	12	22
35-49	522	5.9	27	2	2	5	7	11	15	24
50-64	1113	7.0	35	2	2	5	8	13	17	30
65+	1935	8.3	51	2	3	7	10	16	21	40
GRAND TOTAL	**3734**	**7.4**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.2	18	1	1	2	4	5	8	17
20-34	194	4.1	12	1	1	3	5	8	10	17
35-49	168	4.6	20	1	1	3	5	9	12	26
50-64	254	5.0	15	1	1	4	7	10	12	19
65+	666	7.1	44	1	2	5	8	13	18	37
B. *Operated*										
0-19 YRS	6	5.8	9	2	2	5	9	10	10	10
20-34	2	18.0	128	10	10	18	26	26	26	26
35-49	9	11.0	190	2	3	6	10	33	47	47
50-64	12	5.7	14	1	2	4	8	11	13	13
65+	16	17.3	81	4	7	19	25	32	76	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2300	4.1	16	1	1	3	5	7	10	21
20-34	1514	4.6	18	1	1	4	6	9	11	19
35-49	1892	6.0	25	1	2	5	7	11	15	26
50-64	4047	7.4	45	2	2	6	9	14	19	33
65+	15746	10.3	80	3	3	8	13	20	27	52
B. *Operated*										
0-19 YRS	78	8.6	69	1	2	6	9	20	25	42
20-34	131	9.3	76	1	2	7	12	18	25	46
35-49	220	12.8	151	1	2	10	17	26	36	87
50-64	419	15.7	197	2	3	11	20	35	44	65
65+	1331	20.8	248	4	6	17	27	42	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1694	5.2	30	1	1	4	6	10	14	29
B. *Operated*	45	11.4	97	2	3	9	15	27	35	99+
2. MULTIPLE DX										
A. *Not Operated*	25499	8.6	66	2	2	6	11	17	23	44
B. *Operated*	2179	17.9	227	2	4	14	24	37	50	90
1. SINGLE DX	1739	5.4	32	1	1	4	7	10	15	32
2. MULTIPLE DX	27678	9.4	85	2	2	7	12	19	26	53
A. NOT OPERATED	27193	8.4	64	2	2	6	10	17	22	44
B. OPERATED	2224	17.8	226	2	4	14	23	37	50	91
TOTAL 0-19 YRS	2796	4.1	18	1	1	3	5	7	10	23
20-34	1841	4.9	23	1	1	4	6	9	13	23
35-49	2289	6.5	42	1	2	5	8	13	18	35
50-64	4732	8.0	63	2	2	6	10	16	21	42
65+	17759	11.0	99	2	3	8	13	21	30	62
GRAND TOTAL	**29417**	**9.1**	**83**	**2**	**2**	**7**	**11**	**18**	**26**	**51**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	206	4.3	8	1	1	4	6	8	10	13
20-34	112	4.6	7	1	2	4	6	8	10	13
35-49	203	4.6	9	1	2	4	6	8	11	16
50-64	193	5.1	9	1	1	5	7	9	11	14
65+	539	5.4	12	1	1	5	7	10	12	16
B. *Operated*										
0-19 YRS	39	5.2	9	1	2	4	7	9	11	14
20-34	35	5.5	12	1	1	5	8	10	13	15
35-49	74	5.6	10	2	2	5	7	10	11	16
50-64	78	7.6	26	2	2	7	10	13	15	29
65+	143	8.6	28	2	3	7	11	16	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	4.9	10	1	2	4	6	9	11	17
20-34	407	5.5	19	1	2	5	7	9	12	24
35-49	814	5.9	20	1	2	5	7	11	15	23
50-64	1308	7.0	28	1	2	6	9	13	16	29
65+	5635	8.2	44	2	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	59	7.4	80	1	2	4	7	15	20	54
20-34	195	7.9	26	2	2	7	10	15	20	25
35-49	544	9.3	37	2	3	8	12	16	20	31
50-64	695	10.8	53	3	4	9	13	20	25	39
65+	2109	12.8	92	4	5	10	15	22	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1253	5.0	10	1	1	4	7	9	11	15
B. *Operated*	369	7.1	22	2	2	6	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	8550	7.5	38	2	2	6	9	14	18	30
B. *Operated*	3602	11.5	75	3	4	9	14	21	27	47
1. SINGLE DX	1622	5.5	14	1	2	5	7	10	12	17
2. MULTIPLE DX	12152	8.7	52	2	3	7	11	16	21	37
A. NOT OPERATED	9803	7.2	35	1	2	6	9	14	17	29
B. OPERATED	3971	11.1	72	3	4	9	14	20	26	46
TOTAL 0-19 YRS	690	5.0	16	1	2	4	6	9	12	18
20-34	749	6.0	20	1	2	5	8	11	14	24
35-49	1635	6.8	27	1	2	6	9	13	17	25
50-64	2274	8.1	37	2	2	7	10	15	20	33
65+	8426	9.2	59	2	3	7	11	17	22	40
GRAND TOTAL	**13774**	**8.3**	**49**	**2**	**2**	**7**	**10**	**16**	**20**	**35**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1109	4.6	10	1	1	4	6	8	10	16
20-34	1745	6.1	24	1	2	5	8	11	14	25
35-49	334	6.4	22	1	2	6	8	11	16	27
50-64	31	5.9	33	1	2	5	7	10	13	33
65+	8	5.3	4	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS	10	9.8	28	5	5	8	14	18	20	20
20-34	21	12.7	77	1	2	11	17	22	32	40
35-49	8	9.0	51	2	2	7	14	20	22	22
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	953	6.5	35	1	2	5	8	12	15	31
20-34	1629	7.8	39	2	3	6	10	14	19	35
35-49	440	9.4	52	2	3	8	12	17	23	39
50-64	118	10.5	88	2	3	7	12	23	29	50
65+	20	12.1	102	4	5	9	15	23	36	46
B. *Operated*										
0-19 YRS	61	12.5	163	2	3	9	15	26	34	77
20-34	181	16.0	176	2	3	12	22	34	44	69
35-49	61	17.1	164	4	5	16	22	34	40	66
50-64	20	17.1	215	1	3	12	27	33	47	60
65+	8	15.9	125	4	5	11	28	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3227	5.6	20	1	2	5	7	10	13	22
B. *Operated*	43	10.8	55	2	3	9	15	19	23	40
2. MULTIPLE DX										
A. *Not Operated*	3160	7.8	43	2	2	6	9	14	19	35
B. *Operated*	331	15.6	172	2	4	12	21	32	43	68
1. SINGLE DX	3270	5.7	21	1	2	5	7	10	13	23
2. MULTIPLE DX	3491	8.5	60	2	2	6	10	16	23	41
A. NOT OPERATED	6387	6.7	32	1	2	5	8	12	16	29
B. OPERATED	374	15.1	161	2	3	11	20	32	42	68
TOTAL 0-19 YRS	2133	5.7	28	1	2	5	7	10	14	26
20-34	3576	7.5	44	2	2	6	9	14	19	35
35-49	843	8.8	55	2	2	7	11	17	22	38
50-64	171	10.4	99	2	3	7	12	24	32	55
65+	38	11.1	91	3	4	7	13	28	30	46
GRAND TOTAL	**6761**	**7.2**	**43**	**1**	**2**	**6**	**9**	**13**	**18**	**35**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	812	2.1	6	<1	<1	1	2	4	7	12
20-34	300	3.9	15	<1	<1	3	5	8	10	20
35-49	254	4.5	17	<1	1	3	6	10	13	20
50-64	489	4.0	17	<1	<1	3	5	9	13	20
65+	1792	4.2	25	<1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	164	6.3	40	1	1	5	7	12	15	25
20-34	95	7.3	26	2	2	6	9	14	16	29
35-49	98	8.7	54	2	2	6	11	16	26	39
50-64	188	8.7	46	2	3	7	11	16	20	39
65+	489	9.7	60	2	3	8	12	17	23	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	645	4.1	22	<1	<1	3	5	9	12	25
20-34	669	5.6	33	<1	1	4	7	11	15	34
35-49	868	6.2	30	1	1	5	8	13	17	25
50-64	2413	6.5	39	1	1	5	9	14	18	30
65+	9639	7.7	63	1	1	6	10	16	21	40
B. *Operated*										
0-19 YRS	179	7.9	77	1	2	6	9	15	27	88
20-34	326	10.2	86	2	3	8	13	20	30	62
35-49	493	11.1	82	2	3	9	13	21	27	52
50-64	1106	12.7	101	3	4	10	16	25	32	51
65+	3647	14.0	121	3	4	11	18	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3647	3.7	19	<1	<1	2	5	9	11	20
B. *Operated*	1034	8.7	52	2	2	7	11	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	14234	7.1	54	1	1	5	9	15	20	37
B. *Operated*	5751	13.1	113	3	4	10	16	25	34	61
1. SINGLE DX	4681	4.8	30	<1	<1	3	6	11	15	26
2. MULTIPLE DX	19985	8.9	79	1	1	7	12	18	25	47
A. NOT OPERATED	17881	6.4	49	<1	1	4	8	14	19	35
B. OPERATED	6785	12.4	106	2	3	10	16	24	32	60
TOTAL 0-19 YRS	1800	3.8	25	<1	<1	2	5	9	12	26
20-34	1390	6.4	46	<1	1	5	8	14	18	37
35-49	1713	7.5	51	1	1	6	10	15	20	38
50-64	4196	7.9	62	1	1	6	10	17	22	40
65+	15567	8.9	82	1	1	6	12	19	25	48
GRAND TOTAL	**24666**	**8.1**	**72**	**1**	**1**	**6**	**11**	**17**	**23**	**44**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.4	9	<1	<1	3	4	7	11	15
20-34	41	6.6	25	<1	1	5	10	15	17	19
35-49	23	4.7	20	1	1	3	6	10	16	19
50-64	13	8.3	74	<1	2	5	9	24	29	30
65+	5	9.0	85	<1	<1	9	13	24	24	24
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	9	11.6	58	3	4	9	17	24	26	26
35-49	2	27.0	32	23	23	27	31	31	31	31
50-64										
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	4.1	19	1	1	3	5	8	12	18
20-34	109	6.3	27	1	2	5	8	12	17	27
35-49	37	6.7	28	1	2	5	9	12	18	26
50-64	24	7.8	50	1	1	6	9	22	25	26
65+	14	9.1	49	2	3	8	11	20	24	25
B. *Operated*										
0-19 YRS	18	9.8	52	1	2	8	13	21	23	23
20-34	23	13.8	128	3	4	10	20	32	37	38
35-49	11	19.0	426	3	5	9	26	49	72	74
50-64	4	15.8	119	2	2	18	24	25	25	25
65+	2	8.0	2	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	5.0	25	<1	1	4	6	12	16	24
B. *Operated*	14	14.2	96	3	5	10	23	29	31	31
2. MULTIPLE DX										
A. *Not Operated*	337	5.5	28	1	1	4	7	12	16	26
B. *Operated*	58	13.5	158	2	3	9	20	29	34	71
1. SINGLE DX	170	5.8	37	<1	1	4	7	14	19	30
2. MULTIPLE DX	395	6.7	54	1	1	4	8	14	22	34
A. NOT OPERATED	493	5.4	27	1	1	4	7	12	16	26
B. OPERATED	72	13.6	144	3	3	9	20	29	32	66
TOTAL 0-19 YRS	247	4.3	21	1	1	3	5	10	13	22
20-34	182	7.6	47	1	2	5	10	16	22	34
35-49	73	8.5	112	1	2	6	9	21	27	64
50-64	41	8.8	65	1	2	6	11	24	25	30
65+	22	9.9	65	1	2	8	11	24	27	29
GRAND TOTAL	**565**	**6.4**	**49**	**1**	**1**	**4**	**8**	**14**	**22**	**31**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	766	4.3	14	1	1	3	5	8	10	16
20-34	211	4.6	15	1	1	4	6	8	11	20
35-49	279	3.1	13	<1	<1	1	4	8	11	17
50-64	213	4.6	18	<1	<1	3	6	10	12	19
65+	337	5.3	31	<1	<1	3	7	12	16	27
B. *Operated*										
0-19 YRS	440	6.1	15	2	2	5	8	11	13	20
20-34	322	7.8	23	2	3	7	9	14	18	24
35-49	180	8.1	32	2	3	7	10	15	18	31
50-64	256	9.2	63	2	3	7	11	18	24	40
65+	260	9.6	48	2	2	8	12	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	691	4.6	17	1	1	4	6	9	11	19
20-34	502	5.5	20	1	2	4	7	11	14	22
35-49	631	5.8	24	<1	<1	4	8	12	15	25
50-64	1251	7.1	41	1	1	6	9	14	19	30
65+	2153	8.6	70	1	2	6	11	18	23	42
B. *Operated*										
0-19 YRS	273	8.2	71	2	2	7	9	15	20	46
20-34	432	10.6	107	2	3	8	13	20	30	58
35-49	447	11.7	103	2	3	9	15	24	32	50
50-64	945	12.2	104	2	3	10	15	23	31	57
65+	1487	14.8	155	3	4	11	18	30	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1806	4.4	18	<1	<1	3	6	9	12	20
B. *Operated*	1458	7.9	35	2	2	7	10	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	5228	7.1	48	1	1	5	9	15	19	36
B. *Operated*	3584	12.7	127	2	3	9	16	26	35	63
1. SINGLE DX	3264	5.9	29	<1	1	5	8	12	16	26
2. MULTIPLE DX	8812	9.4	88	1	2	7	12	19	27	49
A. NOT OPERATED	7034	6.4	42	<1	1	5	8	13	18	33
B. OPERATED	5042	11.3	105	2	3	8	14	22	31	57
TOTAL 0-19 YRS	2170	5.3	24	1	1	4	7	10	13	22
20-34	1467	7.4	51	1	2	6	9	15	19	39
35-49	1537	7.3	56	<1	<1	6	9	15	21	37
50-64	2665	8.9	70	1	2	7	11	18	24	43
65+	4237	10.5	106	1	2	8	13	22	31	53
GRAND TOTAL	**12076**	**8.4**	**74**	**1**	**2**	**6**	**10**	**17**	**24**	**44**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3340	2.3	2	1	1	2	3	4	5	7
20-34	743	2.4	2	1	1	2	3	4	5	7
35-49	102	2.6	3	1	1	2	4	5	6	10
50-64	28	3.6	5	1	1	3	5	6	9	11
65+	10	3.3	2	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	1617	4.0	3	2	2	4	5	6	7	11
20-34	536	4.6	21	2	2	4	5	7	9	12
35-49	72	5.1	9	2	3	4	6	7	10	20
50-64	17	5.2	7	2	3	4	6	10	11	11
65+	4	7.0	29	1	1	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1604	2.8	4	1	1	2	4	5	6	9
20-34	315	3.3	6	1	1	3	4	6	7	15
35-49	54	4.4	9	2	2	4	5	6	11	18
50-64	33	4.8	6	1	2	5	6	8	9	11
65+	27	6.0	16	1	2	6	8	11	16	16
B. *Operated*										
0-19 YRS	597	5.2	11	2	3	4	6	8	10	19
20-34	317	6.1	16	2	3	5	7	10	13	23
35-49	42	7.0	10	3	4	6	9	12	13	13
50-64	15	8.5	34	3	3	7	9	18	23	25
65+	8	13.8	399	4	4	5	12	48	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4223	2.3	2	1	1	2	3	4	5	8
B. *Operated*	2246	4.2	8	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	2033	3.0	5	1	1	2	4	5	7	10
B. *Operated*	979	5.7	16	2	3	5	6	9	12	22
1. SINGLE DX	6469	3.0	5	1	1	3	4	5	6	10
2. MULTIPLE DX	3012	3.9	10	1	1	3	5	7	9	16
A. NOT OPERATED	6256	2.6	3	1	1	2	3	5	6	8
B. OPERATED	3225	4.7	11	2	2	4	5	7	9	15
TOTAL 0-19 YRS	7158	3.1	4	1	1	3	4	5	6	10
20-34	1911	3.8	12	1	1	3	5	7	8	14
35-49	270	4.3	9	1	1	4	5	8	10	14
50-64	93	5.1	12	1	2	4	6	9	11	22
65+	49	6.8	80	1	2	5	8	12	16	62
GRAND TOTAL	**9481**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	627	4.6	7	1	2	4	6	8	9	15
20-34	95	3.8	6	1	1	3	5	7	8	13
35-49	40	4.2	6	1	1	4	5	7	9	13
50-64	16	4.3	6	1	1	4	6	8	9	9
65+	17	4.8	7	<1	1	5	6	9	10	10
B. *Operated*										
0-19 YRS	552	3.3	9	<1	1	2	4	7	9	15
20-34	446	3.4	12	<1	1	2	4	6	9	17
35-49	203	4.0	20	<1	1	3	4	8	12	24
50-64	137	3.6	9	1	1	3	4	7	9	18
65+	66	4.5	30	1	1	3	5	10	13	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	414	4.5	8	1	2	4	6	7	10	14
20-34	87	4.4	8	1	2	4	5	7	9	18
35-49	50	6.2	16	1	2	6	8	10	12	24
50-64	41	6.8	49	2	2	5	7	14	17	42
65+	39	6.7	28	1	1	5	9	14	18	24
B. *Operated*										
0-19 YRS	293	4.8	22	1	1	3	6	9	12	18
20-34	184	6.2	45	1	2	4	8	12	16	36
35-49	136	5.4	28	1	2	4	6	11	15	26
50-64	149	6.6	38	2	2	4	9	14	20	33
65+	104	7.8	43	1	2	6	9	17	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	795	4.5	7	1	2	4	6	8	9	15
B. *Operated*	1404	3.5	13	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	631	4.9	13	1	2	4	6	8	11	18
B. *Operated*	866	5.8	34	1	2	4	8	12	16	29
1. SINGLE DX	2199	3.9	11	<1	1	3	5	7	9	16
2. MULTIPLE DX	1497	5.5	25	1	2	4	7	10	14	25
A. NOT OPERATED	1426	4.7	10	1	2	4	6	8	10	16
B. OPERATED	2270	4.4	22	<1	1	3	5	9	13	23
TOTAL 0-19 YRS	1886	4.2	11	1	1	3	6	8	10	15
20-34	812	4.2	20	1	1	3	5	8	11	21
35-49	429	4.7	22	1	1	3	6	10	13	24
50-64	343	5.3	28	1	2	3	6	10	15	29
65+	226	6.4	36	1	2	5	9	13	19	30
GRAND TOTAL	**3696**	**4.5**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	7.9	79	1	1	5	11	20	22	43
20-34	145	10.7	125	1	1	7	16	26	38	99+
35-49	44	9.6	64	2	3	7	12	23	26	35
50-64	57	9.5	123	<1	1	6	10	25	35	51
65+	80	13.7	230	1	2	10	18	30	50	97
B. *Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64	4	14.0	193	1	1	14	26	26	26	26
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	10.6	186	<1	1	7	11	28	43	72
20-34	149	12.1	154	1	2	9	15	28	39	65
35-49	96	11.1	134	1	2	7	15	27	36	54
50-64	189	13.9	157	2	4	10	17	29	43	80
65+	401	11.7	128	2	3	9	15	23	32	65
B. *Operated*										
0-19 YRS										
20-34	13	24.2	252	2	4	25	38	45	49	50
35-49	11	28.1	391	6	6	27	45	57	63	64
50-64	15	18.6	219	6	6	13	31	36	49	54
65+	45	15.0	104	5	6	12	19	29	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	10.8	138	1	1	7	15	25	36	89
B. *Operated*	6	12.5	129	1	1	9	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	894	12.1	143	2	2	9	16	26	38	68
B. *Operated*	84	18.8	200	5	6	13	27	40	50	61
1. SINGLE DX	363	10.8	138	1	1	7	15	26	35	87
2. MULTIPLE DX	978	12.7	151	2	2	9	16	28	40	65
A. NOT OPERATED	1251	11.7	142	1	2	8	15	26	37	71
B. OPERATED	90	18.4	196	4	6	13	27	39	50	60
TOTAL 0-19 YRS	90	9.7	149	1	1	6	11	23	40	64
20-34	308	12.0	150	1	2	8	16	28	41	71
35-49	151	11.9	151	2	2	7	16	28	36	54
50-64	265	13.2	156	2	3	9	17	30	41	72
65+	527	12.3	142	2	3	9	16	25	35	72
GRAND TOTAL	**1341**	**12.2**	**148**	**1**	**2**	**8**	**16**	**27**	**39**	**69**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	627	3.0	28	1	1	2	3	5	7	29
20-34	534	5.1	59	1	1	3	6	10	15	47
35-49	238	6.7	59	1	1	4	8	15	25	39
50-64	410	10.8	128	1	2	7	15	24	33	70
65+	2352	12.5	167	2	3	8	16	27	40	82
B. *Operated*										
0-19 YRS	12	4.3	22	<1	<1	3	4	12	16	17
20-34	12	4.6	12	1	1	4	6	10	13	13
35-49	9	6.6	14	2	3	5	8	13	15	15
50-64	34	9.3	83	2	2	6	12	22	33	38
65+	58	11.9	102	2	3	9	15	26	37	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	601	6.1	90	1	1	3	6	14	23	74
20-34	1049	8.7	103	1	2	5	10	20	31	60
35-49	740	10.1	82	2	3	7	13	23	29	45
50-64	1467	13.2	170	2	3	9	17	30	42	84
65+	12305	13.4	158	3	3	10	17	28	42	99+
B. *Operated*										
0-19 YRS	27	15.4	417	1	1	8	20	64	79	99+
20-34	72	14.8	349	1	2	8	21	43	78	99+
35-49	55	14.0	86	2	5	13	22	33	99+	99+
50-64	160	17.8	230	3	5	14	23	38	66	99+
65+	1049	22.8	290	4	7	19	34	56	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4161	9.6	136	1	1	6	12	22	34	75
B. *Operated*	125	9.4	81	1	2	6	12	22	30	63
2. MULTIPLE DX										
A. *Not Operated*	16162	12.7	153	2	3	9	16	27	40	99+
B. *Operated*	1363	21.3	288	4	5	17	31	55	89	99+
1. SINGLE DX	4286	9.6	135	1	1	6	12	22	34	74
2. MULTIPLE DX	17525	13.3	169	2	3	9	17	30	44	99+
A. NOT OPERATED	20323	12.0	151	2	2	8	15	27	39	95
B. OPERATED	1488	20.3	281	3	5	16	30	52	83	99+
TOTAL 0-19 YRS	1267	4.8	70	1	1	2	4	9	19	60
20-34	1667	7.8	104	1	1	5	9	17	29	65
35-49	1042	9.5	79	1	2	7	12	22	29	48
50-64	2071	13.0	168	2	3	9	17	29	42	97
65+	15764	13.9	174	2	3	10	17	31	45	99+
GRAND TOTAL	**21811**	**12.6**	**164**	**2**	**2**	**9**	**16**	**28**	**42**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	28.0	288	16	16	28	40	40	40	40
50-64	13	11.6	92	2	3	7	15	27	33	35
65+	97	13.0	147	3	4	10	15	26	40	67
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	14.3	30	7	7	15	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	20.5	111	10	10	18	27	35	35	35
50-64	45	16.2	219	3	5	10	21	47	74	99+
65+	667	15.1	204	3	4	11	17	34	47	99
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	19.3	144	5	5	19	28	33	33	33
65+	56	25.4	395	4	5	22	29	66	76	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	13.1	144	2	4	9	15	27	39	63
B. *Operated*	4	14.3	30	7	7	15	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	717	15.1	204	3	4	11	18	35	48	99+
B. *Operated*	60	25.0	378	4	5	22	29	65	76	98
1. SINGLE DX	117	13.1	139	3	4	10	15	26	38	62
2. MULTIPLE DX	777	15.9	224	3	4	11	19	36	54	99+
A. NOT OPERATED	830	14.9	196	3	4	11	17	34	47	99+
B. OPERATED	64	24.3	362	4	5	20	29	63	75	98
TOTAL 0-19 YRS										
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	6	23.0	139	10	11	18	35	39	40	40
50-64	62	15.4	188	3	5	10	20	36	61	99+
65+	824	15.5	216	3	4	11	18	35	49	98
GRAND TOTAL	**894**	**15.5**	**214**	**3**	**4**	**11**	**18**	**35**	**49**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.6	74	<1	<1	2	3	13	28	36
20-34	549	4.8	27	1	1	5	5	7	10	25
35-49	940	5.0	20	1	2	5	5	8	11	26
50-64	526	5.9	27	1	2	5	6	10	15	31
65+	176	8.1	62	1	2	5	9	20	27	35
B. *Operated*										
0-19 YRS										
20-34	3	8.3	12	5	5	8	11	12	12	12
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	3	21.7	254	4	4	26	33	35	35	35
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.5	67	1	1	5	8	23	28	36
20-34	1593	6.6	36	1	2	5	7	12	21	32
35-49	3096	7.0	43	2	2	5	8	13	21	32
50-64	2674	8.5	65	2	2	6	10	17	25	41
65+	980	10.5	96	2	3	7	13	22	28	59
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	47	11.4	56	3	4	9	14	25	29	30
35-49	131	13.6	156	3	4	10	15	29	48	99+
50-64	137	18.1	217	4	5	13	22	37	54	81
65+	87	25.0	424	5	6	19	39	57	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2209	5.4	28	1	2	5	5	9	14	29
B. *Operated*	9	12.6	117	4	4	8	15	31	35	35
2. MULTIPLE DX										
A. *Not Operated*	8400	7.8	57	2	2	6	9	16	24	38
B. *Operated*	404	17.3	243	3	5	12	22	41	56	99+
1. SINGLE DX	2218	5.4	28	1	2	5	5	9	14	29
2. MULTIPLE DX	8804	8.2	69	2	2	6	9	17	25	44
A. NOT OPERATED	10609	7.3	52	2	2	5	8	15	22	36
B. OPERATED	413	17.2	240	3	5	12	22	41	56	99+
TOTAL 0-19 YRS	77	6.7	68	<1	1	4	7	20	28	37
20-34	2192	6.3	37	1	2	5	7	11	20	30
35-49	4169	6.8	44	1	2	5	7	13	21	34
50-64	3340	8.5	71	2	2	6	10	18	26	44
65+	1244	11.2	129	2	3	7	14	25	33	86
GRAND TOTAL	**11022**	**7.7**	**62**	**2**	**2**	**5**	**8**	**16**	**24**	**41**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	8.0	84	1	1	5	10	21	28	43
20-34	218	7.3	69	1	1	4	10	18	25	41
35-49	63	5.3	31	1	1	3	7	10	17	29
50-64	41	8.1	55	1	2	6	9	21	25	29
65+	36	8.0	64	<1	1	6	9	17	30	34
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	8.8	123	1	1	5	12	19	26	64
20-34	456	8.2	78	1	2	5	10	18	25	43
35-49	187	8.5	59	1	2	6	11	18	23	38
50-64	217	9.3	55	2	3	7	12	19	27	35
65+	267	10.7	93	2	3	7	13	22	30	50
B. *Operated*										
0-19 YRS	2	9.5	41	5	5	9	14	14	14	14
20-34	19	15.2	143	3	4	9	28	38	71	99+
35-49	8	14.1	57	5	6	12	21	25	25	25
50-64	13	17.2	455	2	3	7	22	55	56	56
65+	19	19.0	166	2	4	19	22	41	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	7.3	66	1	1	5	9	18	26	39
B. *Operated*	3	10.0	36	4	4	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	1240	9.1	79	1	2	6	12	19	26	47
B. *Operated*	61	16.5	196	3	4	11	23	42	53	95
1. SINGLE DX	468	7.4	66	1	1	5	9	18	26	39
2. MULTIPLE DX	1301	9.4	87	1	2	6	12	21	27	50
A. NOT OPERATED	1705	8.6	76	1	2	6	11	19	26	44
B. OPERATED	64	16.2	190	3	4	11	21	42	53	93
TOTAL 0-19 YRS	222	8.4	103	1	1	5	11	20	27	52
20-34	694	8.1	78	1	1	5	10	18	26	44
35-49	258	7.9	55	1	2	5	11	18	23	37
50-64	272	9.5	75	2	3	7	11	21	28	49
65+	323	10.9	98	2	3	7	14	22	33	48
GRAND TOTAL	**1769**	**8.9**	**82**	**1**	**2**	**6**	**11**	**20**	**27**	**47**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	493	20.8	351	2	3	16	28	52	66	99+
20-34	5266	15.6	207	1	2	12	21	33	45	78
35-49	2472	15.2	159	2	3	12	20	30	40	68
50-64	964	16.2	172	2	4	13	21	31	41	69
65+	189	15.4	135	2	3	13	22	32	39	65
B. *Operated*										
0-19 YRS	2	48.5	1	48	48	48	49	49	49	49
20-34	8	17.1	68	10	10	14	23	30	31	31
35-49	7	22.7	18	16	17	23	26	28	28	28
50-64	1	41.0		41	41	41	41	41	41	41
65+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	23.3	455	2	3	17	33	58	77	99+
20-34	2090	17.6	232	2	3	14	23	39	49	86
35-49	1312	15.8	150	2	3	13	21	31	39	60
50-64	829	18.4	186	3	5	15	24	38	46	70
65+	280	19.0	182	3	5	16	27	37	48	93
B. *Operated*										
0-19 YRS	7	43.3	533	18	19	36	57	79	84	84
20-34	126	23.2	255	6	8	19	29	49	63	99+
35-49	98	26.4	389	6	8	22	35	52	80	99
50-64	50	24.7	188	6	8	23	34	48	54	99+
65+	19	31.0	458	9	13	26	53	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9384	15.8	198	2	3	13	21	33	44	77
B. *Operated*	19	24.7	143	10	11	23	30	45	49	49
2. MULTIPLE DX										
A. *Not Operated*	4734	17.6	211	2	4	14	23	37	48	79
B. *Operated*	300	25.5	314	6	8	21	34	53	69	99+
1. SINGLE DX	9403	15.8	198	2	3	13	21	33	44	77
2. MULTIPLE DX	5034	18.0	221	2	4	14	24	38	49	84
A. NOT OPERATED	14118	16.4	203	2	3	13	22	34	46	77
B. OPERATED	319	25.4	303	6	8	21	33	51	67	99+
TOTAL 0-19 YRS	725	21.9	390	2	3	16	30	53	74	99+
20-34	7490	16.3	216	2	3	13	21	35	47	79
35-49	3889	15.7	165	2	3	13	21	31	41	68
50-64	1844	17.4	182	2	4	14	23	36	44	69
65+	489	18.1	183	3	5	15	25	35	47	99+
GRAND TOTAL	**14437**	**16.6**	**207**	**2**	**3**	**13**	**22**	**35**	**46**	**79**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	19.4	300	2	3	13	27	49	62	99+
20-34	456	13.6	144	1	3	11	18	30	39	70
35-49	104	12.5	116	3	3	9	17	28	31	61
50-64	37	14.1	60	4	6	14	18	26	31	33
65+	11	17.2	124	1	4	14	27	32	33	33
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	25.2	448	3	5	18	36	51	72	94
20-34	171	16.1	139	2	3	14	22	33	42	54
35-49	59	13.3	151	3	3	10	17	25	36	72
50-64	27	15.4	62	5	5	16	17	26	29	38
65+	17	12.4	74	1	2	11	17	22	30	34
B. *Operated*										
0-19 YRS	2	45.5	1	45	45	45	46	46	46	46
20-34	7	25.6	593	2	3	13	40	63	68	68
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	10.5	1	10	10	10	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	14.7	170	2	3	11	19	33	43	73
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	335	17.0	202	2	3	14	22	35	45	74
B. *Operated*	12	25.8	441	2	5	16	43	53	66	68
1. SINGLE DX	753	14.6	170	2	3	11	19	33	43	73
2. MULTIPLE DX	347.	17.3	212	2	3	14	22	37	46	74
A. NOT OPERATED	1087	15.4	181	2	3	12	20	33	44	74
B. OPERATED	13	24.3	434	3	5	13	42	50	65	68
TOTAL 0-19 YRS	207	21.3	351	2	3	14	33	50	66	96
20-34	635	14.4	149	2	3	11	19	31	40	65
35-49	164	12.8	127	3	3	9	17	27	32	63
50-64	66	14.5	59	4	5	15	18	26	31	37
65+	28	14.3	96	1	2	12	22	31	33	34
GRAND TOTAL	**1100**	**15.5**	**185**	**2**	**3**	**12**	**20**	**34**	**44**	**73**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1158	20.2	320	2	3	15	29	46	60	98
20-34	8078	15.9	212	1	2	12	21	35	47	78
35-49	3926	14.8	165	2	3	12	20	31	41	64
50-64	1935	16.1	170	2	3	13	22	33	42	68
65+	394	16.7	189	2	3	14	23	32	49	84
B. *Operated*										
0-19 YRS	6	27.5	309	<1	2	27	42	48	49	49
20-34	14	25.3	268	6	6	26	30	69	92	99+
35-49	14	15.9	177	4	6	11	23	36	47	50
50-64	8	32.0	372	8	8	36	47	55	57	57
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	558	22.0	365	2	3	17	31	52	66	99+
20-34	4001	16.9	218	2	3	13	23	36	48	79
35-49	2486	15.6	174	2	4	12	21	31	42	70
50-64	1745	18.0	218	3	4	14	23	37	49	78
65+	650	18.1	210	3	5	14	24	36	49	84
B. *Operated*										
0-19 YRS	24	37.6	491	12	13	34	56	78	90	99+
20-34	206	26.2	303	4	7	24	38	52	73	99+
35-49	158	26.6	326	5	7	22	35	50	70	84
50-64	130	28.2	385	5	7	24	37	58	65	87
65+	48	26.7	390	8	8	17	36	62	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15491	16.0	204	2	3	12	21	35	46	77
B. *Operated*	42	23.7	279	5	6	20	34	49	61	99+
2. MULTIPLE DX										
A. *Not Operated*	9440	17.1	217	2	3	13	23	36	49	79
B. *Operated*	566	27.3	346	5	8	24	38	58	71	99+
1. SINGLE DX	15533	16.0	204	2	3	12	21	35	46	77
2. MULTIPLE DX	10006	17.7	230	2	4	14	24	38	50	81
A. NOT OPERATED	24931	16.4	209	2	3	13	22	35	47	77
B. OPERATED	608	27.0	342	5	7	24	38	57	71	99+
TOTAL 0-19 YRS	1746	21.0	341	2	3	16	30	49	64	99+
20-34	12299	16.4	217	1	3	12	22	36	48	79
35-49	6584	15.4	176	2	3	12	20	32	42	68
50-64	3818	17.4	205	2	4	14	23	36	47	76
65+	1092	17.9	214	3	4	14	24	36	50	87
GRAND TOTAL	**25539**	**16.7**	**215**	**2**	**3**	**13**	**22**	**36**	**48**	**78**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	19.3	577	2	3	11	40	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	21.7	604	1	2	12	46	90	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	19.3	577	2	3	11	40	99+	99+	99+
B. *Operated*	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	40	21.7	604	1	2	12	46	90	99+	99+
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	42	18.8	555	2	3	10	39	98	99+	99+
2. MULTIPLE DX	41	21.3	598	1	2	11	45	89	99+	99+
A. NOT OPERATED	80	20.5	584	1	2	11	44	97	99+	99+
B. OPERATED	3	6.0	7	3	3	7	8	8	8	8
TOTAL 0-19 YRS	83	20.0	571	1	2	10	43	95	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**83**	**20.0**	**571**	**1**	**2**	**10**	**43**	**95**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	406	17.8	291	1	2	13	27	48	57	99+
20-34	2846	13.9	170	1	2	10	19	30	39	66
35-49	2676	14.8	155	2	3	11	20	31	39	61
50-64	2565	17.3	176	2	4	15	23	35	44	65
65+	1784	20.1	203	2	5	17	28	39	49	69
B. *Operated*										
0-19 YRS	2	13.0	162	4	4	13	22	22	22	22
20-34	11	16.9	111	5	6	14	23	33	38	39
35-49	14	32.0	556	9	11	30	35	66	90	97
50-64	17	28.4	514	4	6	22	39	60	78	87
65+	16	33.3	439	5	6	32	40	56	79	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	17.1	329	1	2	11	23	45	63	99+
20-34	3454	15.1	194	1	3	11	20	33	43	77
35-49	3438	15.8	183	2	3	12	22	32	43	68
50-64	3377	18.2	204	3	4	15	24	37	46	76
65+	3246	21.3	269	4	5	17	29	43	56	90
B. *Operated*										
0-19 YRS	25	38.1	684	6	9	30	64	79	81	81
20-34	214	22.5	310	5	6	18	31	49	63	99+
35-49	296	24.2	262	5	8	21	32	45	55	86
50-64	291	26.1	260	7	8	22	35	49	62	79
65+	286	33.1	375	8	11	30	47	66	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10277	16.2	183	2	3	13	22	34	44	67
B. *Operated*	60	27.9	437	5	6	24	35	55	75	96
2. MULTIPLE DX										
A. *Not Operated*	14026	17.5	222	2	3	14	24	37	48	79
B. *Operated*	1112	27.0	326	6	8	23	36	57	69	99+
1. SINGLE DX	10337	16.3	185	2	3	13	22	34	44	67
2. MULTIPLE DX	15138	18.2	235	2	4	14	25	39	50	81
A. NOT OPERATED	24303	17.0	206	2	3	13	23	36	46	74
B. OPERATED	1172	27.0	332	6	8	23	36	57	69	99+
TOTAL 0-19 YRS	944	18.0	332	1	2	12	26	48	63	99+
20-34	6525	14.8	190	1	2	11	20	32	43	72
35-49	6424	15.8	180	2	3	12	22	33	43	68
50-64	6250	18.2	199	3	4	15	25	36	46	72
65+	5332	21.6	261	3	5	18	29	44	56	87
GRAND TOTAL	**25475**	**17.4**	**216**	**2**	**3**	**14**	**24**	**37**	**48**	**77**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	20.1	301	3	4	15	27	47	57	91
20-34	3387	15.6	164	2	3	13	21	32	41	63
35-49	2619	15.3	149	2	4	12	20	31	38	60
50-64	1722	16.6	152	2	4	14	22	33	40	60
65+	625	19.3	199	3	5	16	26	37	47	75
B. *Operated*										
0-19 YRS										
20-34	7	15.4	129	2	3	16	28	81	99+	99+
35-49	12	15.8	136	5	5	11	21	31	45	47
50-64	12	32.8	798	10	10	23	38	87	94	95
65+	9	21.4	79	10	12	20	24	36	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	281	21.3	304	3	4	17	30	46	62	99+
20-34	2034	16.8	200	2	3	14	22	35	46	71
35-49	2021	16.1	162	2	4	13	21	32	42	63
50-64	1687	18.4	202	3	5	15	24	36	45	82
65+	941	20.4	222	4	6	17	26	41	50	83
B. *Operated*										
0-19 YRS	14	31.2	407	7	8	25	50	60	64	65
20-34	111	25.2	220	7	9	21	35	48	53	67
35-49	149	23.5	230	5	8	20	29	45	56	86
50-64	150	27.4	325	8	9	22	36	51	60	99
65+	96	27.5	292	7	10	24	35	59	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8764	16.2	168	2	4	13	22	33	41	65
B. *Operated*	40	22.1	356	5	9	20	26	46	88	99+
2. MULTIPLE DX										
A. *Not Operated*	6964	17.6	199	3	4	14	23	36	46	76
B. *Operated*	520	25.9	273	7	9	21	35	49	60	99
1. SINGLE DX	8804	16.2	169	2	4	13	22	33	41	65
2. MULTIPLE DX	7484	18.2	209	3	4	15	24	37	48	79
A. NOT OPERATED	15728	16.8	182	2	4	14	22	34	44	70
B. OPERATED	560	25.7	279	7	9	21	35	49	61	99+
TOTAL 0-19 YRS	706	20.8	306	3	4	16	28	47	59	99
20-34	5539	16.2	180	2	3	13	21	33	44	65
35-49	4801	15.9	159	2	4	13	21	32	41	63
50-64	3571	18.0	190	3	4	15	24	36	44	75
65+	1671	20.4	219	4	6	17	27	40	51	81
GRAND TOTAL	**16288**	**17.1**	**188**	**2**	**4**	**14**	**23**	**35**	**45**	**71**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	14.8	225	1	2	11	20	39	49	99+
20-34	1861	12.0	140	1	2	9	16	26	36	60
35-49	1042	11.4	103	1	2	9	16	24	30	54
50-64	790	13.6	144	1	2	11	18	29	37	59
65+	638	13.5	160	1	2	9	20	30	38	67
B. *Operated*										
0-19 YRS	4	24.0	759	7	7	12	40	65	65	65
20-34	6	27.5	238	4	5	29	40	44	44	44
35-49	7	14.1	117	2	3	10	19	31	34	34
50-64	16	17.4	248	3	3	15	34	50	83	99+
65+	21	13.1	122	2	3	10	17	33	37	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	16.4	302	1	2	11	22	40	65	99+
20-34	1436	13.5	158	1	2	10	18	30	40	63
35-49	1096	13.8	144	2	3	10	19	29	39	60
50-64	1203	13.8	141	2	3	11	18	29	38	60
65+	2595	13.2	147	2	3	9	17	28	37	66
B. *Operated*										
0-19 YRS	8	16.1	107	2	3	16	25	29	30	30
20-34	73	19.8	307	4	5	17	28	34	58	91
35-49	60	21.0	234	3	4	18	31	44	56	96
50-64	104	18.5	216	3	4	14	27	38	49	99+
65+	272	20.3	249	4	5	16	27	44	58	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4757	12.6	144	1	2	9	17	28	37	62
B. *Operated*	54	16.9	218	3	3	11	23	41	50	98
2. MULTIPLE DX										
A. *Not Operated*	6657	13.6	156	2	3	10	18	29	39	66
B. *Operated*	517	19.9	246	3	5	16	27	41	56	99+
1. SINGLE DX	4811	12.7	145	1	2	9	17	28	37	62
2. MULTIPLE DX	7174	14.1	165	2	3	10	18	30	41	69
A. NOT OPERATED	11414	13.2	151	1	2	10	17	29	38	64
B. OPERATED	571	19.6	244	3	4	16	27	41	55	99+
TOTAL 0-19 YRS	765	15.5	259	1	2	11	21	40	54	99+
20-34	3376	12.9	153	1	2	9	17	29	38	62
35-49	2205	12.8	130	1	2	9	17	28	37	58
50-64	2113	14.0	148	2	3	11	19	30	39	61
65+	3526	13.8	161	2	3	10	18	29	40	70
GRAND TOTAL	**11985**	**13.5**	**157**	**1**	**2**	**10**	**18**	**29**	**39**	**66**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	7.0	149	<1	1	3	6	18	42	99+
20-34	1513	6.0	49	1	1	4	7	13	20	34
35-49	1175	6.1	53	1	1	4	7	13	21	36
50-64	664	5.7	33	1	1	4	7	12	18	31
65+	291	5.8	47	1	1	4	7	11	18	35
B. *Operated*										
0-19 YRS	6	4.8	12	1	1	5	5	10	11	11
20-34	16	7.3	45	1	2	6	8	12	25	30
35-49	12	5.6	18	2	2	4	8	12	15	16
50-64	14	8.1	36	2	2	6	10	17	21	22
65+	4	11.5	83	2	2	10	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	499	8.2	135	1	1	4	8	21	34	63
20-34	2651	7.4	64	1	1	5	8	19	22	38
35-49	2704	7.1	54	1	2	5	8	16	22	38
50-64	2153	6.8	46	1	2	5	8	15	22	33
65+	1848	6.8	48	1	2	5	8	13	19	35
B. *Operated*										
0-19 YRS	23	8.6	107	1	1	5	10	28	34	40
20-34	226	6.8	78	1	1	2	8	18	29	42
35-49	198	9.6	93	1	2	8	12	22	28	47
50-64	109	11.7	104	2	3	9	13	23	33	52
65+	77	12.6	73	3	4	10	19	24	31	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4039	6.0	57	1	1	4	7	13	20	41
B. *Operated*	52	7.1	35	2	2	5	8	15	21	30
2. MULTIPLE DX										
A. *Not Operated*	9855	7.1	58	1	2	5	8	16	22	38
B. *Operated*	633	9.3	92	1	2	7	12	22	30	43
1. SINGLE DX	4091	6.0	57	1	1	4	7	13	21	41
2. MULTIPLE DX	10488	7.2	60	1	2	5	9	16	22	39
A. NOT OPERATED	13894	6.8	58	1	1	4	8	15	22	39
B. OPERATED	685	9.1	88	1	2	7	12	22	30	43
TOTAL 0-19 YRS	924	7.7	140	1	1	4	7	20	36	75
20-34	4406	6.9	60	1	1	4	8	16	22	37
35-49	4089	6.9	56	1	1	4	8	16	22	39
50-64	2940	6.7	46	1	2	5	8	15	21	33
65+	2220	6.9	50	1	2	5	8	14	20	35
GRAND TOTAL	**14579**	**6.9**	**60**	**1**	**1**	**4**	**8**	**15**	**22**	**40**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1146	17.7	380	1	2	10	25	50	64	97
20-34	5184	9.9	99	1	2	7	13	22	30	47
35-49	4076	11.2	107	1	2	8	15	24	32	49
50-64	2074	12.8	130	2	3	9	17	28	35	58
65+	938	14.7	148	2	3	11	20	32	40	54
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	18	19.0	132	3	4	17	29	34	37	39
35-49	32	14.9	205	2	3	9	23	31	34	74
50-64	16	20.8	196	6	7	16	30	44	45	45
65+	8	19.9	293	4	5	15	25	48	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1421	19.3	379	2	2	13	28	50	66	99+
20-34	6669	12.0	126	1	2	8	16	27	35	54
35-49	5751	12.0	108	2	3	9	16	25	32	50
50-64	3890	12.8	126	2	3	9	17	28	35	54
65+	2755	12.6	128	3	3	9	16	27	36	57
B. *Operated*										
0-19 YRS	42	24.3	507	3	5	15	34	67	80	99+
20-34	415	20.4	229	4	5	17	29	42	54	99+
35-49	438	21.1	245	4	6	17	28	42	52	77
50-64	285	21.5	237	4	6	17	29	42	51	83
65+	202	21.7	257	5	6	18	29	42	54	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13418	11.8	139	1	2	8	15	27	35	60
B. *Operated*	75	17.6	191	3	5	12	25	35	44	70
2. MULTIPLE DX										
A. *Not Operated*	20486	12.7	142	2	3	9	17	28	37	60
B. *Operated*	1382	21.2	248	4	6	17	29	42	53	87
1. SINGLE DX	13493	11.8	139	1	2	8	15	27	35	60
2. MULTIPLE DX	21868	13.3	153	2	3	9	18	29	39	63
A. NOT OPERATED	33904	12.4	141	2	2	8	16	27	36	60
B. OPERATED	1457	21.0	245	4	6	17	29	42	53	85
TOTAL 0-19 YRS	2610	18.7	382	1	2	11	27	50	66	99+
20-34	12286	11.4	122	1	2	8	15	26	34	54
35-49	10297	12.1	118	2	3	9	16	26	34	52
50-64	6265	13.2	136	2	3	9	17	29	36	57
65+	3903	13.6	144	3	3	10	17	30	39	59
GRAND TOTAL	**35361**	**12.7**	**148**	**2**	**2**	**9**	**17**	**28**	**37**	**62**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1076	10.9	204	1	1	5	14	32	48	99+
20-34	2636	9.1	121	1	1	5	12	22	30	54
35-49	1167	8.8	99	1	1	5	12	21	29	47
50-64	483	8.0	88	1	1	4	11	18	28	48
65+	183	11.0	187	1	1	7	13	26	45	74
B. *Operated*										
0-19 YRS	21	12.0	306	1	2	5	9	41	58	68
20-34	145	8.8	54	2	3	9	9	13	18	55
35-49	105	7.4	15	2	3	7	9	12	15	19
50-64	108	4.9	8	1	2	5	6	9	11	15
65+	44	5.5	16	1	2	4	7	9	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1273	13.1	285	1	1	7	17	35	57	99+
20-34	4170	10.8	142	1	1	7	14	25	35	58
35-49	2217	10.4	122	1	2	7	14	23	32	54
50-64	1190	10.4	127	1	2	7	13	24	32	60
65+	767	11.1	109	2	3	8	15	25	34	63
B. *Operated*										
0-19 YRS	45	14.4	315	<1	1	8	24	43	54	99+
20-34	281	15.1	257	1	2	9	22	38	54	85
35-49	229	12.0	151	1	2	8	14	30	44	58
50-64	206	9.6	88	2	2	7	12	20	28	48
65+	120	13.3	176	3	3	9	15	37	44	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5545	9.4	132	1	1	5	12	23	33	62
B. *Operated*	423	7.3	44	1	2	6	9	11	15	39
2. MULTIPLE DX										
A. *Not Operated*	9617	11.0	153	1	2	7	14	26	36	69
B. *Operated*	881	12.7	185	1	2	8	15	33	45	66
1. SINGLE DX	5968	9.2	126	1	1	5	12	22	32	62
2. MULTIPLE DX	10498	11.1	156	1	2	7	14	26	37	69
A. NOT OPERATED	15162	10.4	146	1	1	6	14	25	35	66
B. OPERATED	1304	11.0	146	1	2	7	12	26	40	63
TOTAL 0-19 YRS	2415	12.1	251	1	1	6	16	35	53	99+
20-34	7232	10.3	139	1	1	6	13	24	34	58
35-49	3718	9.9	114	1	1	6	13	23	30	53
50-64	1987	9.5	109	1	1	6	12	21	31	55
65+	1114	11.1	127	2	2	7	14	26	35	61
GRAND TOTAL	**16466**	**10.4**	**146**	**1**	**1**	**6**	**13**	**25**	**35**	**66**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	741	10.3	145	<1	1	4	20	29	33	42
20-34	5821	12.5	113	1	2	8	22	29	30	36
35-49	6769	10.7	98	1	2	6	19	28	29	35
50-64	3793	10.8	102	1	2	6	19	28	30	36
65+	865	10.1	90	1	2	6	16	27	28	37
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	16.3	84	5	6	16	24	29	30	30
35-49	17	10.7	72	1	1	7	18	23	27	29
50-64	13	12.8	80	1	2	10	21	24	30	32
65+	4	14.3	134	3	3	21	45	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1297	18.3	248	1	1	15	29	40	46	59
20-34	11302	12.4	117	1	2	8	21	29	32	42
35-49	16048	10.8	94	2	2	7	15	27	30	38
50-64	12597	11.2	99	2	2	7	16	28	30	41
65+	4599	11.9	105	2	3	8	18	27	31	45
B. *Operated*										
0-19 YRS	30	18.9	272	<1	1	15	32	44	45	46
20-34	424	17.2	128	2	4	14	26	32	36	54
35-49	742	18.0	148	3	5	15	25	32	41	68
50-64	652	18.8	172	4	5	16	26	35	44	71
65+	278	19.8	157	3	6	19	27	34	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17989	11.3	106	1	2	6	21	28	30	36
B. *Operated*	54	13.3	84	1	2	10	21	29	30	97
2. MULTIPLE DX										
A. *Not Operated*	45843	11.6	108	2	2	7	18	28	31	42
B. *Operated*	2126	18.4	155	3	5	16	26	34	41	64
1. SINGLE DX	18043	11.3	106	1	2	6	21	28	30	36
2. MULTIPLE DX	47969	11.9	112	2	2	8	19	28	31	43
A. NOT OPERATED	63832	11.5	107	1	2	7	19	28	30	41
B. OPERATED	2180	18.2	153	3	5	16	26	34	41	64
TOTAL 0-19 YRS	2069	15.4	226	<1	1	10	28	36	43	57
20-34	17566	12.6	116	1	2	8	21	29	31	41
35-49	23576	11.0	98	1	2	7	16	28	30	38
50-64	17055	11.4	104	2	2	7	17	28	30	42
65+	5746	12.0	109	2	3	8	19	28	31	46
GRAND TOTAL	**66012**	**11.7**	**110**	**1**	**2**	**7**	**20**	**28**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.7	84	2	3	6	20	25	29	30
20-34	495	11.9	64	2	3	11	16	22	27	32
35-49	103	12.1	83	1	2	10	16	24	29	45
50-64	11	15.1	146	3	4	11	23	33	41	42
65+	6	8.7	36	2	2	8	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	1	19.0		19	19	19	19	19	19	19
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	12.0	47	1	3	13	14	17	24	40
20-34	1843	13.1	41	3	5	13	16	19	25	32
35-49	769	13.5	33	4	7	13	17	18	23	34
50-64	126	13.3	45	3	7	12	17	21	27	37
65+	23	13.4	97	3	4	10	18	28	37	38
B. *Operated*										
0-19 YRS	4	14.5	24	9	9	14	18	20	20	20
20-34	188	16.0	68	7	9	15	17	21	29	55
35-49	53	16.5	41	8	11	17	18	24	31	43
50-64	9	19.1	420	2	5	13	18	52	72	72
65+	2	10.0	32	6	6	10	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	636	12.0	68	2	3	11	16	22	28	37
B. *Operated*	4	9.3	47	3	3	7	13	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	2823	13.2	40	3	6	13	17	19	25	34
B. *Operated*	256	16.1	73	7	9	15	17	21	30	56
1. SINGLE DX	640	11.9	68	2	3	11	16	22	28	37
2. MULTIPLE DX	3079	13.5	43	4	6	13	17	19	25	35
A. NOT OPERATED	3459	13.0	45	3	5	13	16	20	26	34
B. OPERATED	260	16.0	73	7	9	15	17	21	30	56
TOTAL 0-19 YRS	87	12.0	54	1	3	13	15	21	25	38
20-34	2528	13.1	48	3	5	13	16	20	26	35
35-49	926	13.5	40	4	6	13	17	19	25	35
50-64	147	13.8	74	3	5	12	17	23	28	44
65+	31	12.3	82	3	3	10	14	25	35	38
GRAND TOTAL	**3719**	**13.2**	**48**	**3**	**5**	**13**	**17**	**20**	**26**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	18.9	227	1	2	14	30	39	43	65
20-34	546	14.7	128	1	2	12	25	30	35	42
35-49	125	11.4	115	1	1	8	16	28	31	45
50-64	35	15.8	161	2	4	12	25	30	38	61
65+	10	10.4	83	<1	1	6	21	24	26	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	3.8	1	3	3	4	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	23.6	250	2	4	24	35	43	48	72
20-34	1169	15.1	124	2	3	12	24	30	34	45
35-49	344	15.8	130	2	4	14	24	31	37	50
50-64	140	16.1	160	2	4	12	23	34	40	62
65+	77	14.3	106	3	4	13	19	28	35	52
B. *Operated*										
0-19 YRS	5	65.2	69	53	53	64	73	73	73	73
20-34	50	20.0	155	6	8	18	27	34	40	73
35-49	9	15.9	155	2	4	11	22	36	44	44
50-64	11	17.0	268	5	5	11	16	46	57	58
65+	3	22.0	277	3	3	29	33	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	905	15.1	152	1	2	12	26	31	36	47
B. *Operated*	5	3.6	1	3	3	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2069	16.6	157	2	3	14	26	34	40	51
B. *Operated*	78	22.1	292	4	7	17	29	44	64	73
1. SINGLE DX	910	15.1	152	1	2	12	26	31	36	47
2. MULTIPLE DX	2147	16.8	162	2	3	14	26	34	41	53
A. NOT OPERATED	2974	16.2	156	2	3	13	26	33	39	50
B. OPERATED	83	21.0	294	3	5	16	28	44	63	73
TOTAL 0-19 YRS	534	22.3	262	2	3	21	34	42	48	71
20-34	1769	15.1	126	2	2	12	24	30	34	44
35-49	478	14.7	130	1	2	12	22	30	36	50
50-64	186	16.1	164	2	4	12	23	34	40	61
65+	90	14.1	109	2	3	12	20	28	34	52
GRAND TOTAL	**3057**	**16.3**	**160**	**2**	**3**	**13**	**26**	**33**	**40**	**52**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1024	1.5	5	<1	<1	1	1	2	3	10
20-34	542	2.6	19	<1	<1	1	2	4	8	28
35-49	329	3.9	36	<1	<1	2	4	7	21	30
50-64	223	3.9	24	<1	1	2	4	8	12	26
65+	85	3.7	22	<1	1	2	4	7	9	29
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	636	2.6	28	<1	<1	1	2	4	8	30
20-34	1057	4.4	33	<1	<1	2	6	9	14	31
35-49	901	5.7	45	1	1	4	8	10	17	34
50-64	660	5.3	32	<1	1	4	7	10	14	27
65+	311	5.2	24	1	1	4	7	11	15	24
B. *Operated*										
0-19 YRS	32	2.0	10	<1	<1	1	2	3	5	19
20-34	55	4.7	34	<1	<1	2	5	15	19	24
35-49	45	8.2	76	<1	1	7	10	19	27	39
50-64	31	11.0	93	1	1	7	18	27	30	35
65+	28	8.6	118	1	1	5	10	19	25	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2203	2.4	16	<1	<1	1	2	4	7	26
B. *Operated*	4	2.8	12	<1	<1	1	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	3565	4.6	35	<1	<1	3	6	9	13	30
B. *Operated*	191	6.7	69	<1	<1	3	8	19	22	38
1. SINGLE DX	2207	2.4	16	<1	<1	1	2	4	7	26
2. MULTIPLE DX	3756	4.7	37	<1	<1	3	6	10	14	30
A. NOT OPERATED	5768	3.8	29	<1	<1	2	4	8	12	29
B. OPERATED	195	6.6	68	<1	<1	3	8	19	22	38
TOTAL 0-19 YRS	1694	1.9	14	<1	<1	1	2	3	5	15
20-34	1654	3.8	29	<1	<1	2	4	8	13	30
35-49	1275	5.3	45	<1	1	3	7	10	18	33
50-64	916	5.1	34	<1	1	3	7	10	15	29
65+	424	5.1	30	1	1	3	7	11	15	25
GRAND TOTAL	**5963**	**3.9**	**31**	**<1**	**<1**	**2**	**4**	**8**	**12**	**29**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	8.2	118	<1	1	3	10	28	31	44
20-34	466	8.2	90	<1	1	4	11	26	29	38
35-49	72	8.9	120	<1	1	4	14	25	29	56
50-64	28	8.8	163	1	1	4	8	29	41	54
65+	13	6.3	19	1	2	5	8	14	16	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	16.0	242	5	5	16	27	27	27	27
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	11.4	167	1	1	6	15	30	37	57
20-34	1142	9.6	84	1	1	6	13	24	29	38
35-49	318	10.6	98	1	2	7	14	25	30	40
50-64	129	10.5	98	2	2	7	12	25	30	49
65+	94	9.9	64	2	3	7	13	19	29	38
B. *Operated*										
0-19 YRS	9	20.4	165	3	4	22	31	37	40	40
20-34	39	14.2	130	2	3	10	20	29	40	50
35-49	21	17.7	178	3	4	10	31	36	40	43
50-64	14	13.6	211	2	2	9	15	41	49	51
65+	8	18.5	131	5	5	19	28	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	809	8.3	101	<1	1	4	10	26	30	42
B. *Operated*	5	10.2	105	3	3	5	16	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	1991	10.1	99	1	1	7	14	26	30	45
B. *Operated*	91	15.9	155	2	4	11	23	34	40	51
1. SINGLE DX	814	8.3	101	<1	1	4	10	26	30	42
2. MULTIPLE DX	2082	10.4	103	1	1	7	14	26	30	44
A. NOT OPERATED	2800	9.6	100	1	1	6	13	26	30	42
B. OPERATED	96	15.6	153	2	3	11	23	34	40	51
TOTAL 0-19 YRS	548	10.2	149	1	1	5	14	29	36	50
20-34	1649	9.3	88	1	1	6	13	25	30	38
35-49	411	10.7	108	1	2	7	15	27	32	42
50-64	172	10.5	116	1	2	7	12	26	34	53
65+	116	10.1	69	2	3	7	14	21	29	38
GRAND TOTAL	**2896**	**9.8**	**103**	**1**	**1**	**6**	**13**	**26**	**30**	**43**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	395	3.7	7	1	1	3	5	7	8	14
20-34	431	4.6	24	1	1	3	5	8	12	32
35-49	379	4.7	21	1	1	3	6	9	12	24
50-64	209	4.5	15	1	2	4	5	8	10	24
65+	126	4.9	13	1	1	4	7	10	12	17
B. *Operated*										
0-19 YRS	34	5.1	10	1	1	5	7	9	11	14
20-34	35	6.4	38	<1	1	4	9	13	22	27
35-49	26	5.1	26	1	2	3	6	14	16	22
50-64	19	7.6	31	2	3	5	9	18	19	19
65+	8	9.3	35	4	5	7	10	19	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	4.5	17	1	1	4	6	8	10	21
20-34	853	5.5	40	1	2	4	7	10	13	28
35-49	923	5.6	20	1	2	4	7	11	14	25
50-64	798	5.7	20	1	2	5	7	11	14	25
65+	737	6.6	30	2	2	5	8	13	16	28
B. *Operated*										
0-19 YRS	22	6.9	22	1	1	7	10	13	16	17
20-34	91	8.9	51	1	2	6	12	17	22	36
35-49	101	10.0	102	2	2	8	12	20	31	56
50-64	92	9.3	63	2	3	7	11	17	21	49
65+	58	13.9	201	2	4	10	17	27	38	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1540	4.4	17	1	1	3	5	8	11	23
B. *Operated*	122	6.1	27	1	1	5	8	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	3686	5.7	27	1	2	4	7	11	14	26
B. *Operated*	364	10.0	93	2	2	7	12	19	26	52
1. SINGLE DX	1662	4.5	18	1	1	3	5	8	11	23
2. MULTIPLE DX	4050	6.1	34	1	2	5	7	12	16	28
A. NOT OPERATED	5226	5.3	24	1	2	4	6	10	13	25
B. OPERATED	486	9.0	79	1	2	7	11	18	23	43
TOTAL 0-19 YRS	826	4.2	12	1	1	3	5	8	10	17
20-34	1410	5.5	37	1	1	4	7	11	14	29
35-49	1429	5.7	28	1	2	4	7	11	15	26
50-64	1118	5.8	24	1	2	5	7	11	15	26
65+	929	6.9	42	2	2	5	8	13	18	32
GRAND TOTAL	**5712**	**5.6**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2137	12.9	247	1	1	7	18	37	56	99+
20-34	2266	6.3	49	<1	1	4	8	14	21	36
35-49	1192	7.0	64	1	1	4	8	15	23	42
50-64	396	7.8	80	1	1	5	9	18	24	43
65+	186	10.3	110	1	1	7	14	28	35	83
B. *Operated*										
0-19 YRS	5	11.8	321	<1	<1	3	19	43	43	43
20-34	13	4.6	17	1	1	2	9	11	12	12
35-49	8	11.9	50	2	3	11	18	21	22	22
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1991	13.1	260	1	1	6	17	35	52	98
20-34	3528	7.5	67	1	1	5	9	17	23	42
35-49	2082	8.0	75	1	1	5	10	18	25	44
50-64	1029	8.4	72	1	2	5	10	19	25	43
65+	673	10.4	116	2	2	7	13	21	30	61
B. *Operated*										
0-19 YRS	56	19.0	503	1	1	11	29	63	89	99+
20-34	146	12.0	134	1	1	9	16	28	34	57
35-49	88	14.0	190	1	2	10	19	27	40	74
50-64	53	15.3	138	3	4	11	21	33	36	49
65+	32	20.0	203	3	6	16	30	37	49	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6177	8.9	133	1	1	5	11	23	34	87
B. *Operated*	29	8.7	91	1	1	6	11	20	28	43
2. MULTIPLE DX										
A. *Not Operated*	9303	9.1	119	1	1	5	11	21	30	62
B. *Operated*	375	14.7	215	1	2	11	20	32	46	81
1. SINGLE DX	6206	8.9	133	1	1	5	11	23	34	87
2. MULTIPLE DX	9678	9.3	123	1	1	6	11	22	31	63
A. NOT OPERATED	15480	9.0	124	1	1	5	11	22	31	69
B. OPERATED	404	14.2	208	1	2	10	19	32	43	80
TOTAL 0-19 YRS	4189	13.1	257	1	1	7	18	37	55	99+
20-34	5953	7.1	63	1	1	4	9	16	22	39
35-49	3370	7.8	75	1	1	5	10	18	24	44
50-64	1480	8.5	78	1	2	5	10	19	26	44
65+	892	10.8	121	1	2	7	13	24	33	62
GRAND TOTAL	**15884**	**9.2**	**127**	**1**	**1**	**5**	**11**	**22**	**32**	**70**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2525	17.0	436	1	2	7	25	57	75	99+
20-34	3240	8.7	96	1	2	5	11	21	29	49
35-49	2026	9.3	85	1	2	6	12	21	28	45
50-64	1087	11.1	108	1	2	8	15	26	31	51
65+	639	13.1	130	2	3	10	18	28	36	55
B. *Operated*										
0-19 YRS	44	4.0	22	1	1	2	5	11	17	99+
20-34	81	10.9	217	1	2	7	11	26	46	82
35-49	51	9.4	80	1	2	7	13	19	33	43
50-64	31	10.1	88	2	3	6	12	22	35	40
65+	22	15.4	208	2	3	8	22	37	49	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2590	16.5	415	1	2	8	24	55	78	99+
20-34	4900	9.5	109	1	2	6	12	22	30	55
35-49	3771	9.4	89	2	2	6	12	21	28	47
50-64	2892	10.4	104	2	3	7	13	23	30	51
65+	2588	11.8	125	2	3	8	14	26	35	58
B. *Operated*										
0-19 YRS	110	24.3	552	2	3	18	44	64	95	99+
20-34	353	14.6	184	2	3	11	20	32	42	97
35-49	348	14.5	150	3	4	10	19	29	38	57
50-64	307	17.1	221	3	4	12	21	40	47	73
65+	255	19.2	282	3	5	13	26	45	59	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9517	11.6	199	1	2	6	14	29	43	87
B. *Operated*	229	9.6	138	1	1	6	11	22	35	60
2. MULTIPLE DX										
A. *Not Operated*	16741	11.1	159	2	2	7	14	26	37	78
B. *Operated*	1373	16.8	239	2	4	12	22	38	53	95
1. SINGLE DX	9746	11.5	198	1	2	6	14	29	43	87
2. MULTIPLE DX	18114	11.5	168	2	2	7	14	27	39	79
A. NOT OPERATED	26258	11.3	174	1	2	7	14	27	40	81
B. OPERATED	1602	15.8	231	2	3	11	20	36	51	94
TOTAL 0-19 YRS	5269	16.8	427	1	2	8	25	56	77	99+
20-34	8574	9.4	109	1	2	6	12	22	30	54
35-49	6196	9.7	92	1	2	6	12	22	29	47
50-64	4317	11.1	116	2	3	7	14	25	32	53
65+	3504	12.6	142	2	3	9	16	28	37	61
GRAND TOTAL	**27860**	**11.5**	**178**	**1**	**2**	**7**	**14**	**28**	**40**	**81**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	7.1	104	1	1	4	8	16	55	99+
20-34	56	7.7	124	<1	1	3	10	19	25	69
35-49	14	6.5	39	<1	1	4	13	20	80	99+
50-64	13	11.8	228	1	2	7	12	30	53	58
65+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
0-19 YRS	6	5.5	6	<1	<1	6	7	8	8	8
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	14.5	265	3	3	14	26	26	26	26
50-64										
65+	1	46.0		46	46	46	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	9.1	133	1	2	5	11	21	37	86
20-34	362	11.3	149	1	2	8	15	22	33	78
35-49	172	10.9	86	2	2	9	14	21	28	51
50-64	88	11.2	120	2	3	8	14	22	31	65
65+	38	12.1	81	2	3	11	17	23	38	99+
B. *Operated*										
0-19 YRS	43	8.8	142	<1	1	5	7	25	44	46
20-34	30	11.9	395	<1	1	5	13	27	80	80
35-49	11	16.2	170	3	3	16	18	32	49	51
50-64	9	22.7	854	2	2	11	36	70	91	91
65+	4	19.0	655	2	2	11	68	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	7.7	115	1	1	4	10	19	41	99+
B. *Operated*	11	10.5	182	<1	2	5	8	34	45	46
2. MULTIPLE DX										
A. *Not Operated*	917	10.6	128	1	2	8	14	22	33	78
B. *Operated*	97	12.3	310	<1	1	6	14	39	55	96
1. SINGLE DX	145	7.9	120	1	1	4	10	20	46	99+
2. MULTIPLE DX	1014	10.8	145	1	2	7	14	22	35	80
A. NOT OPERATED	1051	10.3	127	1	2	7	13	21	33	79
B. OPERATED	108	12.1	295	<1	1	6	14	39	51	95
TOTAL 0-19 YRS	355	8.8	128	1	1	5	10	20	41	98
20-34	450	10.8	162	1	2	7	14	22	32	79
35-49	199	10.9	90	1	2	9	14	22	28	52
50-64	110	12.2	193	2	3	8	15	23	35	86
65+	45	13.2	143	2	3	11	18	42	63	99+
GRAND TOTAL	**1159**	**10.4**	**143**	**1**	**2**	**7**	**13**	**22**	**35**	**80**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1533	10.7	26	2	3	11	13	16	18	24
20-34	290	8.1	41	2	2	7	11	15	19	34
35-49	159	9.6	61	1	2	7	13	18	27	37
50-64	112	12.2	115	2	2	10	16	23	32	61
65+	44	14.4	138	2	2	12	16	24	46	57
B. *Operated*										
0-19 YRS	187	14.7	86	6	8	12	16	23	31	59
20-34	109	12.9	200	2	2	7	17	30	41	77
35-49	154	10.0	105	1	2	6	14	23	34	53
50-64	103	14.1	204	2	2	10	19	33	44	87
65+	34	17.0	222	1	2	13	26	31	39	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1282	12.1	45	2	3	12	15	18	22	35
20-34	259	10.7	95	1	2	9	13	22	30	49
35-49	236	12.8	98	2	3	11	15	25	34	56
50-64	257	15.3	160	3	4	13	18	30	41	81
65+	216	17.8	150	4	4	15	23	34	42	55
B. *Operated*										
0-19 YRS	324	20.7	213	6	9	17	25	40	58	91
20-34	138	22.7	349	2	3	18	33	50	65	99+
35-49	193	19.5	333	3	3	14	24	48	68	99+
50-64	231	20.1	274	3	4	16	29	45	70	99+
65+	122	30.5	468	3	4	28	47	67	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2138	10.4	39	2	3	11	13	17	19	33
B. *Operated*	587	13.2	144	2	2	11	16	27	39	72
2. MULTIPLE DX										
A. *Not Operated*	2250	12.9	83	2	3	12	16	22	30	50
B. *Operated*	1008	21.8	310	3	5	17	30	50	67	99+
1. SINGLE DX	2725	11.0	63	2	3	11	14	18	23	43
2. MULTIPLE DX	3258	15.7	170	2	4	12	18	31	45	82
A. NOT OPERATED	4388	11.7	63	2	3	11	14	19	24	43
B. OPERATED	1595	18.6	266	2	3	14	24	43	58	99+
TOTAL 0-19 YRS	3326	12.5	63	2	4	12	15	19	24	47
20-34	796	12.1	159	2	2	9	14	28	39	72
35-49	742	13.3	167	2	3	10	16	30	42	97
50-64	703	16.2	205	2	3	13	21	36	49	99+
65+	416	21.1	284	3	4	16	28	48	57	87
GRAND TOTAL	**5983**	**13.6**	**126**	**2**	**3**	**11**	**16**	**25**	**36**	**70**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	8.1	96	1	1	4	9	25	31	31
35-49	36	8.6	54	2	2	7	9	15	27	37
50-64	307	10.8	111	2	3	8	14	21	27	78
65+	808	11.6	83	3	4	9	15	22	28	44
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	6.0		6	6	6	6	6	6	6
35-49	9	11.7	53	3	3	11	14	22	28	28
50-64	27	13.3	64	4	5	12	18	23	31	35
65+	26	14.8	256	3	4	7	17	48	52	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.3	147	2	2	9	27	29	29	29
20-34	17	10.4	78	1	2	8	14	24	31	34
35-49	65	10.7	86	2	2	9	14	28	30	42
50-64	770	12.3	100	3	4	10	16	26	33	57
65+	4344	13.3	130	3	4	10	16	26	36	74
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	10.5	1	10	10	10	11	11	11	11
50-64	116	18.0	219	4	5	14	25	44	62	99+
65+	566	22.1	292	4	7	18	30	53	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1161	11.3	90	2	3	9	15	22	28	46
B. *Operated*	64	13.6	137	3	4	10	16	30	39	56
2. MULTIPLE DX										
A. *Not Operated*	5202	13.1	125	3	4	10	16	26	35	73
B. *Operated*	684	21.4	282	4	6	17	29	51	76	99+
1. SINGLE DX	1225	11.4	92	2	3	9	15	22	29	50
2. MULTIPLE DX	5886	14.1	150	3	4	11	18	29	41	91
A. NOT OPERATED	6363	12.8	119	3	4	10	16	25	33	70
B. OPERATED	748	20.7	274	4	6	16	28	50	72	99+
TOTAL 0-19 YRS	9	10.3	121	1	1	5	17	28	29	29
20-34	26	9.5	79	1	1	7	12	25	32	34
35-49	112	10.1	72	2	2	8	12	23	29	40
50-64	1220	12.5	116	3	3	10	16	26	34	79
65+	5744	13.9	148	3	4	11	17	28	40	89
GRAND TOTAL	**7111**	**13.6**	**141**	**3**	**4**	**10**	**17**	**28**	**38**	**87**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	9.4	32	3	4	8	11	20	21	25
20-34	931	9.0	69	1	2	7	12	17	22	44
35-49	990	9.4	80	1	2	8	12	18	22	66
50-64	379	10.3	84	1	1	8	14	20	28	44
65+	47	11.9	212	2	3	10	14	18	22	99
B. *Operated*										
0-19 YRS	12	7.3	36	1	2	6	9	16	21	22
20-34	149	9.3	89	2	2	7	13	19	24	68
35-49	160	10.5	95	1	2	8	14	19	39	45
50-64	69	11.1	85	1	2	9	14	27	30	37
65+	5	10.8	84	1	1	10	16	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	15.0	391	2	3	7	13	47	67	75
20-34	600	11.4	102	2	3	9	14	24	33	52
35-49	1043	12.7	131	2	3	10	16	25	33	70
50-64	741	12.6	116	2	3	10	15	24	31	76
65+	211	12.9	124	3	4	10	16	26	34	99+
B. *Operated*										
0-19 YRS	5	9.8	45	3	3	7	17	17	17	17
20-34	210	16.9	237	2	4	13	22	42	56	99+
35-49	349	18.7	254	3	5	15	23	42	63	99+
50-64	267	19.2	276	3	5	14	26	45	60	99+
65+	75	20.1	304	2	4	15	30	57	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2389	9.4	78	1	2	8	13	18	23	47
B. *Operated*	395	10.0	89	1	2	8	14	20	29	51
2. MULTIPLE DX										
A. *Not Operated*	2612	12.4	121	2	3	10	15	25	33	70
B. *Operated*	906	18.5	260	3	4	14	24	43	61	99+
1. SINGLE DX	2784	9.5	80	1	2	8	13	18	24	47
2. MULTIPLE DX	3518	14.0	164	2	3	11	17	29	41	85
A. NOT OPERATED	5001	11.0	103	1	2	9	14	21	29	63
B. OPERATED	1301	15.9	223	2	3	12	20	37	53	99+
TOTAL 0-19 YRS	76	10.4	115	3	3	7	11	20	24	69
20-34	1890	10.7	105	1	2	8	14	22	30	61
35-49	2542	12.1	135	1	2	9	15	24	34	75
50-64	1456	13.1	144	2	3	10	16	27	35	74
65+	338	14.3	183	3	4	11	18	31	47	99+
GRAND TOTAL	**6302**	**12.0**	**132**	**1**	**2**	**9**	**15**	**24**	**34**	**75**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2061	3.6	13	1	1	3	4	7	9	20
20-34	1634	4.0	15	1	1	3	5	8	10	18
35-49	774	4.4	14	1	1	3	5	8	12	21
50-64	565	4.3	9	1	1	3	6	8	11	15
65+	368	5.5	28	1	2	4	7	11	15	30
B. *Operated*										
0-19 YRS	24	5.6	90	1	1	4	6	9	62	99+
20-34	66	6.3	58	1	2	5	7	11	16	49
35-49	48	5.8	17	2	2	4	8	12	14	21
50-64	41	7.0	79	1	2	5	6	12	24	53
65+	14	6.4	18	2	3	5	7	11	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1983	5.1	40	1	1	3	6	10	14	34
20-34	2181	6.2	46	1	1	4	7	13	17	34
35-49	1787	6.5	40	1	2	5	8	13	18	34
50-64	2075	7.3	47	1	2	6	9	15	20	33
65+	2388	8.7	73	2	2	6	10	17	24	51
B. *Operated*										
0-19 YRS	78	9.8	119	2	2	6	11	25	33	92
20-34	241	9.9	105	1	2	7	12	24	35	53
35-49	191	12.3	134	2	3	9	15	27	41	63
50-64	244	14.5	156	2	4	10	19	30	40	87
65+	216	17.3	221	3	4	14	22	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5402	4.0	14	1	1	3	5	8	11	19
B. *Operated*	193	6.3	53	1	2	4	7	11	18	53
2. MULTIPLE DX										
A. *Not Operated*	10414	6.8	52	1	2	5	8	14	19	38
B. *Operated*	970	13.2	158	2	3	9	18	30	41	84
1. SINGLE DX	5595	4.1	16	1	1	3	5	8	11	20
2. MULTIPLE DX	11384	7.4	64	1	2	5	9	15	22	44
A. NOT OPERATED	15816	5.9	41	1	1	4	7	12	17	33
B. OPERATED	1163	12.0	147	2	2	8	16	28	39	74
TOTAL 0-19 YRS	4146	4.4	29	1	1	3	5	8	12	29
20-34	4122	5.5	40	1	1	4	7	11	16	33
35-49	2800	6.3	42	1	2	5	8	13	18	37
50-64	2925	7.3	55	1	2	5	9	15	21	37
65+	2986	9.0	84	2	2	6	11	18	26	56
GRAND TOTAL	**16979**	**6.3**	**50**	**1**	**1**	**4**	**7**	**13**	**19**	**38**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	899	4.5	35	1	1	3	5	9	13	29
20-34	1276	5.5	31	1	1	4	7	11	15	26
35-49	1021	6.1	44	1	2	4	8	12	16	41
50-64	879	7.5	78	1	2	5	9	15	20	53
65+	1175	8.8	79	2	2	6	11	17	24	47
B. *Operated*										
0-19 YRS	783	6.7	60	1	2	4	8	14	20	36
20-34	854	7.9	72	1	2	5	10	17	25	41
35-49	759	7.5	54	1	2	5	10	16	21	39
50-64	813	8.8	91	1	2	6	11	18	26	51
65+	701	11.0	145	1	2	7	14	25	33	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1445	7.0	99	1	1	4	8	15	26	81
20-34	1823	8.9	138	1	2	5	10	18	31	89
35-49	1702	9.9	119	2	2	7	11	22	32	70
50-64	2961	11.5	138	2	3	8	14	25	37	74
65+	7489	13.0	137	3	4	10	16	27	37	77
B. *Operated*										
0-19 YRS	1103	8.7	143	1	2	5	10	19	32	90
20-34	1340	12.8	220	1	2	8	16	36	60	99+
35-49	1274	13.0	198	2	2	9	16	29	50	99+
50-64	1872	14.9	226	2	3	10	19	37	54	99+
65+	2890	18.4	285	2	3	13	25	44	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5250	6.5	55	1	1	4	8	13	18	39
B. *Operated*	3910	8.3	85	1	2	5	10	18	26	49
2. MULTIPLE DX										
A. *Not Operated*	15420	11.3	136	2	2	8	14	25	35	78
B. *Operated*	8479	14.7	241	2	2	10	19	37	55	99+
1. SINGLE DX	9160	7.3	69	1	2	5	9	15	22	45
2. MULTIPLE DX	23899	12.5	176	2	2	8	16	29	43	94
A. NOT OPERATED	20670	10.1	120	1	2	7	12	22	32	71
B. OPERATED	12389	12.7	200	2	2	8	16	31	47	99+
TOTAL 0-19 YRS	4230	6.9	91	1	1	4	8	15	24	67
20-34	5293	8.9	129	1	2	5	10	19	33	93
35-49	4756	9.5	120	1	2	6	11	21	30	78
50-64	6525	11.6	156	2	2	8	14	26	40	87
65+	12255	13.8	175	2	3	10	17	30	43	84
GRAND TOTAL	33059	11.1	151	1	2	7	14	25	37	84

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1062	3.0	4	1	1	3	4	5	6	10
20-34	2357	3.8	9	1	1	3	5	7	9	16
35-49	1507	4.2	11	1	1	3	5	8	10	16
50-64	513	4.1	8	1	1	3	5	8	10	14
65+	117	4.2	7	1	2	3	5	9	10	12
B. *Operated*										
0-19 YRS	38	4.3	8	1	2	3	5	9	11	13
20-34	205	4.7	8	2	2	4	6	8	10	16
35-49	157	4.7	14	1	2	4	6	9	10	19
50-64	77	5.0	10	2	2	4	7	10	12	14
65+	23	4.9	10	1	2	4	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	3.8	6	1	1	3	5	7	8	13
20-34	2182	5.0	15	1	2	4	6	9	12	20
35-49	2023	5.7	21	1	2	4	7	10	13	24
50-64	1229	5.5	17	1	2	4	7	11	13	21
65+	392	6.1	18	2	2	5	8	12	15	20
B. *Operated*										
0-19 YRS	34	5.3	17	2	2	4	6	9	14	21
20-34	190	9.0	65	2	3	7	11	20	26	41
35-49	248	8.4	42	2	3	7	10	16	19	29
50-64	175	8.3	35	2	3	7	10	17	20	30
65+	52	11.4	188	3	3	8	14	19	22	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5556	3.8	9	1	1	3	5	7	9	15
B. *Operated*	500	4.7	10	2	2	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	6320	5.3	17	1	2	4	7	10	13	21
B. *Operated*	699	8.6	57	2	3	7	11	17	21	38
1. SINGLE DX	6056	3.9	9	1	1	3	5	7	9	15
2. MULTIPLE DX	7019	5.6	22	1	2	4	7	11	14	24
A. NOT OPERATED	11876	4.6	14	1	1	4	6	9	11	18
B. OPERATED	1199	7.0	41	2	2	5	9	14	18	30
TOTAL 0-19 YRS	1628	3.3	5	1	1	3	4	6	8	12
20-34	4934	4.6	15	1	1	4	6	9	11	20
35-49	3935	5.2	19	1	2	4	7	10	13	22
50-64	1994	5.4	17	1	2	4	7	10	13	21
65+	584	6.2	34	1	2	5	8	12	15	21
GRAND TOTAL	13075	4.8	17	1	1	4	6	9	12	20

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	2	2	3	3	6	6	6
20-34	61	3.6	10	<1	1	3	4	7	11	17
35-49	80	3.2	7	<1	1	2	4	6	9	15
50-64	60	3.8	13	<1	1	2	5	8	11	19
65+	27	3.5	7	1	1	3	5	6	9	13
B. *Operated*										
0-19 YRS	166	2.2	2	<1	1	2	3	4	4	6
20-34	3279	2.2	2	<1	1	2	2	3	4	8
35-49	5108	2.3	2	<1	1	2	3	4	4	8
50-64	5519	2.4	2	<1	1	2	3	4	5	9
65+	2761	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	67	3.8	9	<1	<1	3	6	8	9	13
35-49	176	4.8	16	<1	1	4	6	10	12	19
50-64	226	5.4	18	1	1	4	7	10	13	22
65+	126	5.5	21	<1	1	4	8	11	15	22
B. *Operated*										
0-19 YRS	55	3.2	19	1	1	2	3	4	5	31
20-34	918	3.3	9	1	1	2	4	6	9	14
35-49	1905	3.7	13	1	1	3	4	7	10	18
50-64	2946	3.7	15	1	1	3	4	7	10	18
65+	2005	4.2	21	1	2	3	4	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.5	9	<1	1	2	4	7	10	16
B. *Operated*	16833	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	599	5.1	17	<1	1	4	7	10	13	21
B. *Operated*	7829	3.8	15	1	1	3	4	7	11	19
1. SINGLE DX	17067	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	8428	3.9	15	1	1	3	4	8	11	19
A. NOT OPERATED	833	4.6	15	<1	1	4	6	10	12	19
B. OPERATED	24662	2.8	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	231	2.5	6	<1	1	2	3	4	5	12
20-34	4325	2.4	4	<1	1	2	3	4	5	11
35-49	7269	2.7	6	<1	1	2	3	4	7	13
50-64	8751	2.9	8	1	1	2	3	5	7	14
65+	4919	3.3	12	1	1	2	3	6	9	18
GRAND TOTAL	25495	2.9	7	<1	1	2	3	5	7	14

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	7.7	97	1	1	5	9	18	25	52
20-34	933	6.3	49	1	1	4	8	13	18	40
35-49	1125	6.4	45	1	2	4	8	12	16	35
50-64	1091	6.5	44	1	2	5	8	13	18	35
65+	790	7.4	53	2	2	5	9	15	20	36
B. *Operated*										
0-19 YRS	557	3.9	19	1	1	3	4	7	9	23
20-34	3226	4.2	19	1	1	3	5	8	10	21
35-49	3742	4.3	16	1	2	3	5	9	11	19
50-64	3516	4.2	21	1	2	3	5	8	11	22
65+	1411	4.8	24	1	2	3	5	10	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	7.0	64	1	1	4	8	15	21	39
20-34	906	7.0	58	1	2	5	8	14	19	36
35-49	1698	7.7	58	1	2	6	9	14	19	43
50-64	2545	8.4	59	2	2	6	10	17	22	41
65+	3192	9.8	81	2	3	7	12	19	26	50
B. *Operated*										
0-19 YRS	269	5.8	68	1	2	3	6	12	23	93
20-34	1544	6.7	76	1	2	4	7	13	21	50
35-49	2185	7.3	65	2	2	5	9	15	22	39
50-64	2662	8.2	95	2	2	5	10	17	24	62
65+	1734	11.6	154	2	2	7	15	29	39	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4267	6.7	51	1	2	5	8	13	19	38
B. *Operated*	12452	4.3	19	1	2	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	8575	8.6	68	2	2	6	11	17	23	45
B. *Operated*	8394	8.3	98	2	2	5	10	18	27	62
1. SINGLE DX	16719	4.9	28	1	2	3	6	10	13	27
2. MULTIPLE DX	16969	8.5	83	2	2	6	10	18	25	52
A. NOT OPERATED	12842	8.0	63	1	2	6	10	16	22	43
B. OPERATED	20846	5.9	55	1	2	4	6	12	18	42
TOTAL 0-19 YRS	1388	5.7	57	1	1	3	6	12	19	47
20-34	6609	5.5	43	1	2	4	6	11	15	35
35-49	8750	6.0	42	1	2	4	7	12	17	33
50-64	9814	6.6	57	1	2	4	8	14	19	41
65+	7127	9.0	90	2	2	6	11	19	28	55
GRAND TOTAL	33688	6.7	59	1	2	4	8	14	20	42

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	6	<1	<1	1	3	5	9	10
20-34	7	2.7	3	<1	<1	3	4	5	5	5
35-49	8	4.1	9	<1	<1	3	7	8	8	8
50-64	15	3.1	6	<1	1	2	5	7	8	9
65+	27	4.3	9	<1	<1	3	6	9	10	12
B. *Operated*										
0-19 YRS	229	5.1	8	1	2	5	6	9	10	16
20-34	466	4.9	8	2	2	4	6	8	10	16
35-49	540	5.4	12	2	2	5	6	9	12	21
50-64	1886	5.1	13	1	2	5	6	8	10	15
65+	1715	5.3	7	2	2	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.4	2	<1	1	2	3	5	5	5
20-34	10	4.6	14	1	1	4	5	11	12	12
35-49	13	2.3	1	1	1	2	3	4	4	4
50-64	31	3.2	6	1	1	2	5	7	8	9
65+	47	3.8	11	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	140	6.7	26	2	2	6	8	12	19	29
20-34	288	5.9	10	2	2	5	7	10	12	18
35-49	370	6.1	14	2	3	5	7	10	13	20
50-64	1582	5.6	11	2	2	5	7	9	11	17
65+	1868	6.4	16	2	3	5	8	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.5	8	<1	<1	3	5	8	9	12
B. *Operated*	4836	5.2	10	2	2	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	115	3.4	8	1	1	3	4	7	9	15
B. *Operated*	4248	6.1	14	2	3	5	7	10	13	20
1. SINGLE DX	4906	5.2	10	2	2	5	6	8	10	15
2. MULTIPLE DX	4363	6.0	14	2	2	5	7	10	13	19
A. NOT OPERATED	185	3.4	8	<1	1	3	4	7	9	13
B. OPERATED	9084	5.6	12	2	2	5	7	9	11	18
TOTAL 0-19 YRS	396	5.5	15	1	2	5	7	10	12	22
20-34	771	5.3	9	2	2	5	6	9	11	17
35-49	931	5.6	13	2	2	5	7	9	12	21
50-64	3514	5.3	12	2	2	5	7	9	11	16
65+	3657	5.8	12	2	3	5	7	10	12	18
GRAND TOTAL	9269	5.5	12	2	2	5	7	9	11	18

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	7	1	1	2	2	7	9	9
20-34	11	2.3	2	1	1	2	3	4	6	6
35-49	16	2.7	5	1	1	2	4	5	8	9
50-64	53	2.7	7	1	1	2	3	5	7	15
65+	147	2.9	5	1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	31	2.9	3	1	2	2	3	5	8	8
20-34	80	3.2	2	1	2	3	4	5	7	8
35-49	272	3.4	8	1	2	3	4	6	8	12
50-64	1009	3.2	5	1	1	3	4	6	7	11
65+	1900	3.3	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	23	<1	<1	1	4	12	12	12
20-34	10	2.9	2	1	1	3	4	5	5	5
35-49	18	3.8	19	1	1	3	4	7	15	20
50-64	59	3.4	7	1	1	2	4	7	9	13
65+	168	4.4	12	1	1	3	6	10	12	16
B. *Operated*										
0-19 YRS	14	3.3	18	1	1	2	3	8	15	17
20-34	42	4.6	7	1	2	4	6	9	10	11
35-49	112	4.5	11	1	2	3	6	9	10	19
50-64	606	4.4	24	1	2	3	5	8	11	21
65+	1591	4.9	19	2	2	3	6	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	2.8	5	1	1	2	3	5	7	13
B. *Operated*	3292	3.3	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	260	4.1	11	1	1	3	5	8	12	16
B. *Operated*	2365	4.8	20	1	2	3	6	9	12	21
1. SINGLE DX	3527	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX	2625	4.7	19	1	2	3	6	9	12	21
A. NOT OPERATED	495	3.4	9	1	1	2	4	7	10	15
B. OPERATED	5657	3.9	12	1	2	3	4	7	10	16
TOTAL 0-19 YRS	58	3.0	8	1	1	2	3	6	9	17
20-34	143	3.5	4	1	2	3	4	7	8	10
35-49	418	3.7	9	1	2	3	4	7	9	16
50-64	1727	3.6	12	1	1	3	4	7	8	15
65+	3806	4.0	12	1	2	3	5	8	10	18
GRAND TOTAL	6152	3.9	12	1	2	3	4	7	10	16

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.3	52	<1	<1	1	4	9	24	29
20-34	9	2.6	6	1	1	2	3	7	8	8
35-49	16	4.1	17	1	1	3	5	8	14	17
50-64	33	2.0	2	1	1	2	2	4	6	7
65+	61	2.7	5	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	46	2.7	2	1	1	2	4	5	6	7
20-34	94	3.7	6	1	2	3	5	7	8	15
35-49	127	3.1	3	1	1	3	4	6	7	10
50-64	447	3.4	6	1	2	3	4	6	8	13
65+	933	3.2	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.3	17	<1	<1	1	3	11	13	14
20-34	15	3.6	5	1	1	3	4	7	8	9
35-49	23	6.2	59	1	1	4	6	13	24	37
50-64	53	5.5	52	1	1	3	6	10	14	44
65+	161	6.0	49	1	1	4	7	12	15	40
B. *Operated*										
0-19 YRS	39	4.2	17	1	1	3	4	11	14	18
20-34	75	4.6	11	1	2	4	6	7	9	20
35-49	114	4.8	36	1	1	3	5	9	13	36
50-64	353	4.4	13	1	2	3	5	9	12	18
65+	914	5.1	26	1	2	3	6	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.9	11	1	1	2	4	6	8	19
B. *Operated*	1647	3.3	5	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	265	5.6	46	1	1	4	7	11	14	40
B. *Operated*	1495	4.9	23	1	2	3	6	10	14	25
1. SINGLE DX	1781	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX	1760	5.0	27	1	2	3	6	10	14	28
A. NOT OPERATED	399	4.7	36	1	1	3	6	9	13	34
B. OPERATED	3142	4.0	14	1	2	3	5	7	11	19
TOTAL 0-19 YRS	113	3.5	15	1	1	2	4	6	12	22
20-34	193	4.0	8	1	1	3	5	7	8	18
35-49	280	4.1	23	1	1	3	5	7	10	28
50-64	886	3.8	12	1	2	3	4	7	10	17
65+	2069	4.3	19	1	2	3	5	8	12	22
GRAND TOTAL	3541	4.1	17	1	1	3	5	8	11	20

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	68	2.4	3	<1	<1	2	3	4	5	10
65+	231	2.5	4	<1	<1	2	3	4	6	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	2582	2.6	2	1	2	2	3	4	4	8
50-64	16552	2.7	2	1	2	2	3	4	4	7
65+	57368	2.9	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	58	2.4	10	<1	1	2	3	4	5	23
50-64	394	2.4	7	<1	<1	[illegible]	3	5	8	12
65+	1520	3.1	16	<1	1	2	3	7	10	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	1386	3.4	8	2	2	3	4	5	7	14
50-64	11371	3.4	7	2	2	3	4	5	7	14
65+	48937	3.7	10	2	2	3	4	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.5	4	<1	<1	2	3	4	6	11
B. *Operated*	76502	2.8	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1972	2.9	14	<1	1	2	3	6	9	17
B. *Operated*	61694	3.6	10	2	2	3	4	6	8	16
1. SINGLE DX	76805	2.8	2	2	2	3	3	4	5	8
2. MULTIPLE DX	63666	3.6	10	2	2	3	4	6	8	16
A. NOT OPERATED	2275	2.9	13	<1	1	2	3	6	9	16
B. OPERATED	138196	3.2	6	2	2	3	3	5	6	12
TOTAL 0-19 YRS										
20-34										
35-49	4030	2.9	4	1	2	2	3	4	5	10
50-64	28385	3.0	4	1	2	3	3	4	5	11
65+	108056	3.2	6	2	2	3	4	5	6	13
GRAND TOTAL	140471	3.2	6	2	2	3	3	5	6	12

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	6	1.3		<1	<1	1	2	2	2	2
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	321	2.4	1	1	1	2	3	4	4	6
20-34	268	2.5	2	1	1	2	3	4	4	6
35-49	332	2.6	2	1	2	2	3	4	5	9
50-64	612	2.4	1	1	1	2	3	4	4	7
65+	679	2.3	1	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	5	<1	<1	1	4	6	7	7
20-34	6	3.2	5	1	1	3	4	7	7	7
35-49	9	2.9	21	1	1	1	2	10	15	15
50-64	15	2.1	2	<1	1	2	2	5	5	5
65+	15	2.2	3	<1	1	2	2	6	7	7
B. *Operated*										
0-19 YRS	191	2.5	2	1	1	2	3	4	5	8
20-34	215	3.0	3	1	2	3	4	5	6	11
35-49	256	3.3	7	1	2	3	4	5	8	13
50-64	525	3.2	8	1	2	3	4	5	7	13
65+	759	3.1	6	1	2	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	2212	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	55	2.4	6	<1	<1	2	2	5	7	15
B. *Operated*	1946	3.1	6	1	2	2	3	5	7	13
1. SINGLE DX	2233	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX	2001	3.1	6	1	2	2	3	5	7	13
A. NOT OPERATED	76	2.3	5	<1	<1	2	2	5	6	13
B. OPERATED	4158	2.7	4	1	1	2	3	4	5	11
TOTAL 0-19 YRS	528	2.4	1	1	1	2	3	4	5	7
20-34	495	2.7	2	1	1	2	3	4	5	9
35-49	600	2.9	4	1	2	2	3	4	6	11
50-64	1154	2.8	4	1	1	2	3	4	5	11
65+	1457	2.7	4	1	1	2	3	4	6	12
GRAND TOTAL	4234	2.7	4	1	1	2	3	4	5	11

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.0	4	<1	<1	1	2	4	8	30
20-34	45	3.5	7	<1	1	3	5	7	8	14
35-49	34	4.2	8	1	1	3	6	7	11	13
50-64	47	4.6	9	1	1	4	6	9	12	12
65+	56	4.7	8	1	2	4	6	9	10	13
B. *Operated*										
0-19 YRS	7602	1.7	1	<1	1	2	2	2	2	3
20-34	1406	2.0	3	1	1	2	2	3	3	4
35-49	625	2.2	2	1	1	2	2	3	4	8
50-64	375	2.2	2	1	1	2	2	3	4	8
65+	181	2.6	4	1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	1.4	1	<1	<1	1	1	2	3	6
20-34	63	4.0	14	<1	1	3	6	8	10	22
35-49	74	5.3	23	<1	1	4	7	11	13	28
50-64	134	5.6	17	1	2	5	7	11	12	23
65+	218	7.1	28	1	2	6	10	14	18	24
B. *Operated*										
0-19 YRS	1364	1.8	1	<1	1	2	2	2	3	4
20-34	445	2.4	4	1	1	2	2	3	5	11
35-49	299	2.7	5	1	2	2	3	5	6	14
50-64	299	3.9	17	1	2	2	4	8	11	26
65+	201	4.5	18	1	2	2	5	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	3.3	8	<1	<1	2	5	7	10	13
B. *Operated*	10189	1.8	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	784	4.3	20	<1	<1	3	6	10	13	22
B. *Operated*	2608	2.5	6	1	1	2	2	3	6	14
1. SINGLE DX	10499	1.8	2	<1	1	2	2	2	3	6
2. MULTIPLE DX	3392	2.9	10	<1	1	2	3	6	9	16
A. NOT OPERATED	1094	4.0	17	<1	<1	3	5	9	12	21
B. OPERATED	12797	1.9	2	<1	1	2	2	2	3	7
TOTAL 0-19 YRS	9389	1.7	1	<1	1	2	2	2	2	3
20-34	1959	2.2	4	1	1	2	2	3	4	9
35-49	1032	2.6	5	1	1	2	2	4	6	13
50-64	855	3.5	11	1	1	2	4	7	10	17
65+	656	4.8	20	1	2	3	6	11	14	22
GRAND TOTAL	13891	2.1	4	<1	1	2	2	3	4	11

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	861	2.0	5	<1	<1	1	2	4	6	9
20-34	189	3.9	15	1	1	3	5	7	10	25
35-49	121	4.0	14	<1	<1	3	5	9	12	17
50-64	130	4.5	19	<1	1	3	5	10	12	24
65+	220	6.1	24	1	1	5	8	12	15	26
B. *Operated*										
0-19 YRS	1045	1.9	5	<1	<1	2	2	3	4	8
20-34	1079	2.4	4	<1	<1	2	3	4	5	8
35-49	1558	2.1	2	<1	<1	2	2	3	5	7
50-64	2156	2.3	3	<1	1	2	3	4	5	9
65+	3062	2.6	5	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	567	3.5	7	<1	1	3	5	6	8	14
20-34	164	4.3	15	1	1	3	5	8	12	18
35-49	132	4.4	10	1	1	4	7	9	11	14
50-64	238	5.1	27	1	1	4	6	10	14	30
65+	530	6.5	37	1	1	5	8	12	18	29
B. *Operated*										
0-19 YRS	346	2.8	8	<1	1	2	3	5	7	17
20-34	470	3.3	9	1	1	2	4	6	7	17
35-49	1048	3.1	10	1	1	2	3	5	7	15
50-64	2193	3.2	6	1	1	3	4	5	7	13
65+	3527	3.9	16	1	1	3	5	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1521	3.2	13	<1	<1	2	4	7	10	18
B. *Operated*	8900	2.3	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1631	4.9	22	1	1	4	6	10	13	25
B. *Operated*	7584	3.5	12	1	1	3	4	6	8	17
1. SINGLE DX	10421	2.5	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	9215	3.7	14	1	1	3	4	7	10	19
A. NOT OPERATED	3152	4.1	19	<1	<1	3	5	9	12	22
B. OPERATED	16484	2.9	8	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	2819	2.4	6	<1	<1	2	3	5	6	11
20-34	1902	2.9	8	<1	1	2	3	5	7	14
35-49	2859	2.7	6	<1	1	2	3	5	6	12
50-64	4717	2.9	6	<1	1	2	3	5	7	13
65+	7339	3.6	14	1	1	2	4	7	9	19
GRAND TOTAL	19636	3.1	10	<1	1	2	3	6	8	15

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1174	3.9	6	1	2	3	5	7	8	11
20-34	436	4.7	13	1	1	4	6	9	12	19
35-49	231	4.5	11	1	1	4	6	8	12	17
50-64	249	4.5	15	1	1	3	6	9	10	15
65+	278	4.6	12	1	1	4	6	9	12	16
B. *Operated*										
0-19 YRS	254	3.7	13	<1	1	2	4	9	12	19
20-34	293	3.3	11	1	1	3	4	6	7	15
35-49	320	3.5	7	1	1	3	4	7	9	13
50-64	1013	3.0	5	1	1	2	3	5	7	12
65+	2526	3.0	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	962	4.9	11	1	2	4	6	9	10	15
20-34	355	5.1	15	1	2	4	6	10	12	22
35-49	334	5.9	21	1	2	5	7	12	15	23
50-64	517	5.7	23	1	2	5	7	10	13	26
65+	845	6.8	43	1	2	5	9	13	16	27
B. *Operated*										
0-19 YRS	294	4.9	25	1	1	3	6	11	13	17
20-34	429	5.2	24	1	2	4	6	9	14	29
35-49	523	5.5	27	1	2	4	7	11	14	26
50-64	1383	5.1	26	1	2	4	6	10	13	24
65+	3073	4.7	26	1	2	3	5	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2368	4.2	10	1	1	4	5	8	10	15
B. *Operated*	4406	3.1	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	3013	5.7	24	1	2	5	7	11	14	24
B. *Operated*	5702	4.9	26	1	2	3	6	10	13	25
1. SINGLE DX	6774	3.5	8	1	1	3	4	6	8	14
2. MULTIPLE DX	8715	5.2	25	1	2	4	6	10	14	25
A. NOT OPERATED	5381	5.1	18	1	2	4	6	9	12	21
B. OPERATED	10108	4.1	18	1	2	3	5	8	11	21
TOTAL 0-19 YRS	2684	4.3	11	1	2	4	5	8	10	15
20-34	1513	4.7	17	1	2	4	6	9	12	21
35-49	1408	5.0	19	1	2	4	6	10	13	21
50-64	3162	4.4	19	1	2	3	5	9	12	21
65+	6722	4.3	21	1	2	3	5	9	12	23
GRAND TOTAL	15489	4.4	18	1	2	3	5	9	12	21

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.4	4	<1	<1	2	3	4	6	11
20-34	85	3.4	7	<1	1	3	4	7	9	14
35-49	63	3.1	3	1	1	3	4	5	6	10
50-64	70	3.4	4	1	1	3	4	6	7	9
65+	78	4.2	8	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	54	2.1	3	<1	1	2	2	3	4	12
20-34	59	2.6	2	1	1	2	3	5	5	7
35-49	50	3.7	14	<1	1	3	4	5	10	21
50-64	100	3.5	6	2	2	3	4	6	8	13
65+	95	3.3	6	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.2	7	<1	1	3	4	6	9	14
20-34	148	4.5	21	1	1	3	5	9	11	28
35-49	146	4.8	15	2	2	4	6	8	10	22
50-64	224	5.6	19	1	2	4	7	10	13	26
65+	299	6.8	35	2	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	52	3.9	16	1	1	2	5	8	12	23
20-34	112	4.6	40	2	2	3	5	8	9	40
35-49	106	5.4	25	2	2	3	6	12	20	57
50-64	196	6.1	63	1	2	4	6	14	20	39
65+	267	5.8	44	2	2	4	7	12	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	372	3.3	6	1	1	3	4	6	8	13
B. *Operated*	358	3.1	6	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	925	5.4	24	1	2	4	7	10	14	28
B. *Operated*	733	5.5	44	1	2	3	6	11	17	31
1. SINGLE DX	730	3.2	6	1	1	2	4	6	8	13
2. MULTIPLE DX	1658	5.5	33	1	2	4	6	11	15	28
A. NOT OPERATED	1297	4.8	20	1	1	4	6	9	12	22
B. OPERATED	1091	4.7	33	1	2	3	5	9	14	26
TOTAL 0-19 YRS	290	2.9	7	<1	1	2	3	6	8	14
20-34	404	4.0	21	1	1	3	5	7	9	23
35-49	365	4.5	16	1	2	3	5	9	12	23
50-64	590	5.1	31	1	2	4	6	10	14	27
65+	739	5.7	33	1	2	4	7	11	16	28
GRAND TOTAL	**2388**	**4.8**	**26**	**1**	**2**	**3**	**5**	**9**	**13**	**24**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3003	2.9	3	1	1	3	4	5	6	9
20-34	78	3.8	6	1	1	3	5	8	9	10
35-49	43	4.6	18	1	1	3	7	9	10	26
50-64	33	4.4	9	1	1	4	6	8	9	16
65+	30	4.4	7	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	17131	1.2	1	<1	<1	1	1	2	2	4
20-34	1414	2.1	1	<1	1	2	3	3	3	5
35-49	1170	2.3	2	<1	1	2	3	3	4	6
50-64	1136	2.2	2	1	1	2	3	3	4	6
65+	464	2.2	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8953	3.5	6	1	1	3	4	6	8	12
20-34	299	4.3	11	1	1	3	6	8	10	20
35-49	189	5.6	18	1	2	5	7	10	12	26
50-64	199	5.5	15	1	1	4	7	11	13	19
65+	241	8.0	61	1	2	6	9	16	21	45
B. *Operated*										
0-19 YRS	11556	1.7	2	<1	<1	1	2	2	3	7
20-34	1468	2.8	9	1	1	2	3	4	5	12
35-49	1231	3.0	13	1	1	2	3	4	6	14
50-64	1364	3.0	6	1	2	2	3	4	7	15
65+	576	3.6	22	1	1	2	3	6	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3187	3.0	4	1	1	3	4	5	6	10
B. *Operated*	21315	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	9881	3.7	8	1	1	3	5	7	8	14
B. *Operated*	16195	2.1	5	<1	<1	2	2	3	4	11
1. SINGLE DX	24502	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	26076	2.7	7	<1	1	2	3	5	7	12
A. NOT OPERATED	13068	3.6	7	1	1	3	4	6	8	13
B. OPERATED	37510	1.7	3	<1	<1	1	2	3	3	7
TOTAL 0-19 YRS	40643	2.0	3	<1	<1	1	2	4	5	9
20-34	3259	2.7	6	1	1	2	3	4	6	11
35-49	2633	2.9	9	1	1	2	3	4	6	14
50-64	2732	2.9	5	1	1	2	3	4	7	14
65+	1311	3.9	25	1	1	2	4	8	12	22
GRAND TOTAL	**50578**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	3.6	5	1	1	3	4	6	8	11
20-34	211	4.2	10	1	1	3	5	7	9	17
35-49	117	4.7	14	1	2	4	6	8	10	21
50-64	70	5.2	16	2	2	4	6	9	14	21
65+	37	7.5	37	2	2	6	8	14	23	28
B. *Operated*										
0-19 YRS	1556	1.7	4	<1	<1	1	2	3	4	10
20-34	298	3.3	26	1	1	2	3	6	9	21
35-49	173	3.2	11	<1	1	2	3	5	10	17
50-64	184	3.0	6	1	1	2	3	5	7	13
65+	125	4.5	18	1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	813	4.0	8	1	1	3	5	8	10	14
20-34	246	5.4	14	2	2	4	7	9	11	21
35-49	209	5.9	18	1	2	5	7	11	12	26
50-64	204	6.9	32	2	3	5	8	12	16	29
65+	192	9.9	88	2	3	7	12	22	29	50
B. *Operated*										
0-19 YRS	1701	2.2	6	<1	<1	2	2	4	6	12
20-34	407	3.9	19	1	1	3	4	8	10	25
35-49	326	4.0	26	1	2	3	4	7	9	27
50-64	352	5.7	66	1	2	3	5	12	20	42
65+	217	10.8	157	1	2	5	14	27	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	4.2	13	1	2	3	5	7	9	18
B. *Operated*	2336	2.3	9	<1	<1	1	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	1664	5.5	26	1	2	4	7	10	13	27
B. *Operated*	3003	3.7	33	<1	1	2	3	7	11	34
1. SINGLE DX	3133	2.8	11	<1	<1	2	3	6	8	15
2. MULTIPLE DX	4667	4.3	31	<1	1	3	5	9	12	30
A. NOT OPERATED	2461	5.1	22	1	2	4	6	9	12	24
B. OPERATED	5339	3.0	23	<1	<1	2	3	6	9	26
TOTAL 0-19 YRS	4432	2.5	6	<1	<1	2	3	5	7	12
20-34	1162	4.1	20	1	1	3	5	8	10	21
35-49	825	4.4	20	1	2	3	5	8	11	25
50-64	810	5.3	42	1	2	3	6	10	15	38
65+	571	8.9	101	1	2	5	11	21	30	54
GRAND TOTAL	7800	3.7	24	<1	<1	2	4	7	11	26

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	3.7	6	1	1	3	5	7	8	11
20-34	617	3.7	8	1	1	3	4	6	8	12
35-49	970	3.9	7	1	1	3	5	7	9	13
50-64	1475	4.0	9	1	1	3	5	7	9	14
65+	1233	4.2	11	1	2	3	5	8	10	17
B. *Operated*										
0-19 YRS	29	2.9	1	1	2	3	3	5	6	6
20-34	207	3.7	4	1	2	3	4	6	8	11
35-49	301	4.0	9	1	2	3	4	8	9	16
50-64	380	4.0	6	1	2	3	5	7	9	13
65+	149	4.3	8	2	2	3	5	7	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	4.6	9	1	2	4	5	9	11	15
20-34	676	5.0	17	1	2	4	6	9	11	17
35-49	1345	5.1	13	1	2	4	7	9	12	19
50-64	3125	5.3	14	1	2	4	7	10	12	19
65+	4905	6.0	19	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	25	3.5	7	1	1	2	4	8	10	11
20-34	110	5.8	19	2	2	4	7	12	14	23
35-49	164	6.9	26	2	2	5	9	14	17	28
50-64	326	8.0	46	2	2	6	10	15	21	32
65+	319	9.3	41	2	3	8	13	17	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4431	4.0	9	1	1	3	5	7	9	15
B. *Operated*	1066	3.9	7	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	10176	5.6	17	2	2	5	7	10	13	21
B. *Operated*	944	7.9	38	2	2	6	10	15	20	28
1. SINGLE DX	5497	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	11120	5.8	19	2	2	5	7	11	14	22
A. NOT OPERATED	14607	5.1	15	1	2	4	6	9	12	20
B. OPERATED	2010	5.8	25	2	2	4	7	12	15	25
TOTAL 0-19 YRS	315	4.0	7	1	1	3	5	7	9	13
20-34	1610	4.4	13	1	2	3	5	8	10	17
35-49	2780	4.7	12	1	2	4	6	8	11	18
50-64	5306	5.0	15	1	2	4	6	9	12	20
65+	6606	5.8	20	2	2	5	7	11	14	22
GRAND TOTAL	16617	5.2	16	1	2	4	7	10	13	21

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	8	1.6	1	<1	<1	1	2	3	3	3
35-49	9	1.6	1	<1	<1	1	2	3	3	3
50-64	6	1.5	1	<1	<1	1	2	3	3	3
65+	5	1.8	1	<1	<1	2	2	3	3	3
B. Operated										
0-19 YRS	122	2.5	4	1	1	2	3	3	4	15
20-34	949	2.4	1	1	1	2	3	3	4	5
35-49	1494	2.4	1	1	1	2	3	3	4	6
50-64	1620	2.6	2	1	1	2	3	4	4	6
65+	653	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	1.3		<1	<1	1	1	2	2	2
35-49	13	1.5	1	<1	<1	1	1	3	5	5
50-64	16	4.4	12	1	1	4	5	9	12	14
65+	19	4.7	12	<1	1	4	7	10	11	11
B. Operated										
0-19 YRS	30	2.6	1	2	2	3	3	4	4	4
20-34	182	2.6	1	1	2	2	3	4	4	8
35-49	328	2.8	4	1	2	2	3	4	5	12
50-64	402	2.9	5	1	1	3	3	4	6	12
65+	201	3.3	7	2	2	3	3	5	7	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	1.6	1	<1	<1	1	2	3	3	3
B. Operated	4838	2.5	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	53	3.6	11	<1	<1	2	6	8	11	14
B. Operated	1143	2.9	4	1	2	3	3	4	6	12
1. SINGLE DX	4868	2.5	1	1	1	2	3	3	4	6
2. MULTIPLE DX	1196	2.9	5	1	2	3	3	4	6	13
A. NOT OPERATED	83	2.9	8	<1	<1	2	4	7	9	13
B. OPERATED	5981	2.6	2	1	1	2	3	4	4	7
TOTAL 0-19 YRS	155	2.5	3	1	1	2	3	3	4	13
20-34	1143	2.5	1	1	1	2	3	3	4	5
35-49	1844	2.5	2	1	1	2	3	3	4	7
50-64	2044	2.6	2	1	1	3	3	4	4	7
65+	878	2.8	3	1	1	3	3	4	5	9
GRAND TOTAL	6064	2.6	2	1	1	2	3	4	4	7

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.2	2	<1	<1	2	3	4	5	8
20-34	141	3.1	5	<1	1	3	4	6	7	10
35-49	163	3.3	4	1	1	3	4	6	8	11
50-64	198	3.5	5	1	1	3	4	6	8	14
65+	114	3.8	6	1	1	3	4	7	9	13
B. Operated										
0-19 YRS	2814	2.0	1	<1	1	2	2	3	3	5
20-34	1995	2.2	1	1	1	2	3	3	4	6
35-49	1438	2.3	4	1	1	2	3	3	4	7
50-64	1290	2.3	2	1	1	2	3	3	4	7
65+	463	2.7	5	1	1	2	3	4	5	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	148	3.0	8	<1	<1	2	4	7	9	14
20-34	160	3.8	13	<1	1	3	5	8	11	15
35-49	173	4.8	15	1	1	4	6	10	14	19
50-64	248	5.2	17	1	1	4	7	10	14	21
65+	260	6.1	27	1	2	5	8	11	15	30
B. Operated										
0-19 YRS	1993	2.1	3	<1	1	2	2	3	4	7
20-34	1498	2.6	4	1	1	2	3	4	5	11
35-49	1225	3.0	21	1	1	2	3	4	6	14
50-64	1242	3.0	6	1	2	2	3	5	7	14
65+	523	3.6	11	1	2	3	4	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	725	3.2	5	<1	1	3	4	6	8	12
B. Operated	8000	2.2	2	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated	989	4.8	19	<1	1	4	6	10	13	21
B. Operated	6481	2.7	8	1	1	2	3	4	5	13
1. SINGLE DX	8725	2.3	2	1	1	2	3	3	4	8
2. MULTIPLE DX	7470	3.0	10	1	1	2	3	5	8	15
A. NOT OPERATED	1714	4.1	13	<1	1	3	5	8	11	18
B. OPERATED	14481	2.4	5	1	1	2	3	3	4	10
TOTAL 0-19 YRS	5064	2.0	2	<1	1	2	2	3	4	7
20-34	3794	2.5	3	1	1	2	3	4	5	10
35-49	2999	2.8	12	1	1	2	3	4	6	13
50-64	2978	2.9	5	1	1	2	3	5	7	13
65+	1360	3.8	13	1	1	3	4	8	10	19
GRAND TOTAL	16195	2.6	6	1	1	2	3	4	8	12

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	6.6	20	2	2	5	9	12	15	21
20-34	99	7.6	25	2	3	7	9	12	16	29
35-49	28	6.5	11	2	3	6	9	11	12	15
50-64	20	8.9	79	2	3	6	11	16	29	42
65+	10	15.0	203	3	4	11	14	37	53	53
B. *Operated*										
0-19 YRS	5	5.2	78	<1	<1	1	7	21	21	21
20-34	7	11.3	26	6	6	10	14	19	20	20
35-49	3	4.3	16	2	2	2	7	9	9	9
50-64	7	9.9	111	2	2	7	12	28	32	32
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	8.0	32	2	2	7	11	16	20	24
20-34	100	6.9	28	2	3	5	8	11	16	33
35-49	82	8.8	78	2	2	7	10	16	34	45
50-64	157	9.0	71	2	3	7	10	17	23	41
65+	201	11.3	106	3	3	8	13	22	31	59
B. *Operated*										
0-19 YRS	13	10.5	31	<1	1	10	14	18	20	20
20-34	20	11.8	183	1	2	8	12	36	46	51
35-49	52	12.7	206	2	2	8	14	34	46	66
50-64	82	15.0	158	2	2	11	21	32	41	58
65+	45	17.6	147	3	4	15	24	32	46	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	7.2	29	2	3	6	9	12	15	26
B. *Operated*	24	8.0	61	<1	1	6	11	20	24	32
2. MULTIPLE DX										
A. *Not Operated*	705	9.1	69	2	3	7	11	17	24	41
B. *Operated*	212	14.4	164	2	2	10	19	31	43	58
1. SINGLE DX	438	7.2	30	2	2	6	9	13	16	28
2. MULTIPLE DX	917	10.3	96	2	3	7	12	21	31	51
A. NOT OPERATED	1119	8.4	55	2	3	6	10	15	21	39
B. OPERATED	236	13.7	157	2	2	10	18	31	42	57
TOTAL 0-19 YRS	440	7.2	26	2	2	6	10	14	17	22
20-34	226	7.8	42	2	3	6	9	13	17	37
35-49	165	9.6	110	2	2	7	10	20	35	55
50-64	266	10.9	106	2	3	7	14	22	32	52
65+	258	12.5	121	3	3	9	15	27	33	54
GRAND TOTAL	**1355**	**9.3**	**77**	**2**	**3**	**7**	**11**	**18**	**26**	**47**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.8	6	1	2	5	6	8	10	12
20-34	91	4.3	10	1	1	3	6	8	10	16
35-49	132	4.9	16	1	2	4	6	9	13	23
50-64	100	5.0	14	1	2	4	7	10	13	17
65+	79	8.1	27	2	3	7	11	15	19	24
B. *Operated*										
0-19 YRS	22	7.9	47	1	1	7	12	18	21	24
20-34	171	7.3	37	2	2	5	11	16	19	25
35-49	385	7.1	37	2	2	4	12	16	19	23
50-64	521	8.3	54	2	2	6	13	17	22	35
65+	194	9.7	84	2	2	5	15	22	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.3	45	1	2	4	7	11	27	93
20-34	330	5.9	29	1	2	5	7	10	14	29
35-49	756	5.8	24	1	2	5	7	10	13	30
50-64	1462	7.7	40	2	2	6	10	14	18	34
65+	1907	10.0	70	2	3	8	12	19	25	43
B. *Operated*										
0-19 YRS	32	7.4	35	2	2	5	11	17	19	21
20-34	266	9.5	81	2	2	8	13	21	28	52
35-49	843	10.3	72	2	2	9	15	22	26	38
50-64	1643	12.6	133	2	2	11	17	26	34	64
65+	1156	14.4	179	2	2	12	19	31	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	5.4	17	1	2	4	7	11	14	20
B. *Operated*	1293	8.0	52	2	2	5	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	4516	8.2	52	2	2	6	10	16	21	38
B. *Operated*	3940	12.4	132	2	2	10	17	26	34	62
1. SINGLE DX	1728	7.4	44	2	2	4	11	16	20	28
2. MULTIPLE DX	8456	10.2	94	2	2	8	13	21	28	51
A. NOT OPERATED	4951	8.0	50	2	2	6	10	15	20	38
B. OPERATED	5233	11.3	116	2	2	9	16	24	31	55
TOTAL 0-19 YRS	148	6.4	35	1	2	5	8	13	19	40
20-34	858	7.1	48	1	2	5	10	15	20	37
35-49	2116	7.8	49	2	2	5	11	17	22	32
50-64	3726	9.9	89	2	2	7	13	21	27	47
65+	3336	11.5	112	2	2	9	15	23	31	57
GRAND TOTAL	**10184**	**9.7**	**86**	**2**	**2**	**7**	**13**	**20**	**27**	**48**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	238	3.9	7	1	1	3	4	7	9	13
20-34	1058	4.3	10	1	2	4	5	7	9	15
35-49	2151	4.7	10	1	2	4	6	8	10	14
50-64	2296	4.9	11	1	2	4	6	9	11	18
65+	1504	5.3	15	1	2	4	7	10	12	20
B. Operated										
0-19 YRS	53	4.4	26	1	2	3	4	7	11	34
20-34	185	3.6	8	1	1	2	4	8	10	15
35-49	203	4.4	14	1	1	3	6	10	13	17
50-64	219	5.0	17	1	2	4	7	10	12	22
65+	76	6.5	37	1	1	4	9	15	20	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	338	4.8	11	1	2	4	6	9	11	18
20-34	2677	5.4	14	1	2	4	7	9	12	20
35-49	8202	6.0	20	2	2	5	8	11	14	22
50-64	13308	6.7	26	2	2	5	8	12	15	26
65+	14622	7.8	45	2	3	6	9	14	19	34
B. Operated										
0-19 YRS	63	7.9	29	2	3	6	11	15	17	28
20-34	500	7.5	34	1	2	6	10	15	19	28
35-49	1378	8.7	52	2	2	7	11	17	22	35
50-64	2254	10.2	75	2	2	8	13	20	26	45
65+	1886	12.8	124	2	3	10	16	25	34	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7247	4.8	11	1	2	4	6	9	11	17
B. Operated	736	4.6	17	1	1	3	6	10	12	20
2. MULTIPLE DX										
A. Not Operated	39147	6.9	32	2	2	5	8	13	16	28
B. Operated	6081	10.4	85	2	2	8	13	21	27	49
1. SINGLE DX	7983	4.8	12	1	2	4	6	9	11	17
2. MULTIPLE DX	45228	7.3	40	2	2	6	9	14	18	32
A. NOT OPERATED	46394	6.5	29	2	2	5	8	12	15	27
B. OPERATED	6817	9.8	81	2	2	8	13	20	26	46
TOTAL 0-19 YRS	692	4.7	14	1	2	4	6	9	11	19
20-34	4420	5.3	16	1	2	4	7	10	12	21
35-49	11934	6.1	23	2	2	5	8	11	14	24
50-64	18077	6.9	32	2	2	5	8	13	17	29
65+	18088	8.1	54	2	3	6	10	15	20	38
GRAND TOTAL	**53211**	**7.0**	**37**	**2**	**2**	**5**	**9**	**13**	**17**	**30**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.6	5	2	2	4	7	7	7	7
20-34	62	5.1	9	2	2	4	7	10	11	14
35-49	280	6.1	19	2	2	5	7	11	15	20
50-64	556	6.4	21	2	2	5	8	11	14	27
65+	890	7.3	37	2	3	6	9	13	17	30
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	3.8	12	2	2	2	5	10	10	10
35-49	58	5.1	22	2	2	3	8	13	15	19
50-64	99	5.1	33	2	2	3	7	10	15	33
65+	50	4.9	15	1	2	3	8	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	7.4	40	1	2	5	10	17	22	23
20-34	221	6.4	15	2	3	6	8	11	14	19
35-49	1611	7.5	30	2	3	6	9	13	17	28
50-64	5932	8.6	36	2	3	7	11	16	20	30
65+	14010	10.3	70	3	3	8	13	19	26	46
B. Operated										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	44	8.1	31	2	2	7	11	15	19	25
35-49	321	10.0	71	2	2	8	13	21	26	40
50-64	1020	11.7	123	2	2	9	15	23	33	55
65+	1677	16.5	179	3	4	13	21	33	44	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1793	6.7	28	2	2	5	8	12	15	28
B. Operated	213	5.1	25	2	2	3	7	11	14	19
2. MULTIPLE DX										
A. Not Operated	21787	9.6	58	3	3	8	12	18	23	40
B. Operated	3066	14.1	154	2	2	11	18	29	39	70
1. SINGLE DX	2006	6.6	28	2	2	5	8	12	15	27
2. MULTIPLE DX	24853	10.1	72	2	3	8	12	19	26	47
A. NOT OPERATED	23580	9.3	56	2	3	7	11	17	23	39
B. OPERATED	3279	13.5	151	2	2	11	17	28	38	69
TOTAL 0-19 YRS	23	6.4	25	1	2	5	8	11	18	23
20-34	332	6.4	16	2	2	5	8	12	14	21
35-49	2270	7.6	35	2	2	6	10	14	19	31
50-64	7607	8.8	48	2	3	7	11	17	21	35
65+	16627	10.7	83	3	3	8	13	21	27	52
GRAND TOTAL	**26859**	**9.9**	**70**	**2**	**3**	**8**	**12**	**19**	**25**	**45**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.2	19	1	1	4	7	12	15	16
20-34	46	5.5	18	1	2	4	7	11	14	21
35-49	78	6.3	25	1	2	5	8	11	15	27
50-64	113	6.6	25	1	2	6	9	13	14	28
65+	135	9.2	66	2	2	7	12	17	25	39
B. *Operated*										
0-19 YRS	23	5.3	16	1	1	4	7	12	13	14
20-34	78	7.0	66	1	1	5	8	17	27	40
35-49	146	8.6	57	2	2	7	12	17	25	40
50-64	156	7.8	59	2	2	6	9	17	24	35
65+	101	10.6	83	1	2	8	15	24	29	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.9	9	2	2	4	7	9	10	13
20-34	114	6.6	30	1	2	5	9	14	19	55
35-49	283	7.7	37	1	2	6	10	16	20	31
50-64	691	9.0	61	1	2	7	11	18	23	39
65+	1509	12.4	119	2	3	9	16	24	33	69
B. *Operated*										
0-19 YRS	50	9.9	215	2	2	5	11	20	31	98
20-34	237	10.8	159	<1	2	8	13	23	32	68
35-49	399	11.9	110	2	2	9	16	27	33	52
50-64	761	13.0	125	2	3	10	18	26	34	69
65+	788	18.5	261	2	3	14	24	41	54	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	7.3	40	2	2	6	9	14	18	30
B. *Operated*	504	8.3	64	1	2	6	11	18	25	38
2. MULTIPLE DX										
A. *Not Operated*	2645	10.6	94	2	3	8	13	21	27	53
B. *Operated*	2235	14.5	185	2	3	11	19	31	43	73
1. SINGLE DX	893	7.9	54	1	2	6	10	17	24	35
2. MULTIPLE DX	4880	12.4	139	2	3	9	16	26	35	67
A. NOT OPERATED	3034	10.2	88	2	2	8	13	21	26	50
B. OPERATED	2739	13.3	168	2	2	10	17	29	39	70
TOTAL 0-19 YRS	138	6.8	90	1	2	4	8	13	16	39
20-34	475	8.6	104	1	2	5	11	19	28	66
35-49	906	9.6	76	2	2	7	12	20	27	44
50-64	1721	10.5	92	1	2	8	14	22	28	56
65+	2533	14.0	169	2	3	10	18	29	40	72
GRAND TOTAL	**5773**	**11.7**	**129**	**2**	**2**	**8**	**15**	**25**	**34**	**64**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	10.2	27	2	5	10	14	16	19	21
20-34	310	10.8	21	3	4	11	14	17	18	23
35-49	3643	11.6	19	5	6	11	14	17	19	24
50-64	8484	12.2	22	5	7	12	14	18	20	27
65+	7301	12.8	27	6	7	12	15	19	22	29
B. *Operated*										
0-19 YRS	2	9.5	145	1	1	9	18	18	18	18
20-34	56	10.3	59	1	2	10	14	20	24	39
35-49	341	11.6	44	2	2	12	15	18	21	34
50-64	699	13.5	49	2	3	13	17	21	25	38
65+	340	16.0	68	3	8	14	19	27	31	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	12.7	48	4	6	12	15	19	23	40
20-34	550	11.5	24	3	5	11	14	17	20	26
35-49	7825	12.3	30	4	6	12	15	19	21	29
50-64	27252	13.4	38	5	7	13	16	20	24	34
65+	40954	14.9	59	6	8	14	18	23	29	45
B. *Operated*										
0-19 YRS	34	7.2	150	1	1	1	2	28	33	44
20-34	139	12.2	81	2	2	12	17	23	28	45
35-49	1695	13.7	82	2	2	13	18	24	29	46
50-64	5113	16.3	110	2	4	15	20	28	36	59
65+	5305	21.1	154	8	10	18	26	37	46	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19756	12.3	23	5	7	12	15	18	20	27
B. *Operated*	1438	13.5	55	2	3	13	17	22	27	39
2. MULTIPLE DX										
A. *Not Operated*	76535	14.1	49	6	7	13	17	22	26	41
B. *Operated*	12286	17.9	134	2	6	16	22	32	40	68
1. SINGLE DX	21194	12.4	26	5	7	12	15	18	21	28
2. MULTIPLE DX	88921	14.6	63	5	7	13	17	23	28	46
A. NOT OPERATED	96391	13.7	45	5	7	13	16	21	25	38
B. OPERATED	13724	17.5	127	2	6	15	22	31	39	64
TOTAL 0-19 YRS	108	10.5	82	1	1	10	14	21	28	42
20-34	1055	11.3	33	2	4	11	14	18	20	28
35-49	13504	12.3	34	3	6	12	15	19	22	31
50-64	41548	13.5	45	5	7	13	16	21	24	38
65+	53900	15.3	69	6	8	14	18	24	30	49
GRAND TOTAL	**110115**	**14.2**	**56**	**5**	**7**	**13**	**17**	**22**	**27**	**44**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.8	4	2	2	4	6	8	9	9
20-34	193	4.0	7	1	1	3	6	7	9	12
35-49	1573	4.3	11	1	1	4	5	8	9	15
50-64	2983	4.4	8	1	2	4	6	8	10	14
65+	2606	4.9	13	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	49	3.7	10	2	2	2	4	9	14	99+
35-49	404	3.8	11	1	2	2	5	8	10	19
50-64	871	4.6	23	1	2	2	6	11	15	22
65+	280	5.3	29	1	2	3	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.5	13	2	2	5	7	9	12	22
20-34	624	5.2	17	1	2	4	7	9	12	24
35-49	6514	5.3	14	1	2	4	7	10	12	20
50-64	19895	5.7	15	2	2	5	7	10	13	20
65+	27537	6.7	26	2	2	6	8	12	15	25
B. *Operated*										
0-19 YRS	12	8.3	64	1	1	6	12	18	27	29
20-34	175	6.0	26	2	2	4	9	12	15	25
35-49	3171	6.8	41	2	2	4	10	14	18	30
50-64	9873	7.6	54	2	2	5	11	16	20	34
65+	5275	10.4	91	2	2	8	14	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7365	4.5	10	1	2	4	6	8	10	16
B. *Operated*	1607	4.5	21	1	2	2	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	54635	6.2	21	2	2	5	8	11	14	23
B. *Operated*	18506	8.3	64	2	2	6	12	17	23	38
1. SINGLE DX	8972	4.5	12	1	2	4	6	8	11	17
2. MULTIPLE DX	73141	6.7	33	2	2	5	9	13	17	28
A. NOT OPERATED	62000	6.0	20	2	2	5	7	11	14	22
B. OPERATED	20113	8.0	62	2	2	5	11	17	22	37
TOTAL 0-19 YRS	90	5.7	19	1	2	5	7	11	12	27
20-34	1041	5.1	17	1	2	4	6	9	12	24
35-49	11662	5.5	22	1	2	4	7	11	14	23
50-64	33622	6.1	27	2	2	5	8	12	16	25
65+	35698	7.1	37	2	2	6	9	14	18	31
GRAND TOTAL	**82113**	**6.5**	**31**	**2**	**2**	**5**	**8**	**13**	**16**	**27**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	2	5	5	6	7	8	8	8
20-34	99	5.2	9	1	2	5	7	9	11	16
35-49	999	5.3	11	1	2	4	7	10	11	16
50-64	2462	5.7	14	2	2	5	7	10	12	18
65+	2295	6.2	16	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS										
20-34	8	7.9	39	2	2	5	14	17	17	17
35-49	228	7.0	24	2	2	6	10	14	15	23
50-64	535	8.1	38	2	2	8	11	15	18	28
65+	231	8.7	41	2	2	8	12	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	7.8	20	2	3	7	10	15	17	21
20-34	266	6.4	16	2	2	5	8	11	14	22
35-49	3882	6.5	20	2	2	5	8	12	15	22
50-64	14421	7.2	23	2	3	6	9	13	15	25
65+	21899	8.4	33	3	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	57	8.7	48	2	2	8	11	15	23	37
35-49	1314	9.7	48	2	2	9	13	18	23	36
50-64	4472	11.2	72	2	2	10	15	21	26	41
65+	3205	14.6	111	2	3	13	19	27	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5859	5.8	14	2	2	5	7	10	13	19
B. *Operated*	1002	8.0	36	2	2	7	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	40512	7.7	29	2	3	7	10	14	17	27
B. *Operated*	9050	12.2	86	2	2	11	16	23	29	47
1. SINGLE DX	6861	6.1	18	2	2	5	8	11	14	21
2. MULTIPLE DX	49562	8.5	42	2	3	7	11	16	20	33
A. NOT OPERATED	46371	7.5	27	2	3	6	9	13	17	27
B. OPERATED	10052	11.7	82	2	2	10	15	22	28	46
TOTAL 0-19 YRS	50	7.5	18	2	3	7	9	14	17	21
20-34	430	6.5	20	2	2	5	8	12	14	23
35-49	6423	7.0	27	2	2	6	9	13	17	25
50-64	21890	7.8	35	2	3	6	10	14	18	30
65+	27630	8.9	46	2	3	7	11	16	21	35
GRAND TOTAL	**56423**	**8.3**	**40**	**2**	**3**	**7**	**10**	**15**	**20**	**32**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	63	4.7	13	1	2	4	7	8	11	22
35-49	771	4.8	16	1	2	4	6	9	13	19
50-64	1916	5.0	13	1	2	4	7	10	12	17
65+	1821	6.3	25	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	32	5.3	41	<1	<1	2	6	15	22	23
20-34	203	5.4	27	1	2	2	9	12	14	27
35-49	4015	6.0	28	2	2	3	10	13	16	22
50-64	10937	6.7	34	2	2	3	11	14	17	24
65+	3652	7.9	51	2	2	5	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	7.4	39	1	2	6	9	17	20	27
20-34	313	5.4	18	1	2	4	8	11	13	22
35-49	4487	6.1	20	1	2	5	8	12	15	22
50-64	17058	7.0	28	2	2	6	9	13	16	27
65+	37505	9.0	53	2	3	7	11	17	22	38
B. *Operated*										
0-19 YRS	38	5.7	38	1	1	2	10	14	21	24
20-34	460	6.1	39	2	2	3	9	13	15	26
35-49	7442	7.0	45	2	2	4	11	15	19	31
50-64	23486	8.5	64	2	3	7	12	18	22	38
65+	13426	12.1	114	2	2	10	16	24	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4574	5.5	19	1	2	4	7	11	13	20
B. *Operated*	18839	6.8	36	2	2	3	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	59413	8.2	44	2	3	7	10	15	20	34
B. *Operated*	44852	9.3	79	2	2	8	13	19	25	44
1. SINGLE DX	23413	6.5	33	2	2	4	10	14	17	25
2. MULTIPLE DX	104265	8.7	60	2	2	7	11	17	22	38
A. NOT OPERATED	63987	8.0	43	2	2	6	10	15	20	33
B. OPERATED	63691	8.6	68	2	2	7	12	18	23	39
TOTAL 0-19 YRS	123	6.2	39	1	1	3	9	15	21	26
20-34	1039	5.7	29	1	2	3	9	12	15	24
35-49	16715	6.4	33	2	2	4	10	13	17	25
50-64	53397	7.5	45	2	2	6	11	15	19	31
65+	56404	9.6	69	2	2	8	12	19	25	42
GRAND TOTAL	**127678**	**8.3**	**55**	**2**	**2**	**7**	**11**	**17**	**21**	**36**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	9.1	21	3	3	9	12	13	19	23
20-34	502	9.2	30	3	4	9	11	14	16	20
35-49	701	10.4	21	3	5	10	13	16	18	27
50-64	757	10.7	20	5	6	10	13	16	19	26
65+	724	11.7	28	5	6	11	14	18	21	30
B. *Operated*										
0-19 YRS	3	10.0	21	5	5	11	13	14	14	14
20-34	89	11.3	21	4	5	12	14	17	18	24
35-49	134	12.6	35	5	7	12	15	20	24	33
50-64	122	12.5	58	3	5	10	16	23	26	42
65+	92	13.9	44	3	5	14	17	22	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	10.0	30	3	4	9	13	16	23	28
20-34	605	11.3	41	3	5	10	14	19	22	36
35-49	1376	11.6	34	4	6	11	14	18	21	34
50-64	2662	12.7	48	5	6	11	15	20	25	36
65+	4597	14.8	72	6	7	13	18	24	30	50
B. *Operated*										
0-19 YRS	7	11.6	28	2	3	13	15	17	17	17
20-34	200	15.2	79	5	7	13	18	26	34	49
35-49	357	15.9	86	5	7	14	19	27	35	50
50-64	678	17.5	122	6	8	15	21	31	39	68
65+	936	20.3	165	7	9	17	25	38	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2734	10.6	25	4	5	10	13	16	19	27
B. *Operated*	440	12.6	41	4	5	12	15	21	24	32
2. MULTIPLE DX										
A. *Not Operated*	9294	13.5	59	5	7	12	16	22	27	42
B. *Operated*	2178	18.2	134	6	8	15	22	33	42	63
1. SINGLE DX	3174	10.8	28	4	5	10	13	17	20	28
2. MULTIPLE DX	11472	14.4	77	5	7	12	17	24	30	50
A. NOT OPERATED	12028	12.8	53	5	6	11	15	21	25	40
B. OPERATED	2618	17.3	123	6	8	14	21	31	40	61
TOTAL 0-19 YRS	114	9.7	25	3	3	9	13	16	20	26
20-34	1396	11.1	45	3	5	10	13	18	22	37
35-49	2568	11.9	40	4	6	11	14	19	23	36
50-64	4219	13.1	59	5	6	12	16	21	26	41
65+	6349	15.2	86	6	7	13	18	25	33	56
GRAND TOTAL	**14646**	**13.6**	**68**	**5**	**6**	**12**	**16**	**23**	**28**	**47**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	15.2	137	1	2	14	26	30	33	33
20-34	36	23.1	209	2	3	27	33	42	44	54
35-49	16	25.1	201	3	5	23	35	44	48	50
50-64	28	23.9	212	2	3	29	34	42	43	45
65+	34	27.8	408	4	5	26	36	53	73	84
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	15.0	2	14	14	15	16	16	16	16
35-49	4	23.8	256	10	10	20	36	45	45	45
50-64	7	41.0	212	22	24	34	53	62	63	63
65+	6	33.5	215	14	14	40	44	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	24.5	201	2	3	28	32	43	45	62
20-34	247	27.2	227	4	6	30	37	45	51	66
35-49	140	26.6	196	4	6	29	34	44	49	60
50-64	223	28.0	212	4	7	29	38	47	52	58
65+	326	31.2	218	8	13	30	42	49	58	95
B. *Operated*										
0-19 YRS	12	22.5	168	2	4	29	33	36	36	36
20-34	107	37.5	254	15	18	36	46	56	61	92
35-49	60	34.2	299	7	14	32	45	62	77	99+
50-64	93	35.2	265	8	14	35	44	54	68	99+
65+	119	40.3	261	15	24	37	52	64	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	24.2	261	2	4	26	34	43	51	79
B. *Operated*	20	31.1	266	9	11	33	45	51	59	63
2. MULTIPLE DX										
A. *Not Operated*	990	28.5	219	5	7	29	38	46	53	70
B. *Operated*	391	36.8	272	9	16	36	47	59	75	99+
1. SINGLE DX	143	25.2	266	3	4	26	35	44	53	77
2. MULTIPLE DX	1381	30.8	248	5	9	31	42	51	58	93
A. NOT OPERATED	1113	28.0	225	4	7	29	38	46	53	71
B. OPERATED	411	36.6	273	9	16	35	46	59	74	99+
TOTAL 0-19 YRS	76	22.9	193	2	3	27	31	39	45	59
20-34	392	29.6	256	4	7	30	41	48	56	73
35-49	220	28.5	235	5	8	29	38	48	56	93
50-64	351	29.8	239	5	7	31	41	49	54	88
35+	485	33.2	257	7	13	32	43	55	64	99+
GRAND TOTAL	1524	30.3	252	5	8	30	42	50	58	91

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.5	3	<1	1	2	3	5	6	9
20-34	304	2.6	4	<1	1	2	3	5	6	10
35-49	513	2.8	4	<1	1	2	4	5	6	10
50-64	763	2.8	4	<1	1	2	4	5	7	11
65+	511	3.8	14	1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	13	4.3	11	1	1	3	9	9	9	9
50-64	26	4.3	21	2	2	2	5	6	16	21
65+	12	7.8	30	1	2	7	9	14	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.7	9	1	1	3	5	7	10	15
20-34	365	3.9	12	1	1	3	5	8	10	17
35-49	829	4.3	11	1	1	2	6	8	11	16
50-64	1948	4.8	15	1	1	4	6	9	11	18
65+	2701	6.1	24	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	6	2.7	1	1	1	3	4	4	4	4
20-34	14	9.4	302	1	1	6	7	15	57	69
35-49	71	8.0	37	2	2	6	12	17	21	24
50-64	133	9.0	84	2	2	7	12	18	23	50
65+	181	12.6	67	3	5	10	16	22	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2230	3.0	7	<1	1	2	4	6	7	11
B. *Operated*	55	5.0	21	1	2	3	7	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	5955	5.2	19	1	1	4	7	10	13	21
B. *Operated*	405	10.4	78	2	2	8	14	20	24	47
1. SINGLE DX	2285	3.0	7	<1	1	2	4	6	8	12
2. MULTIPLE DX	6360	5.6	24	1	1	4	7	11	14	23
A. NOT OPERATED	8185	4.6	17	1	1	4	6	9	12	19
B. OPERATED	460	9.7	74	2	2	8	13	19	23	45
TOTAL 0-19 YRS	260	3.0	6	<1	1	2	4	6	8	12
20-34	684	3.4	15	<1	1	2	4	7	9	14
35-49	1426	3.9	12	1	1	3	5	8	10	17
50-64	2870	4.5	17	1	1	3	6	9	11	19
65+	3405	6.1	28	1	2	5	8	12	15	26
GRAND TOTAL	8645	4.9	21	1	1	4	6	10	13	22

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	4	<1	1	2	4	5	6	10
20-34	414	2.4	3	<1	1	2	3	4	5	9
35-49	772	2.7	4	<1	1	2	3	5	7	9
50-64	1581	3.3	7	<1	1	2	4	7	8	13
65+	1849	4.2	12	1	1	3	6	8	11	17
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	20	4.4	14	1	2	3	6	9	13	17
50-64	78	5.2	20	1	2	4	7	9	14	25
65+	74	6.9	60	2	2	5	8	13	17	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.9	21	1	1	3	6	10	17	21
20-34	481	3.4	7	1	1	3	5	7	9	14
35-49	1541	4.8	19	<1	1	4	6	10	12	22
50-64	6575	5.9	30	1	2	5	8	12	15	25
65+	17670	7.8	46	2	2	6	10	15	19	35
B. *Operated*										
0-19 YRS	9	6.4	28	2	2	5	9	15	16	16
20-34	31	9.0	101	1	2	6	10	21	27	50
35-49	162	9.2	54	2	2	7	12	19	23	33
50-64	632	10.6	81	2	2	9	14	21	25	44
65+	1906	15.3	149	3	5	12	19	30	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4643	3.5	8	1	1	3	5	7	9	14
B. *Operated*	177	5.8	37	1	2	4	7	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	26322	7.0	41	1	2	5	9	14	18	31
B. *Operated*	2742	13.8	132	2	3	11	17	26	35	65
1. SINGLE DX	4820	3.6	10	1	1	3	5	7	9	15
2. MULTIPLE DX	29064	7.7	53	1	2	6	10	15	20	37
A. NOT OPERATED	30965	6.5	38	1	2	5	8	13	17	30
B. OPERATED	2919	13.3	130	2	3	11	17	26	35	64
TOTAL 0-19 YRS	93	4.4	17	1	1	3	5	10	14	20
20-34	929	3.2	10	<1	1	2	4	6	8	15
35-49	2495	4.5	19	<1	1	3	6	9	12	22
50-64	8866	5.8	32	1	1	4	7	12	15	26
65+	21501	8.1	58	1	2	6	10	16	21	40
GRAND TOTAL	33884	7.1	49	1	2	5	9	14	19	38

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	3.3	8	1	1	2	4	7	5	13
20-34	774	3.6	8	1	1	3	5	7	9	14
35-49	1163	4.0	11	1	1	3	5	7	9	16
50-64	1801	4.5	11	1	1	4	6	8	10	17
65+	1985	5.3	17	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	35	3.9	9	1	1	3	5	8	11	14
20-34	88	5.5	18	1	2	5	7	11	15	23
35-49	215	5.6	19	2	2	4	8	12	14	20
50-64	585	6.5	21	2	2	5	9	12	15	25
65+	2282	7.8	26	2	3	7	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	420	4.6	18	1	1	3	6	10	12	23
20-34	1605	4.7	14	1	1	4	6	9	11	19
35-49	3841	5.5	21	1	2	4	7	10	13	23
50-64	10333	6.5	27	1	2	5	8	12	16	27
65+	21096	8.1	44	2	3	6	10	15	20	34
B. *Operated*										
0-19 YRS	82	8.9	151	1	2	5	10	17	31	70
20-34	181	8.3	60	2	2	6	11	17	22	52
35-49	768	8.6	60	2	2	7	11	17	22	47
50-64	3075	10.5	77	2	3	8	13	21	27	50
65+	12867	12.6	92	3	4	10	15	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5983	4.5	13	1	1	4	6	9	11	18
B. *Operated*	3205	7.3	25	2	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	37295	7.2	37	2	2	6	9	14	18	31
B. *Operated*	16973	11.9	89	3	4	10	15	23	29	51
1. SINGLE DX	9188	5.5	19	1	2	4	7	11	14	22
2. MULTIPLE DX	54268	8.7	58	2	2	7	11	17	22	39
A. NOT OPERATED	43278	6.8	34	1	2	5	9	13	17	30
B. OPERATED	20178	11.2	82	2	3	9	14	21	28	49
TOTAL 0-19 YRS	797	4.6	31	1	1	3	6	9	12	27
20-34	2648	4.6	17	1	1	4	6	9	12	21
35-49	5987	5.6	26	1	2	4	7	11	14	25
50-64	15794	7.0	38	1	2	5	9	14	18	32
65+	38230	9.4	63	2	3	7	12	18	24	41
GRAND TOTAL	63456	8.2	54	2	2	6	10	16	21	37

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.0	10	1	1	4	7	9	11	13
20-34	47	5.8	16	1	1	5	8	11	12	19
35-49	201	7.2	38	1	2	6	9	12	17	38
50-64	1156	7.1	32	2	2	6	9	13	17	29
65+	5721	8.0	38	2	3	6	10	15	19	33
B. *Operated*										
0-19 YRS	7	5.7	50	1	1	2	8	18	20	20
20-34	6	9.0	112	1	1	5	12	27	29	29
35-49	18	6.1	52	2	2	3	6	14	24	31
50-64	55	10.6	64	2	2	9	15	21	27	38
65+	121	13.1	86	2	3	11	16	26	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	8.0	74	1	2	6	9	15	21	56
20-34	408	8.5	58	2	3	6	10	16	21	47
35-49	2858	8.6	42	2	3	7	11	16	20	33
50-64	19139	9.4	50	3	3	8	12	17	22	36
65+	69053	10.9	75	3	4	9	14	20	27	47
B. *Operated*										
0-19 YRS	61	11.0	183	2	2	6	15	26	39	67
20-34	106	11.4	151	<1	1	7	13	26	33	64
35-49	434	13.0	111	2	2	10	17	25	35	54
50-64	2246	16.4	168	2	4	13	21	34	45	74
65+	8230	19.5	192	5	7	16	25	38	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7165	7.8	37	2	3	6	10	14	18	32
B. *Operated*	207	11.4	81	2	2	10	16	23	30	39
2. MULTIPLE DX										
A. *Not Operated*	111830	10.6	70	3	4	8	13	20	26	46
B. *Operated*	11077	18.5	187	4	6	15	24	36	48	84
1. SINGLE DX	7372	7.9	38	2	3	6	10	15	19	33
2. MULTIPLE DX	122907	11.3	86	3	4	9	14	21	29	52
A. NOT OPERATED	118995	10.4	68	3	4	8	13	19	26	45
B. OPERATED	11284	18.3	186	4	6	15	23	36	48	83
TOTAL 0-19 YRS	480	8.1	84	1	2	6	9	16	21	62
20-34	567	8.8	75	1	2	7	11	17	23	52
35-49	3511	9.1	52	2	3	7	11	17	22	38
50-64	22596	10.0	66	2	3	8	12	19	25	44
65+	103125	11.5	88	3	4	9	14	22	29	53
GRAND TOTAL	130279	11.1	84	3	4	9	14	21	28	51

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	4.8	16	1	1	4	6	10	12	22
20-34	1059	4.7	13	1	1	4	6	9	11	20
35-49	1085	5.1	18	1	2	4	6	9	12	22
50-64	1097	6.2	28	2	2	5	8	12	15	24
65+	761	7.2	37	2	2	6	9	13	18	29
B. *Operated*										
0-19 YRS	185	3.9	22	1	2	2	3	10	12	19
20-34	327	5.8	29	1	2	3	8	13	15	31
35-49	823	5.5	30	2	2	3	8	13	17	23
50-64	1389	6.3	48	2	2	3	9	15	19	34
65+	739	7.9	65	2	2	4	13	18	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	408	6.3	34	1	2	5	8	13	16	36
20-34	1808	6.6	36	1	2	5	8	13	16	33
35-49	3234	7.1	36	2	2	6	9	13	17	30
50-64	6702	8.5	50	2	3	7	11	16	21	37
65+	10415	10.0	67	2	3	8	12	19	25	42
B. *Operated*										
0-19 YRS	214	7.5	78	1	2	3	11	16	26	45
20-34	570	9.7	105	2	2	7	13	21	31	50
35-49	1753	8.7	82	2	2	6	12	19	25	47
50-64	4644	10.1	99	2	2	8	14	22	28	53
65+	4255	13.6	147	2	2	11	18	29	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4294	5.6	23	1	2	4	7	11	14	24
B. *Operated*	3463	6.3	45	2	2	3	9	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	22567	8.8	56	2	3	7	11	17	22	39
B. *Operated*	11436	11.1	118	2	2	9	15	24	32	56
1. SINGLE DX	7757	5.9	33	1	2	4	8	13	17	27
2. MULTIPLE DX	34003	9.6	78	2	2	7	12	20	26	48
A. NOT OPERATED	26861	8.3	52	2	2	6	10	16	21	37
B. OPERATED	14899	10.0	105	2	2	7	14	22	29	52
TOTAL 0-19 YRS	1099	5.7	37	1	2	4	7	12	16	37
20-34	3764	6.5	42	1	2	5	8	13	17	34
35-49	6895	7.0	46	2	2	5	9	14	19	34
50-64	13832	8.6	66	2	2	6	11	18	23	40
65+	16170	10.7	90	2	2	8	14	22	28	50
GRAND TOTAL	41760	8.9	72	2	2	7	12	18	25	43

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	26	6.2	24	1	2	5	7	14	19	21
50-64	96	5.8	15	1	2	5	7	11	14	19
65+	189	7.3	39	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	31	3.6	10	2	2	2	3	10	11	12
50-64	105	5.1	34	1	2	3	6	12	17	31
65+	56	7.5	38	2	2	5	11	16	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	10.0	123	1	2	7	11	18	37	51
20-34	25	6.6	25	2	3	4	9	13	17	22
35-49	392	6.2	21	1	2	5	9	12	14	24
50-64	1994	7.7	40	2	2	6	10	15	18	33
65+	7480	9.9	80	2	3	8	12	19	25	52
B. *Operated*										
0-19 YRS	5	9.4	96	2	2	3	19	22	22	22
20-34	17	6.2	38	2	2	3	11	14	20	23
35-49	204	7.3	70	2	2	4	10	15	23	44
50-64	804	9.2	83	2	2	7	12	19	25	50
65+	1300	14.7	150	2	3	12	19	29	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	6.7	31	1	2	5	8	13	17	32
B. *Operated*	196	5.5	33	2	2	3	8	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	9910	9.3	70	2	3	7	11	18	23	49
B. *Operated*	2330	12.0	128	2	2	10	16	25	34	58
1. SINGLE DX	510	6.2	32	1	2	4	8	13	17	28
2. MULTIPLE DX	12240	9.8	82	2	3	7	12	19	26	51
A. NOT OPERATED	10224	9.2	69	2	3	7	11	17	23	49
B. OPERATED	2526	11.5	123	2	2	9	15	24	33	57
TOTAL 0-19 YRS	26	9.5	107	1	2	6	11	19	28	51
20-34	47	6.0	28	2	2	4	9	13	17	23
35-49	653	6.5	36	2	2	5	9	13	16	31
50-64	2999	7.9	51	2	2	6	10	16	20	39
65+	9025	10.5	92	2	3	8	13	21	28	54
GRAND TOTAL	12750	9.7	81	2	2	7	12	19	26	50

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	6	<1	<1	1	4	6	7	7
20-34	23	5.4	72	<1	1	2	6	12	29	37
35-49	31	6.5	52	<1	<1	2	12	19	25	99+
50-64	64	7.1	77	<1	<1	3	10	20	27	37
65+	28	16.0	241	1	1	11	23	39	51	58
B. *Operated*										
0-19 YRS	15	12.1	44	2	3	15	15	21	22	22
20-34	107	16.9	146	2	3	15	21	31	43	85
35-49	139	19.7	208	2	5	18	24	34	44	89
50-64	170	20.8	216	3	7	18	26	41	48	73
65+	33	24.1	235	3	7	22	25	45	67	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	9.2	74	<1	1	6	12	22	29	31
20-34	14	8.0	34	1	2	6	10	18	20	20
35-49	42	15.5	298	1	2	8	18	39	54	74
50-64	61	14.0	282	1	2	9	17	29	44	86
65+	148	21.0	259	2	4	18	30	43	53	99+
B. *Operated*										
0-19 YRS	15	26.7	254	7	7	29	41	48	50	51
20-34	86	19.8	182	4	6	18	25	37	50	99+
35-49	192	29.1	329	6	10	27	43	57	78	99+
50-64	298	30.6	352	7	10	27	47	71	99+	99+
65+	184	35.8	443	10	14	31	54	73	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	8.2	111	<1	<1	3	12	24	34	58
B. *Operated*	464	19.5	197	2	5	17	24	36	46	85
2. MULTIPLE DX										
A. *Not Operated*	278	17.4	265	1	2	13	25	40	49	93
B. *Operated*	775	30.2	366	6	10	27	44	67	85	99+
1. SINGLE DX	617	16.7	200	1	2	14	23	34	44	78
2. MULTIPLE DX	1053	26.8	371	3	6	23	39	61	79	99+
A. NOT OPERATED	431	14.1	230	<1	1	9	20	36	45	88
B. OPERATED	1239	26.2	329	4	8	22	36	56	76	99+
TOTAL 0-19 YRS	50	14.4	178	1	1	12	20	36	45	51
20-34	230	16.3	165	2	2	14	22	34	43	99+
35-49	404	22.7	310	2	3	19	33	51	67	99+
50-64	593	23.5	341	2	3	20	33	56	74	99+
65+	393	27.8	398	2	6	23	39	62	76	99+
GRAND TOTAL	1670	23.1	331	2	3	19	33	53	71	99+

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	34.8	521	4	4	36	50	65	65	65
50-64	5	18.6	470	4	4	10	23	57	57	57
65+	9	28.3	478	6	8	20	37	66	72	72
B. *Operated*										
0-19 YRS	1	10.0		10	10	55	99+	99+	99+	99+
20-34	8	34.0	629	13	13	31	53	96	99+	99+
35-49	17	41.1	393	7	20	40	57	66	72	75
50-64	31	57.6	539	31	35	55	92	99+	99+	99+
65+	16	44.4	719	7	16	51	84	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	26.3	472	4	4	19	40	61	68	72
B. *Operated*	73	47.6	619	12	20	51	81	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	93	43.1	659	4	12	45	67	99+	99+	99+
A. NOT OPERATED	20	26.3	472	4	4	19	40	61	68	72
B. OPERATED	73	47.6	619	12	20	51	81	99+	99+	99+
TOTAL 0-19 YRS	1	10.0		10	10	55	99+	99+	99+	99+
20-34	9	30.7	650	4	8	28	41	95	99+	99+
35-49	22	39.6	406	3	14	39	56	65	70	75
50-64	36	52.2	703	7	11	55	91	99+	99+	99+
65+	25	38.6	670	5	13	35	66	99	99+	99+
GRAND TOTAL	93	43.1	659	4	12	45	67	99+	99+	99+

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	11.3	185	<1	<1	4	17	35	40	41
20-34	21	6.2	60	<1	<1	4	7	14	25	34
35-49	29	6.9	38	<1	1	5	8	18	19	22
50-64	70	11.5	197	<1	1	6	16	39	50	91
65+	199	13.5	144	1	2	10	18	30	38	99+
B. *Operated*										
0-19 YRS	28	14.1	105	3	4	13	19	24	27	54
20-34	54	16.6	194	2	6	14	23	31	40	99+
35-49	86	15.4	189	3	4	12	20	27	39	80
50-64	176	16.8	198	4	6	13	19	33	47	87
65+	292	16.3	166	4	6	13	20	32	46	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.1	30	1	1	4	10	15	17	18
20-34	29	14.6	262	3	3	7	18	42	54	66
35-49	105	17.7	247	2	3	14	25	42	59	99+
50-64	308	16.9	245	2	4	12	23	36	48	93
65+	959	19.1	228	3	5	15	25	39	50	95
B. *Operated*										
0-19 YRS	53	19.1	289	3	5	16	22	34	58	96
20-34	67	22.5	362	5	7	18	31	77	99+	99+
35-49	141	22.2	303	4	7	18	30	53	91	99+
50-64	340	25.1	344	6	8	20	35	58	75	99+
65+	664	26.7	322	7	9	21	37	57	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	11.9	147	<1	1	9	17	28	39	99+
B. *Operated*	636	16.3	177	4	5	13	20	31	44	93
2. MULTIPLE DX										
A. *Not Operated*	1431	18.1	233	2	4	14	24	39	50	95
B. *Operated*	1265	25.2	330	6	8	20	34	58	76	99+
1. SINGLE DX	968	14.8	171	1	3	11	19	30	42	94
2. MULTIPLE DX	2696	21.5	291	3	5	17	29	48	64	99+
A. NOT OPERATED	1763	17.0	223	2	3	13	23	37	49	95
B. OPERATED	1901	22.2	297	5	7	17	30	50	68	99+
TOTAL 0-19 YRS	124	14.0	197	1	2	11	18	26	39	73
20-34	171	17.3	279	1	3	14	23	40	79	99+
35-49	361	18.0	255	2	3	14	25	40	61	99+
50-64	894	19.5	289	3	4	15	26	45	60	99+
65+	2114	20.6	261	4	6	16	27	45	58	99+
GRAND TOTAL	3664	19.7	268	3	5	15	26	44	60	99+

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	3	16.3	177	5	5	13	26	31	31	31
35-49	22	22.9	381	3	5	20	32	55	90	99+
50-64	100	28.6	390	7	9	25	39	66	86	99+
65+	347	25.6	245	6	9	22	34	48	62	99+
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	19	32.5	711	4	7	20	54	71	84	93
35-49	30	29.3	427	8	10	27	48	99+	99+	99+
50-64	74	35.5	513	8	10	33	59	80	99+	99+
65+	127	38.1	534	8	14	34	52	79	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	473	26.0	282	6	8	23	34	49	68	99+
B. Operated	251	35.8	529	8	11	32	54	79	97	99+
1. SINGLE DX										
2. MULTIPLE DX	724	29.4	388	7	9	25	40	64	84	99+
A. NOT OPERATED	473	26.0	282	6	8	23	34	49	68	99+
B. OPERATED	251	35.8	529	8	11	32	54	79	97	99+
TOTAL 0-19 YRS	2	18.5	1	18	18	18	19	19	19	19
20-34	22	30.3	659	4	6	19	48	68	82	93
35-49	52	26.6	410	5	8	23	45	93	99+	99+
50-64	174	31.6	451	8	10	28	45	73	93	99+
65+	474	29.0	352	7	10	25	37	58	77	99+
GRAND TOTAL	**724**	**29.4**	**388**	**7**	**9**	**25**	**40**	**64**	**84**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	8	4.9	20	<1	<1	3	8	12	13	13
35-49	24	5.4	20	1	1	3	8	11	16	17
50-64	119	4.8	33	1	1	3	5	10	16	33
65+	214	5.5	47	1	2	4	7	10	15	45
B. Operated										
0-19 YRS	11	6.5	6	2	3	7	9	10	10	10
20-34	27	7.3	46	1	1	6	7	20	23	23
35-49	276	7.3	32	1	2	6	10	14	17	30
50-64	2274	7.5	33	2	2	6	10	14	18	28
65+	3275	7.5	27	2	2	6	9	14	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.7	11	3	3	7	10	10	10	10
20-34	16	10.6	253	<1	1	4	10	31	52	61
35-49	64	6.8	103	2	2	5	7	11	14	73
50-64	477	7.1	54	1	2	5	9	14	17	36
65+	1203	8.8	71	2	2	7	11	17	28	48
B. Operated										
0-19 YRS	13	10.0	24	3	4	11	14	16	17	17
20-34	35	11.8	216	2	2	8	13	26	36	80
35-49	467	9.9	87	2	2	8	13	19	26	47
50-64	4453	9.7	66	2	2	8	12	19	24	42
65+	7269	10.9	82	2	3	8	14	21	27	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	365	5.2	40	1	2	3	6	10	15	37
B. Operated	5863	7.5	30	2	2	6	9	14	18	26
2. MULTIPLE DX										
A. Not Operated	1766	8.3	69	2	2	6	10	16	22	44
B. Operated	12237	10.4	77	2	3	8	13	20	26	45
1. SINGLE DX	6228	7.3	31	2	2	6	9	14	17	27
2. MULTIPLE DX	14003	10.1	77	2	2	8	13	20	26	45
A. NOT OPERATED	2131	7.7	66	1	2	6	10	15	21	43
B. OPERATED	18100	9.5	64	2	2	7	12	18	24	41
TOTAL 0-19 YRS	30	8.1	17	3	3	7	10	14	16	17
20-34	86	9.5	153	1	2	6	10	23	32	73
35-49	831	8.7	70	2	2	7	11	16	21	43
50-64	7323	8.8	56	2	2	7	11	17	22	37
65+	11961	9.6	68	2	2	8	12	19	24	44
GRAND TOTAL	**20231**	**9.3**	**64**	**2**	**2**	**7**	**12**	**18**	**23**	**42**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	72.0		72	72	72	72	72	72	72
35-49	7	21.7	217	3	4	22	27	44	48	48
50-64	48	15.3	208	2	3	12	19	38	51	60
65+	106	17.1	211	2	4	13	23	38	50	87
B. *Operated*										
0-19 YRS										
20-34	4	20.3	261	3	3	21	34	35	35	35
35-49	40	18.2	218	3	5	13	26	38	56	60
50-64	206	16.9	259	2	3	12	21	38	52	85
65+	360	19.1	232	2	4	15	27	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	162	17.1	227	2	3	13	22	38	50	76
B. *Operated*	610	18.3	240	2	4	14	25	40	55	99+
1. SINGLE DX										
2. MULTIPLE DX	772	18.0	237	2	4	13	25	40	55	99+
A. NOT OPERATED	162	17.1	227	2	3	13	22	38	50	76
B. OPERATED	610	18.3	240	2	4	14	25	40	55	99+
TOTAL 0-19 YRS										
20-34	5	30.6	731	3	3	33	44	72	72	72
35-49	47	18.7	215	3	5	13	26	40	56	60
50-64	254	16.6	249	2	3	12	21	38	52	83
65+	466	18.6	227	2	4	15	26	41	56	99+
GRAND TOTAL	**772**	**18.0**	**237**	**2**	**4**	**13**	**25**	**40**	**55**	**99+**

158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.4	2	1	1	3	4	6	6	6
20-34	25	6.8	16	1	2	6	9	13	14	16
35-49	91	10.2	100	2	3	7	11	26	35	49
50-64	406	10.3	99	2	3	7	12	20	32	64
65+	1035	12.2	121	3	3	9	15	26	34	66
B. *Operated*										
0-19 YRS	11	6.8	34	1	1	4	11	16	17	17
20-34	24	10.5	69	2	2	9	16	20	26	34
35-49	81	9.1	60	2	2	8	11	17	20	46
50-64	140	9.7	64	2	2	7	13	21	28	36
65+	144	12.3	206	2	2	8	14	23	49	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	10.2	81	2	2	6	14	25	29	34
20-34	71	9.3	98	2	3	7	11	16	22	66
35-49	389	12.0	124	2	3	9	14	28	39	91
50-64	2299	12.9	137	3	4	9	16	25	39	80
65+	8673	15.8	173	4	5	12	20	33	46	91
B. *Operated*										
0-19 YRS	11	14.0	153	3	3	11	17	33	45	46
20-34	49	14.6	195	2	3	9	17	34	54	99+
35-49	184	16.0	271	3	4	10	19	36	58	96
50-64	761	16.0	218	2	4	12	21	37	54	99+
65+	1302	21.3	308	3	6	16	30	52	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1566	11.4	113	2	3	8	14	24	33	62
B. *Operated*	400	10.5	115	2	2	8	13	21	32	60
2. MULTIPLE DX										
A. *Not Operated*	11474	15.0	165	3	4	11	19	31	44	88
B. *Operated*	2307	18.9	279	3	4	14	25	47	65	99+
1. SINGLE DX	1966	11.2	114	2	3	8	14	23	33	61
2. MULTIPLE DX	13781	15.7	186	3	4	12	20	34	48	99+
A. NOT OPERATED	13040	14.6	160	3	4	11	18	31	42	85
B. OPERATED	2707	17.7	264	2	4	13	23	43	61	99+
TOTAL 0-19 YRS	73	9.4	82	1	2	6	13	24	27	43
20-34	169	10.6	116	2	2	7	13	21	34	71
35-49	745	12.5	155	2	3	9	14	28	42	80
50-64	3606	13.1	150	3	3	9	16	27	41	88
65+	11154	16.0	189	3	4	12	20	35	49	99+
GRAND TOTAL	**15747**	**15.1**	**179**	**3**	**4**	**11**	**19**	**33**	**46**	**94**

159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	21.0	259	5	5	16	30	46	57	57
20-34	25	14.8	130	3	4	11	20	28	36	54
35-49	111	13.8	92	3	4	11	19	27	34	44
50-64	894	19.1	233	4	5	15	25	42	56	95
65+	3786	20.9	235	5	6	17	28	43	57	99+
B. *Operated*										
0-19 YRS	4	8.3	9	4	4	9	10	11	11	11
20-34	12	11.9	123	2	2	10	19	52	91	99+
35-49	42	19.0	165	3	5	16	32	36	41	50
50-64	208	24.0	408	4	7	17	33	63	87	99+
65+	477	28.8	359	8	10	24	39	61	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4826	20.4	232	5	6	16	27	42	56	99+
B. *Operated*	743	26.5	369	5	8	22	37	60	80	99+
1. SINGLE DX										
2. MULTIPLE DX	5569	21.2	255	5	6	17	28	44	60	99+
A. NOT OPERATED	4826	20.4	232	5	6	16	27	42	56	99+
B. OPERATED	743	26.5	369	5	8	22	37	60	80	99+
TOTAL 0-19 YRS	14	17.4	217	4	5	13	22	37	53	57
20-34	37	13.8	126	2	3	11	19	29	48	99+
35-49	153	15.2	116	3	4	11	20	33	37	44
50-64	1102	20.0	270	4	5	15	27	44	63	99+
65+	4263	21.8	255	5	7	18	29	45	60	99+
GRAND TOTAL	5569	21.2	255	5	6	17	28	44	60	99+

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.0	10	1	2	3	4	7	12	14
20-34	126	4.3	10	1	1	3	5	9	11	16
35-49	437	4.2	8	1	1	4	6	8	9	14
50-64	1510	4.6	10	1	2	4	6	9	11	16
65+	4017	5.2	20	1	2	4	7	9	12	20
B. *Operated*										
0-19 YRS	6	3.7	13	1	1	3	5	9	10	10
20-34	37	5.4	15	2	2	4	7	11	14	19
35-49	255	5.1	14	1	2	4	7	10	12	18
50-64	918	5.3	14	1	2	4	7	11	13	17
65+	958	5.9	27	1	2	4	8	11	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.2	10	2	3	5	8	11	12	16
20-34	195	4.9	10	1	1	4	7	10	11	16
35-49	1098	5.9	17	1	2	5	7	11	13	21
50-64	6049	6.3	23	2	2	5	8	12	14	22
65+	27863	8.0	52	2	3	6	10	15	20	39
B. *Operated*										
0-19 YRS	6	9.7	34	2	2	11	14	16	16	16
20-34	53	9.4	83	2	2	7	10	18	24	55
35-49	460	7.7	37	2	2	6	10	15	19	30
50-64	2727	8.7	48	2	2	7	11	16	21	34
65+	4895	11.8	108	2	3	9	15	23	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6104	4.9	16	1	2	4	6	9	11	18
B. *Operated*	2174	5.5	20	1	2	4	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	35252	7.6	44	2	2	6	9	14	19	36
B. *Operated*	8141	10.5	86	2	3	8	13	21	27	53
1. SINGLE DX	8278	5.1	17	1	2	4	7	10	12	19
2. MULTIPLE DX	43393	8.2	55	2	2	6	10	15	21	40
A. NOT OPERATED	41356	7.2	43	2	2	6	9	14	18	34
B. OPERATED	10315	9.4	76	2	2	7	12	19	25	50
TOTAL 0-19 YRS	73	5.9	14	1	2	5	7	12	14	16
20-34	411	5.3	22	1	2	4	7	10	13	21
35-49	2250	5.8	20	1	2	5	8	11	14	22
50-64	11204	6.6	28	2	2	5	8	12	16	26
65+	37733	8.1	58	2	2	6	10	15	21	42
GRAND TOTAL	51671	7.7	50	2	2	6	9	15	19	37

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.6	21	1	2	4	8	12	14	21
20-34	46	7.9	73	1	1	6	9	18	28	99+
35-49	221	9.1	106	1	1	5	11	20	29	56
50-64	966	10.7	114	2	2	8	13	22	33	57
65+	3900	12.7	136	2	3	9	16	27	38	72
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	26	7.6	45	1	2	6	10	18	25	25
35-49	74	9.9	72	2	2	7	12	22	30	38
50-64	272	10.3	118	2	2	7	12	23	34	54
65+	329	14.5	209	2	2	11	18	32	40	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	10.5	109	2	2	8	13	18	24	59
20-34	108	9.1	96	1	2	6	11	20	33	99+
35-49	630	12.1	123	2	3	9	15	25	36	61
50-64	4502	13.4	156	3	4	10	17	28	40	84
65+	22864	15.8	177	3	5	12	20	33	45	94
B. *Operated*										
0-19 YRS	12	14.9	294	<1	1	9	22	44	53	55
20-34	54	13.0	119	2	2	9	17	28	33	51
35-49	246	16.6	239	2	4	11	20	41	55	99+
50-64	1042	17.4	235	3	5	13	22	40	60	99+
65+	2925	23.4	327	4	7	18	32	55	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5162	12.1	131	2	3	9	15	25	36	67
B. *Operated*	705	12.1	158	2	2	8	15	27	37	75
2. MULTIPLE DX										
A. *Not Operated*	28168	15.3	173	3	4	12	19	32	44	91
B. *Operated*	4279	21.4	306	4	6	16	29	51	70	99+
1. SINGLE DX	5867	12.1	134	2	3	9	15	26	36	68
2. MULTIPLE DX	32447	16.1	195	3	4	12	21	34	48	99+
A. NOT OPERATED	33330	14.8	168	3	4	11	19	31	43	88
B. OPERATED	4984	20.0	295	3	5	15	27	48	66	99+
TOTAL 0-19 YRS	109	9.3	109	1	2	6	12	18	24	59
20-34	234	9.6	94	1	2	6	12	24	31	99+
35-49	1171	12.3	147	2	3	9	15	27	41	69
50-64	6782	13.5	164	2	3	10	17	29	41	86
65+	30018	16.1	193	3	4	12	21	34	48	99
GRAND TOTAL	38314	15.5	187	3	4	11	20	33	46	96

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	21.2	301	2	4	13	30	47	60	80
20-34	27	15.3	455	1	2	8	14	36	76	92
35-49	283	18.9	298	3	4	14	22	44	87	81
50-64	1913	19.6	286	4	5	14	26	44	61	99+
65+	8918	20.2	240	4	6	16	26	42	56	99+
B. *Operated*										
0-19 YRS	4	30.3	212	22	22	24	30	52	52	52
20-34	17	21.4	292	4	7	15	31	63	87	99+
35-49	88	24.7	388	3	7	19	38	73	97	99+
50-64	322	27.6	486	4	6	22	42	75	99	99+
65+	1042	29.7	387	7	9	26	42	66	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11164	20.0	251	4	6	16	26	42	57	99+
B. *Operated*	1473	28.8	409	6	8	24	41	68	94	99+
1. SINGLE DX										
2. MULTIPLE DX	12637	21.0	277	4	6	16	28	46	63	99+
A. NOT OPERATED	11164	20.0	251	4	6	16	26	42	57	99+
B. OPERATED	1473	28.8	409	6	8	24	41	68	94	99+
TOTAL 0-19 YRS	27	22.6	358	3	5	21	30	49	56	80
20-34	44	17.6	393	2	2	11	24	50	78	99+
35-49	371	20.3	324	3	4	15	26	48	87	99+
50-64	2235	20.7	323	4	5	15	28	48	68	99+
65+	9960	21.2	264	4	6	17	28	45	61	99+
GRAND TOTAL	12637	21.0	277	4	6	16	28	46	63	99+

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.2	17	1	1	4	8	12	13	13
20-34	75	5.8	95	1	1	4	6	9	13	68
35-49	218	5.7	63	1	2	4	6	10	17	51
50-64	444	5.7	32	1	2	4	7	10	14	31
65+	1254	7.0	41	1	2	5	9	13	19	41
B. *Operated*										
0-19 YRS	25	8.3	60	1	2	5	12	21	24	31
20-34	74	12.0	157	2	2	10	16	24	32	75
35-49	168	9.9	127	1	2	5	14	24	31	56
50-64	476	8.2	78	2	2	5	10	18	26	44
65+	599	6.9	55	2	2	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	8.5	214	1	1	4	7	17	26	94
20-34	209	6.8	89	1	2	5	7	11	18	73
35-49	808	8.1	73	2	2	6	9	15	22	53
50-64	2907	9.5	89	2	3	7	11	18	27	55
65+	16057	11.1	113	2	3	8	13	22	32	70
B. *Operated*										
0-19 YRS	22	12.0	91	2	2	11	17	24	32	41
20-34	98	12.6	151	2	2	9	15	28	37	66
35-49	310	15.5	294	2	2	9	19	44	68	99+
50-64	1300	12.4	174	2	2	9	15	26	37	95
65+	2785	15.0	197	2	3	11	20	34	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2011	6.5	43	1	2	5	8	12	18	41
B. *Operated*	1342	8.1	79	2	2	5	10	18	24	45
2. MULTIPLE DX										
A. *Not Operated*	20032	10.7	109	2	3	8	13	21	31	68
B. *Operated*	4515	14.2	197	2	3	10	18	32	46	99+
1. SINGLE DX	3353	7.2	58	1	2	5	9	15	20	42
2. MULTIPLE DX	24547	11.4	127	2	3	8	14	24	34	79
A. NOT OPERATED	22043	10.3	104	2	3	7	12	21	30	65
B. OPERATED	5857	12.8	177	2	2	9	17	29	41	96
TOTAL 0-19 YRS	118	8.5	127	1	2	5	12	17	25	62
20-34	456	8.7	122	1	2	5	10	18	29	70
35-49	1504	9.5	133	2	2	6	11	19	33	73
50-64	5127	9.8	108	2	2	7	12	20	29	66
65+	20695	11.3	122	2	3	8	14	23	34	76
GRAND TOTAL	**27900**	**10.8**	**121**	**2**	**3**	**8**	**13**	**23**	**33**	**74**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	15	4.1	11	2	2	2	5	11	12	12
50-64	69	3.7	12	1	1	3	4	7	11	18
65+	211	6.5	95	1	1	4	7	12	15	66
B. *Operated*										
0-19 YRS	2	4.5	25	<1	<1	4	8	8	8	8
20-34	17	4.6	12	1	2	3	6	11	12	12
35-49	164	7.3	41	1	2	5	11	15	20	30
50-64	697	7.6	39	1	2	6	11	16	19	28
65+	777	8.8	64	1	2	7	13	18	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	106	3	3	10	15	29	29	29
20-34	7	4.1	9	1	1	3	7	9	9	9
35-49	76	7.2	45	1	2	5	9	15	21	38
50-64	655	7.3	44	1	2	6	9	14	20	32
65+	4104	10.3	94	2	3	8	13	20	29	67
B. *Operated*										
0-19 YRS	16	9.9	38	2	2	11	14	19	20	20
20-34	60	8.9	98	1	2	7	10	18	35	48
35-49	511	12.2	140	2	2	10	15	26	35	63
50-64	3010	13.5	180	2	2	10	17	29	42	83
65+	5763	18.3	251	2	3	14	24	40	55	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	5.7	72	1	1	4	6	11	15	47
B. *Operated*	1657	8.1	51	1	2	6	12	17	22	32
2. MULTIPLE DX										
A. *Not Operated*	4847	9.8	87	2	3	7	12	20	28	58
B. *Operated*	9360	16.3	227	2	2	12	21	36	50	91
1. SINGLE DX	1956	7.7	55	1	2	5	11	16	21	33
2. MULTIPLE DX	14207	14.1	189	2	2	10	18	32	45	85
A. NOT OPERATED	5146	9.6	87	2	2	7	12	19	27	58
B. OPERATED	11017	15.1	210	2	2	11	19	34	48	86
TOTAL 0-19 YRS	24	9.5	49	1	2	9	13	20	23	29
20-34	87	7.4	75	1	2	5	9	14	21	47
35-49	766	10.5	113	2	2	8	14	22	30	60
50-64	4431	11.5	144	1	2	9	15	24	34	72
65+	10855	14.4	193	2	3	11	18	32	45	86
GRAND TOTAL	**16163**	**13.3**	**177**	**2**	**2**	**10**	**17**	**30**	**42**	**81**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	6	4.7	32	1	1	3	4	15	16	16
50-64	63	4.0	10	<1	1	3	5	10	11	15
65+	214	4.6	16	1	1	4	6	9	13	21
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	8	7.4	18	2	2	8	10	12	13	13
35-49	27	10.3	43	2	2	10	13	19	22	29
50-64	585	11.1	29	2	3	11	13	17	20	29
65+	1284	12.8	56	2	3	12	16	21	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	19.0	450	4	4	19	34	34	34	34
35-49	11	3.4	10	<1	<1	2	6	8	10	10
50-64	194	6.4	49	1	2	5	8	14	17	29
65+	1302	8.0	56	1	2	6	10	16	22	40
B. *Operated*										
0-19 YRS	11	23.5	631	2	6	16	18	72	79	80
20-34	34	16.7	217	2	2	15	24	44	58	99+
35-49	82	13.6	191	2	2	10	15	25	54	64
50-64	1743	14.7	113	2	5	12	17	25	34	71
65+	4563	17.2	147	3	6	14	21	31	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	4.5	15	<1	1	3	6	9	12	20
B. *Operated*	1906	12.3	48	2	3	12	15	20	24	36
2. MULTIPLE DX										
A. *Not Operated*	1512	7.8	56	1	2	6	10	15	21	40
B. *Operated*	6433	16.5	141	2	5	14	20	29	39	74
1. SINGLE DX	2193	11.2	51	2	2	11	15	19	23	35
2. MULTIPLE DX	7945	14.8	136	2	3	13	18	27	36	71
A. NOT OPERATED	1799	7.3	51	1	2	5	9	15	20	37
B. OPERATED	8339	15.5	123	2	5	13	18	27	35	69
TOTAL 0-19 YRS	17	16.6	490	1	1	10	16	56	75	80
20-34	47	14.3	191	2	2	11	19	40	52	99+
35-49	126	11.6	147	1	2	10	13	21	33	63
50-64	2585	13.0	95	2	3	11	16	22	29	61
65+	7363	14.4	126	2	3	12	18	26	35	65
GRAND TOTAL	**10138**	**14.0**	**120**	**2**	**3**	**12**	**17**	**25**	**33**	**64**

166: Aneurysm, except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	5	2.6	5	<1	<1	1	4	6	6	6
50-64	20	6.4	64	<1	1	4	7	16	28	34
65+	23	3.8	10	<1	<1	3	5	7	10	14
B. *Operated*										
0-19 YRS	13	3.9	16	<1	1	2	5	11	12	12
20-34	56	6.9	34	2	2	5	10	15	19	29
35-49	123	10.8	82	2	2	8	16	21	28	48
50-64	283	9.9	78	2	2	8	12	18	23	47
65+	293	10.5	59	2	2	9	13	21	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	5.9	47	<1	<1	3	8	18	22	22
50-64	34	8.2	79	1	2	5	9	23	31	38
65+	105	6.9	38	1	2	6	9	12	16	36
B. *Operated*										
0-19 YRS	14	6.7	24	1	2	5	9	13	16	17
20-34	62	10.5	97	1	2	9	14	22	26	57
35-49	162	14.6	191	2	2	11	18	33	46	85
50-64	526	14.0	149	2	3	11	17	30	36	61
65+	762	15.9	183	2	3	12	20	33	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.7	31	<1	<1	3	6	8	14	34
B. *Operated*	768	9.9	68	2	2	8	13	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	151	7.1	48	1	1	5	9	12	22	38
B. *Operated*	1526	14.8	169	2	3	11	18	32	40	66
1. SINGLE DX	819	9.6	68	2	2	8	12	19	24	41
2. MULTIPLE DX	1677	14.1	163	2	2	11	17	30	39	65
A. NOT OPERATED	202	6.5	44	1	1	5	8	12	22	36
B. OPERATED	2294	13.2	141	2	2	11	16	26	36	62
TOTAL 0-19 YRS	27	5.4	21	1	1	3	9	12	14	17
20-34	122	8.6	69	1	2	6	11	19	23	39
35-49	301	12.5	145	1	2	10	17	25	36	68
50-64	863	12.2	126	2	2	10	15	24	34	54
65+	1183	13.5	148	2	2	11	17	28	37	63
GRAND TOTAL	**2496**	**12.6**	**136**	**2**	**2**	**10**	**16**	**26**	**35**	**60**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.1	8	2	2	6	8	10	10	10
20-34	34	8.4	25	1	2	8	11	14	19	21
35-49	61	5.7	18	1	2	5	7	11	16	19
50-64	142	5.8	31	1	1	3	8	13	17	27
65+	186	6.7	48	1	1	5	9	14	16	21
B. *Operated*										
0-19 YRS	16	5.9	30	1	2	4	7	11	19	23
20-34	116	7.2	27	1	2	6	11	14	18	22
35-49	575	8.2	45	2	2	8	11	14	20	33
50-64	1817	8.9	39	1	2	9	12	16	19	29
65+	1906	10.3	62	2	2	9	14	19	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.7	19	1	2	5	9	13	14	14
20-34	39	9.2	64	3	3	7	11	16	19	49
35-49	124	7.1	21	1	2	6	10	14	16	18
50-64	329	7.8	44	1	2	6	10	16	21	30
65+	862	9.6	68	1	2	8	13	18	23	41
B. *Operated*										
0-19 YRS	29	11.5	100	2	3	10	13	22	32	51
20-34	127	13.6	151	2	2	10	16	31	41	80
35-49	929	12.6	109	2	2	11	15	23	32	60
50-64	4457	13.5	127	2	3	11	17	25	35	73
65+	6587	16.3	172	2	3	13	21	32	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	6.4	36	1	1	5	9	13	16	23
B. *Operated*	4430	9.4	50	1	2	9	13	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	1361	8.9	58	1	2	7	12	17	21	39
B. *Operated*	12129	14.9	152	2	3	12	19	29	40	77
1. SINGLE DX	4860	9.1	50	1	2	8	12	17	21	34
2. MULTIPLE DX	13490	14.3	146	2	3	12	18	28	39	74
A. NOT OPERATED	1791	8.3	54	1	2	7	11	16	20	37
B. OPERATED	16559	13.4	131	2	2	11	17	26	36	69
TOTAL 0-19 YRS	59	8.8	66	2	2	8	11	16	24	49
20-34	316	10.2	90	1	2	9	12	20	29	52
35-49	1689	10.5	83	2	2	9	13	20	26	50
50-64	6745	11.8	103	2	2	10	15	22	29	61
65+	9541	14.3	147	2	3	12	18	29	39	72
GRAND TOTAL	**18350**	**12.9**	**126**	**2**	**2**	**11**	**16**	**25**	**35**	**67**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	6.1	18	1	2	5	8	11	13	19
20-34	153	5.0	30	1	2	4	6	9	12	32
35-49	200	5.3	22	1	1	4	7	10	15	25
50-64	329	5.7	50	1	1	4	7	12	15	32
65+	401	5.6	29	1	1	4	7	11	15	30
B. *Operated*										
0-19 YRS	77	5.8	39	<1	1	3	9	15	18	30
20-34	228	6.2	42	1	1	4	8	13	20	30
35-49	521	6.9	78	1	1	5	9	13	19	49
50-64	1388	7.7	69	1	2	5	11	16	20	44
65+	1518	8.7	76	1	2	6	12	18	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	7.7	47	2	2	6	10	17	21	36
20-34	258	6.5	32	1	2	5	9	13	16	34
35-49	438	6.9	40	1	2	5	8	13	18	33
50-64	1192	6.9	40	1	2	5	9	14	19	31
65+	2665	9.9	86	2	2	7	12	20	27	57
B. *Operated*										
0-19 YRS	82	6.7	119	<1	<1	3	7	17	24	67
20-34	312	9.7	135	<1	2	6	12	22	33	69
35-49	899	10.7	118	2	2	8	14	23	33	66
50-64	3491	13.1	177	2	2	10	17	28	41	80
65+	5943	16.5	231	2	3	12	21	38	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1317	5.6	31	1	1	4	7	11	15	29
B. *Operated*	3732	7.9	72	1	2	5	11	17	22	43
2. MULTIPLE DX										
A. *Not Operated*	4702	8.6	68	2	2	6	11	18	24	43
B. *Operated*	10727	14.6	205	2	2	11	19	33	47	88
1. SINGLE DX	5049	7.3	62	1	2	5	10	15	20	39
2. MULTIPLE DX	15429	12.8	171	2	2	9	16	28	41	80
A. NOT OPERATED	6019	8.0	61	1	2	6	10	16	22	40
B. OPERATED	14459	12.9	179	2	2	9	17	29	42	81
TOTAL 0-19 YRS	542	6.6	44	1	1	5	8	13	18	36
20-34	951	7.2	71	1	2	5	9	15	22	47
35-49	2058	8.4	86	1	2	6	11	18	25	52
50-64	6400	10.4	130	1	2	7	13	22	31	65
65+	10527	13.3	178	2	2	9	17	30	42	84
GRAND TOTAL	**20478**	**11.4**	**150**	**2**	**2**	**8**	**15**	**25**	**37**	**73**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	7.2	17	2	3	7	9	12	14	23
20-34	2108	7.9	18	2	3	7	10	13	16	21
35-49	2478	8.4	19	3	4	8	11	14	16	22
50-64	2688	8.8	20	3	4	8	11	14	17	23
65+	2268	9.4	22	3	4	9	12	15	18	25
B. *Operated*										
0-19 YRS	97	7.7	22	2	3	7	10	14	16	26
20-34	778	8.0	25	2	2	7	11	14	17	25
35-49	856	8.4	32	2	2	8	11	15	17	24
50-64	817	9.0	29	2	3	8	12	16	19	27
65+	624	9.9	40	2	3	9	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	8.1	23	2	3	7	11	15	18	20
20-34	1732	9.2	33	3	4	8	11	15	19	30
35-49	3267	9.9	38	3	4	9	12	16	20	33
50-64	5815	10.4	34	4	5	9	13	17	21	32
65+	8078	11.6	50	4	5	10	14	19	24	40
B. *Operated*										
0-19 YRS	63	11.0	47	3	4	9	14	18	26	35
20-34	818	11.0	59	2	3	9	14	20	26	42
35-49	1423	11.6	62	3	4	10	14	21	26	44
50-64	2217	12.7	93	3	4	10	15	23	30	62
65+	2698	14.7	109	4	6	12	18	26	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9787	8.6	20	3	4	8	11	14	17	23
B. *Operated*	3172	8.7	31	2	3	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	19062	10.7	42	3	4	9	13	18	22	35
B. *Operated*	7219	13.0	91	3	4	11	16	23	30	55
1. SINGLE DX	12959	8.6	23	2	3	8	11	14	17	24
2. MULTIPLE DX	26281	11.3	57	3	4	10	14	19	24	42
A. NOT OPERATED	28849	10.0	36	3	4	9	12	17	20	32
B. OPERATED	10391	11.7	76	2	4	10	14	21	27	50
TOTAL 0-19 YRS	575	8.0	24	2	3	7	10	14	17	25
20-34	5436	8.8	31	2	3	8	11	15	18	29
35-49	8024	9.6	37	3	4	9	12	16	20	32
50-64	11537	10.4	44	3	4	9	13	17	22	36
65+	13668	11.8	60	4	5	10	14	20	25	44
GRAND TOTAL	**39240**	**10.4**	**47**	**3**	**4**	**9**	**13**	**18**	**22**	**37**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	48	7.1	63	<1	1	5	8	14	24	42
35-49	103	8.6	51	1	2	7	13	18	23	32
50-64	217	10.7	88	2	2	8	14	21	26	48
65+	461	12.8	108	1	3	11	16	24	31	53
B. *Operated*										
0-19 YRS	142	3.5	3	1	2	3	4	6	7	8
20-34	3074	4.2	8	2	2	4	5	6	8	15
35-49	4279	4.7	13	2	2	4	5	7	9	19
50-64	3491	5.9	34	2	3	4	6	10	15	30
65+	1211	10.8	117	2	3	6	14	26	33	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	110	8.1	72	1	1	5	10	20	28	37
35-49	290	9.5	80	1	2	7	12	19	26	42
50-64	700	11.9	93	2	3	9	15	23	31	51
65+	2216	14.5	126	3	4	12	19	29	36	58
B. *Operated*										
0-19 YRS	23	4.6	14	<1	1	3	6	9	15	15
20-34	807	6.1	39	2	2	4	7	11	16	34
35-49	1623	7.1	49	2	3	5	8	13	19	36
50-64	2305	9.8	99	3	3	6	11	22	30	49
65+	1756	18.2	229	3	4	14	26	40	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	11.4	96	1	2	9	15	23	29	49
B. *Operated*	12197	5.5	31	2	2	4	6	9	14	31
2. MULTIPLE DX										
A. *Not Operated*	3318	13.3	117	2	4	11	17	27	34	55
B. *Operated*	6514	10.9	135	2	3	6	13	26	36	59
1. SINGLE DX	13028	5.9	38	2	2	4	6	10	17	33
2. MULTIPLE DX	9832	11.7	130	2	3	8	15	26	35	58
A. NOT OPERATED	4149	12.9	113	2	3	10	17	26	33	54
B. OPERATED	18711	7.4	74	2	3	5	7	16	25	46
TOTAL 0-19 YRS	169	3.7	4	1	2	3	4	6	7	14
20-34	4039	4.7	18	2	2	4	5	7	10	24
35-49	6295	5.6	28	2	2	4	6	10	14	29
50-64	6713	8.0	70	2	3	5	9	17	24	43
65+	5644	14.7	162	3	4	11	20	31	41	64
GRAND TOTAL	**22860**	**8.4**	**86**	**2**	**3**	**5**	**9**	**19**	**27**	**48**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.5	4	1	1	2	3	5	7	10
20-34	373	3.0	4	1	1	3	4	6	8	11
35-49	392	3.2	7	1	1	3	4	6	8	11
50-64	351	3.2	4	1	1	3	4	6	7	10
65+	246	3.5	7	1	1	3	4	7	8	13
B. *Operated*										
0-19 YRS	129	4.2	4	1	2	4	5	7	8	11
20-34	2330	4.8	5	2	3	5	6	7	9	12
35-49	2795	5.0	5	2	3	5	6	7	9	12
50-64	1845	5.3	6	2	3	5	6	8	10	14
65+	645	5.7	8	2	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.6	4	1	1	3	5	6	8	10
20-34	563	3.9	8	1	1	3	5	8	9	12
35-49	991	4.4	11	1	1	4	6	9	11	18
50-64	1208	4.6	14	1	1	4	6	9	11	19
65+	1444	5.9	27	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	284	5.0	8	2	3	5	6	8	9	18
20-34	7489	5.3	7	3	3	5	6	8	9	14
35-49	10854	5.7	9	3	3	5	7	9	11	16
50-64	8890	6.3	15	3	3	5	7	10	13	20
65+	3960	7.7	27	3	3	6	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1424	3.2	5	1	1	3	4	6	8	11
B. *Operated*	7744	5.0	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	4261	4.9	17	1	1	4	6	9	12	20
B. *Operated*	31477	6.0	13	3	3	5	7	10	12	20
1. SINGLE DX	9168	4.7	6	1	2	4	6	8	9	13
2. MULTIPLE DX	35738	5.9	14	2	3	5	7	10	12	20
A. NOT OPERATED	5685	4.4	15	1	1	3	6	8	11	18
B. OPERATED	39221	5.8	12	3	3	5	7	9	12	19
TOTAL 0-19 YRS	530	4.4	7	1	2	4	5	7	8	13
20-34	10755	5.1	7	2	3	5	6	8	9	13
35-49	15032	5.4	8	2	3	5	6	9	10	16
50-64	12294	5.9	14	2	3	5	7	10	12	19
65+	6295	6.9	26	2	3	6	8	13	16	26
GRAND TOTAL	**44906**	**5.7**	**12**	**2**	**3**	**5**	**7**	**9**	**11**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	4.2	13	1	1	3	5	8	11	19
20-34	481	6.5	21	1	2	6	9	12	14	21
35-49	457	6.6	20	1	2	6	9	13	15	22
50-64	660	7.1	24	1	2	6	10	13	15	25
65+	841	7.6	29	1	2	7	10	14	17	29
B. *Operated*										
0-19 YRS	548	3.5	12	1	1	3	4	6	10	18
20-34	1839	3.6	15	1	1	2	4	8	11	18
35-49	765	5.5	33	1	2	3	7	12	15	29
50-64	588	8.0	36	1	2	7	11	16	19	26
65+	489	9.9	79	1	2	8	13	20	24	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	4.8	17	1	1	3	6	9	12	19
20-34	708	7.1	48	1	2	5	9	15	17	31
35-49	1341	7.7	36	1	2	6	10	15	18	31
50-64	2871	7.9	33	2	2	7	10	15	18	27
65+	6030	9.1	54	2	3	7	11	17	22	38
B. *Operated*										
0-19 YRS	244	6.8	89	1	2	4	7	14	23	44
20-34	1541	5.5	39	1	1	3	7	12	16	38
35-49	1132	10.3	120	1	2	7	13	22	28	63
50-64	1723	12.8	128	2	3	10	16	25	33	63
65+	2540	15.2	152	2	4	12	19	30	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2611	6.9	24	1	2	6	9	13	16	24
B. *Operated*	4229	5.3	33	1	2	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	11201	8.4	46	2	2	7	11	16	20	34
B. *Operated*	7180	11.5	129	2	2	9	15	24	33	63
1. SINGLE DX	6840	5.9	30	1	2	4	8	13	16	26
2. MULTIPLE DX	18381	9.6	81	2	2	7	12	19	26	47
A. NOT OPERATED	13812	8.1	42	2	2	7	10	15	20	33
B. OPERATED	11409	9.2	102	1	2	6	12	21	28	54
TOTAL 0-19 YRS	1215	4.5	30	1	1	3	5	9	13	28
20-34	4569	5.1	31	1	1	3	6	11	15	26
35-49	3695	7.9	62	1	2	6	10	16	22	39
50-64	5842	9.3	66	2	2	7	12	18	23	42
65+	9900	10.6	86	2	3	8	13	21	28	48
GRAND TOTAL	**25221**	**8.6**	**70**	**1**	**2**	**6**	**11**	**17**	**23**	**43**

173: Acute URI, except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16635	2.9	4	1	1	2	4	5	6	9
20-34	2034	3.4	3	1	2	3	4	6	7	9
35-49	784	3.8	5	1	2	3	5	7	8	12
50-64	550	4.1	6	1	2	4	5	7	9	12
65+	470	5.2	16	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	2713	2.2	2	1	1	2	2	3	4	9
20-34	1212	2.5	3	1	1	2	3	4	5	9
35-49	233	3.5	11	1	1	2	4	7	10	18
50-64	158	3.5	9	1	1	3	4	6	8	19
65+	79	4.2	17	1	1	3	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21892	3.6	6	1	1	3	4	6	8	12
20-34	3907	4.2	7	1	2	4	5	7	9	14
35-49	2284	5.0	11	1	2	4	6	9	11	17
50-64	2741	6.1	18	2	2	5	7	10	14	22
65+	4667	7.8	33	2	3	6	10	14	18	30
B. *Operated*										
0-19 YRS	1656	3.5	22	1	1	2	3	7	10	22
20-34	622	4.9	27	1	2	3	6	10	13	26
35-49	368	6.5	26	1	2	5	9	13	17	26
50-64	367	8.4	64	1	2	6	11	18	22	39
65+	410	13.4	178	2	2	10	17	29	39	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20473	3.0	4	1	1	3	4	5	7	10
B. *Operated*	4395	2.4	4	1	1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	35491	4.5	13	1	2	4	5	8	11	19
B. *Operated*	3423	5.8	57	1	1	3	7	13	18	37
1. SINGLE DX	24868	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	38914	4.6	17	1	2	4	5	9	11	21
A. NOT OPERATED	55964	4.0	10	1	1	3	5	7	9	16
B. OPERATED	7818	3.9	30	1	1	2	4	8	12	27
TOTAL 0-19 YRS	42896	3.2	6	1	1	3	4	6	7	11
20-34	7775	3.8	8	1	2	3	5	7	8	13
35-49	3669	4.8	12	1	2	4	6	9	11	18
50-64	3816	5.9	22	2	2	5	7	11	14	24
65+	5626	8.0	45	2	3	6	10	15	19	36
GRAND TOTAL	**63782**	**4.0**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16129	3.8	5	1	2	3	5	7	8	11
20-34	1093	4.2	5	2	2	4	5	7	8	12
35-49	979	4.9	8	2	2	4	6	8	10	15
50-64	1101	5.3	8	2	2	5	7	9	10	15
65+	1334	6.1	17	2	3	5	7	10	13	21
B. *Operated*										
0-19 YRS	49	5.8	18	1	2	5	8	12	16	19
20-34	37	4.6	12	1	2	3	6	8	11	19
35-49	46	5.7	14	1	2	5	8	11	14	15
50-64	86	8.1	108	1	2	6	9	14	19	70
65+	60	7.5	72	1	2	5	9	13	23	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14176	4.6	9	2	2	4	6	8	10	14
20-34	2646	5.4	15	2	2	4	7	10	12	19
35-49	3628	6.4	21	2	3	5	8	11	14	23
50-64	9232	7.6	27	2	3	6	9	13	17	26
65+	17979	9.0	42	3	4	7	11	16	20	34
B. *Operated*										
0-19 YRS	171	9.7	119	2	4	7	11	18	21	78
20-34	216	9.2	58	2	3	8	11	17	21	44
35-49	404	9.8	84	2	3	8	12	18	24	51
50-64	844	10.9	75	2	3	9	14	21	27	51
65+	1233	14.2	129	3	4	12	17	26	36	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20636	4.1	6	1	2	4	5	7	8	12
B. *Operated*	278	6.7	57	1	2	5	8	12	15	38
2. MULTIPLE DX										
A. *Not Operated*	47661	7.0	30	2	3	6	9	13	16	27
B. *Operated*	2868	11.9	105	2	3	9	15	22	31	57
1. SINGLE DX	20914	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX	50529	7.3	35	2	3	6	9	13	17	30
A. NOT OPERATED	68297	6.1	24	2	2	5	8	11	15	24
B. OPERATED	3146	11.5	103	2	3	9	14	22	30	55
TOTAL 0-19 YRS	30525	4.2	8	1	2	4	5	7	9	13
20-34	3992	5.3	16	2	2	4	6	9	12	20
35-49	5057	6.3	24	2	3	5	8	11	14	25
50-64	11263	7.6	31	2	3	6	9	14	17	29
65+	20606	9.1	48	3	3	7	11	16	21	37
GRAND TOTAL	**71443**	**6.4**	**29**	**2**	**2**	**5**	**8**	**12**	**15**	**27**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	3	<1	<1	1	3	5	6	6
20-34	41	1.5	1	<1	<1	1	2	3	3	6
35-49	13	1.5	1	<1	<1	1	2	3	4	4
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	2933	2.4	1	1	1	2	3	4	4	5
20-34	6903	2.4	1	1	1	2	3	4	4	5
35-49	2847	2.4	1	1	1	2	3	4	4	5
50-64	1430	2.5	2	1	1	2	3	4	4	6
65+	326	2.5	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	1.4	1	<1	<1	1	1	3	4	5
20-34	136	1.3	1	<1	<1	1	1	2	3	6
35-49	93	2.2	4	<1	<1	1	3	4	7	10
50-64	60	2.4	7	<1	<1	1	3	5	7	18
65+	24	4.3	15	1	1	3	5	9	13	17
B. *Operated*										
0-19 YRS	3922	2.5	2	1	1	3	3	4	5	6
20-34	9794	2.7	2	1	1	3	3	4	5	7
35-49	5412	2.8	3	1	1	3	3	4	5	9
50-64	3102	3.1	5	1	2	3	4	5	6	10
65+	757	3.6	9	1	2	3	4	5	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	14439	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	371	1.9	4	<1	<1	1	2	4	5	10
B. *Operated*	22987	2.8	3	1	1	3	3	4	5	8
1. SINGLE DX	14516	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	23358	2.8	3	1	1	3	3	4	5	8
A. NOT OPERATED	448	1.9	4	<1	<1	1	2	4	5	10
B. OPERATED	37426	2.6	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	6928	2.5	1	1	1	2	3	4	4	6
20-34	16874	2.5	2	1	1	2	3	4	4	6
35-49	8365	2.7	2	1	1	2	3	4	5	8
50-64	4598	2.9	4	1	1	3	3	4	5	10
65+	1109	3.3	7	1	1	3	4	5	7	16
GRAND TOTAL	**37874**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	5	1.6		1	1	2	2	2	2	2
65+	6	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	175	2.1	1	<1	1	2	3	3	4	5
20-34	326	2.2	1	<1	1	2	3	3	4	7
35-49	415	2.2	2	<1	1	2	3	4	4	7
50-64	575	2.4	3	<1	1	2	3	4	5	7
65+	351	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.7	3	<1	1	2	3	5	7	8
20-34	12	2.3	2	1	1	2	3	5	5	5
35-49	18	4.6	26	<1	<1	3	5	12	18	20
50-64	16	6.3	88	<1	1	2	6	23	30	33
65+	31	4.0	12	<1	<1	3	6	8	11	16
B. *Operated*										
0-19 YRS	253	2.5	3	1	1	2	3	4	5	11
20-34	696	2.7	2	1	1	2	3	4	5	8
35-49	867	2.8	3	1	1	2	3	4	5	9
50-64	1116	3.2	6	1	1	3	4	5	7	12
65+	681	3.8	14	1	2	3	4	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.9	1	<1	<1	2	3	4	4	5
B. *Operated*	1842	2.3	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	90	4.1	26	<1	1	2	5	8	14	29
B. *Operated*	3613	3.1	6	1	1	3	4	5	6	12
1. SINGLE DX	1864	2.3	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	3703	3.1	6	1	1	3	4	5	6	13
A. NOT OPERATED	112	3.7	22	<1	1	2	4	7	13	27
B. OPERATED	5455	2.8	5	1	1	2	3	5	5	11
TOTAL 0-19 YRS	445	2.3	2	<1	1	2	3	4	5	9
20-34	1037	2.5	2	1	1	2	3	4	5	7
35-49	1304	2.6	3	1	1	2	3	4	5	9
50-64	1712	2.9	6	1	1	2	3	5	6	12
65+	1069	3.3	10	1	1	2	4	5	7	19
GRAND TOTAL	**5567**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394	1.9	1	<1	<1	1	2	4	4	6
20-34	113	2.7	5	<1	<1	2	4	5	5	12
35-49	19	3.2	4	1	<1	3	4	5	8	10
50-64	12	2.6	6	<1	<1	2	4	7	8	8
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	67248	1.8	1	<1	1	2	2	2	3	4
20-34	18134	2.1	1	1	1	2	2	3	3	5
35-49	1557	2.2	1	1	1	2	3	3	4	6
50-64	301	2.4	3	1	1	2	3	4	5	10
65+	129	3.1	69	<1	1	2	2	4	7	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1249	1.6	2	<1	<1	1	2	3	5	8
20-34	249	2.4	5	<1	<1	2	3	5	6	11
35-49	38	3.3	9	1	1	3	4	6	7	18
50-64	13	5.2	54	<1	<1	3	6	12	25	28
65+	15	8.2	33	3	3	5	12	16	21	23
B. *Operated*										
0-19 YRS	33410	1.7	1	<1	1	2	2	2	3	5
20-34	3006	2.4	2	1	1	2	3	4	5	8
35-49	446	3.0	6	1	1	2	3	5	7	13
50-64	175	3.2	7	1	1	2	4	6	9	14
65+	85	4.9	106	<1	1	2	4	11	15	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*	87369	1.9	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1564	1.9	4	<1	<1	1	2	4	5	9
B. *Operated*	37122	1.8	1	<1	1	2	2	2	3	6
1. SINGLE DX	87910	1.9	1	1	1	2	2	2	3	4
2. MULTIPLE DX	38686	1.8	2	<1	1	2	2	3	3	6
A. NOT OPERATED	2105	1.9	4	<1	<1	1	2	4	5	9
B. OPERATED	124491	1.8	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	102301	1.8	1	<1	1	2	2	2	3	4
20-34	21502	2.1	1	1	1	2	2	3	4	6
35-49	2060	2.4	2	1	1	2	3	4	5	9
50-64	501	2.8	6	1	1	2	3	5	8	13
65+	232	4.1	81	1	1	2	3	8	13	39
GRAND TOTAL	**126596**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1925	3.0	4	1	1	3	4	5	6	8
20-34	1246	3.3	3	1	1	3	4	6	7	9
35-49	592	3.5	7	1	1	3	4	7	8	14
50-64	459	3.1	5	<1	1	2	4	6	7	12
65+	236	3.3	10	1	1	2	4	6	8	14
B. *Operated*										
0-19 YRS	2469	2.6	4	<1	1	2	3	4	6	9
20-34	4177	2.6	4	<1	1	2	3	4	5	9
35-49	3454	2.4	4	<1	1	2	3	4	5	10
50-64	3526	2.4	4	1	1	2	3	4	5	11
65+	1588	2.7	10	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1587	3.9	6	1	1	3	5	7	8	12
20-34	1129	4.3	10	1	2	4	5	8	10	16
35-49	1002	4.8	11	1	2	4	6	9	11	16
50-64	1052	5.5	17	1	2	4	7	10	13	19
65+	919	6.4	27	1	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	1987	2.9	10	<1	1	2	3	5	8	16
20-34	3590	3.4	13	1	1	3	4	5	8	15
35-49	3112	3.7	17	1	1	3	4	6	10	19
50-64	3406	4.1	22	1	1	3	4	8	12	26
65+	1881	5.3	44	1	2	3	6	12	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4458	3.2	5	1	1	3	4	5	7	10
B. *Operated*	15214	2.5	5	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	5689	4.8	14	1	2	4	6	9	11	18
B. *Operated*	13976	3.8	20	1	1	3	4	7	10	23
1. SINGLE DX	19672	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX	19665	4.1	19	1	1	3	5	8	11	21
A. NOT OPERATED	10147	4.1	10	1	1	3	5	8	10	16
B. OPERATED	29190	3.1	13	1	1	2	3	5	8	17
TOTAL 0-19 YRS	7968	3.0	6	1	1	2	4	5	7	12
20-34	10142	3.1	8	1	1	3	4	5	7	13
35-49	8160	3.3	11	1	1	2	4	6	8	15
50-64	8443	3.5	14	1	1	2	4	7	10	19
65+	4624	4.5	29	1	1	3	5	9	14	27
GRAND TOTAL	**39337**	**3.4**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30029	4.6	7	2	2	4	6	8	9	13
20-34	6447	5.3	9	2	2	5	7	9	11	15
35-49	4485	6.0	11	2	3	5	8	10	12	16
50-64	5104	6.8	16	2	3	6	8	11	14	21
65+	7812	8.4	27	3	4	7	10	14	18	27
B. *Operated*										
0-19 YRS	193	8.4	56	1	2	7	11	14	20	38
20-34	192	9.4	48	2	3	8	12	17	25	40
35-49	288	9.9	60	2	2	9	13	17	24	41
50-64	605	10.6	59	2	2	10	14	19	25	39
65+	528	11.7	70	2	2	10	16	22	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25821	5.4	14	2	2	4	7	9	12	18
20-34	6235	6.9	25	2	3	6	9	12	15	24
35-49	7487	7.9	30	3	3	7	10	14	17	30
50-64	16983	9.3	41	3	4	8	11	16	20	34
65+	52453	11.9	71	4	5	10	14	21	27	47
B. *Operated*										
0-19 YRS	589	13.3	147	3	4	10	16	24	35	78
20-34	684	15.6	162	4	5	12	19	32	45	93
35-49	1244	15.5	136	4	5	12	20	29	38	66
50-64	3041	17.0	164	4	5	14	21	32	42	76
65+	6319	20.4	203	6	7	17	26	40	52	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53877	5.6	13	2	2	5	7	10	12	18
B. *Operated*	1806	10.5	62	2	2	9	14	19	25	39
2. MULTIPLE DX										
A. *Not Operated*	108979	9.4	55	2	3	8	12	17	22	39
B. *Operated*	11877	18.4	186	4	6	15	23	36	47	86
1. SINGLE DX	55683	5.7	15	2	2	5	7	10	13	20
2. MULTIPLE DX	120856	10.3	75	2	3	8	13	19	26	47
A. NOT OPERATED	162856	8.1	44	2	3	6	10	15	20	34
B. OPERATED	13683	17.3	177	3	5	14	22	34	45	80
TOTAL 0-19 YRS	56632	5.1	13	2	2	4	6	9	11	17
20-34	13558	6.6	30	2	3	5	8	12	15	28
35-49	13504	8.0	41	2	3	6	10	14	19	35
50-64	25733	9.8	59	3	4	8	12	17	23	42
65+	67112	12.3	87	4	5	10	15	22	29	53
GRAND TOTAL	**176539**	**8.8**	**61**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1366	3.2	4	1	1	3	4	6	7	10
20-34	981	3.5	6	1	1	3	4	6	7	10
35-49	537	3.8	6	1	2	3	5	7	8	12
50-64	630	4.6	9	2	2	4	6	8	9	15
65+	932	5.9	19	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	9	3.9	3	2	2	3	5	7	7	7
20-34	7	8.1	60	2	2	7	12	21	23	23
35-49	4	8.3	14	4	4	8	11	13	13	13
50-64	7	9.1	35	1	2	7	14	17	18	18
65+	4	6.5	6	4	4	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2140	3.8	7	1	1	3	5	7	8	13
20-34	1872	4.1	8	1	2	3	5	7	9	14
35-49	1443	5.6	14	2	2	5	7	10	13	20
50-64	2628	6.6	22	2	3	5	8	12	14	23
65+	6366	8.5	42	2	3	7	10	16	20	34
B. *Operated*										
0-19 YRS	33	7.1	23	2	3	6	9	16	22	99+
20-34	67	7.9	33	1	2	7	11	15	17	31
35-49	72	10.8	53	4	4	9	14	21	28	38
50-64	125	14.7	139	4	5	12	18	30	34	79
65+	296	17.3	153	5	6	14	21	34	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4446	4.1	10	1	2	3	5	7	9	14
B. *Operated*	31	6.9	26	2	2	6	9	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	14449	6.6	29	2	2	5	8	13	16	28
B. *Operated*	593	14.3	130	3	4	11	18	30	39	70
1. SINGLE DX	4477	4.1	10	1	2	3	5	7	9	15
2. MULTIPLE DX	15042	6.9	36	2	2	5	8	13	18	31
A. NOT OPERATED	18895	6.0	26	1	2	5	7	11	15	27
B. OPERATED	624	14.0	128	3	4	11	18	29	38	69
TOTAL 0-19 YRS	3548	3.6	6	1	1	3	4	6	8	12
20-34	2927	4.0	8	1	2	3	5	7	9	14
35-49	2056	5.3	15	2	2	4	7	10	12	20
50-64	3390	6.5	27	2	2	5	8	12	15	27
65+	7598	8.5	47	2	3	7	10	16	21	36
GRAND TOTAL	**19519**	**6.3**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5086	3.6	5	1	1	3	5	6	7	11
20-34	551	4.3	9	1	2	4	5	7	8	16
35-49	699	5.2	12	2	2	4	6	9	11	16
50-64	1307	6.3	20	2	2	5	8	11	14	23
65+	1703	7.0	23	2	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	52	4.3	11	<1	1	3	6	9	10	16
20-34	104	4.9	13	1	1	4	6	10	13	16
35-49	193	4.4	19	<1	1	3	5	9	11	25
50-64	357	4.5	16	1	1	3	6	10	12	19
65+	251	6.3	37	1	1	4	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4476	4.4	7	1	2	4	5	8	9	13
20-34	1326	5.2	12	2	2	4	6	9	12	17
35-49	2197	6.5	28	2	3	5	8	11	14	25
50-64	6040	7.9	37	2	3	6	10	14	18	31
65+	11093	9.1	48	3	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	104	7.6	96	1	2	6	9	13	16	55
20-34	231	7.9	52	2	2	6	11	15	23	31
35-49	551	7.9	50	1	2	6	11	15	20	40
50-64	1285	9.5	65	2	2	8	12	20	25	41
65+	1536	12.9	141	2	3	10	16	27	36	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9346	4.7	13	1	2	4	6	9	11	18
B. *Operated*	957	5.0	22	1	1	3	6	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	25132	7.5	37	2	3	6	9	14	18	32
B. *Operated*	3707	10.5	99	2	2	8	13	22	29	60
1. SINGLE DX	10303	4.8	14	1	2	4	6	9	11	18
2. MULTIPLE DX	28839	7.9	46	2	3	6	10	15	20	35
A. NOT OPERATED	34478	6.8	32	2	2	5	8	13	16	29
B. OPERATED	4664	9.4	88	1	2	7	12	20	27	54
TOTAL 0-19 YRS	9718	4.0	7	1	2	3	5	7	9	13
20-34	2212	5.3	16	2	2	4	6	9	13	21
35-49	3640	6.3	29	2	2	5	8	11	14	27
50-64	8989	7.7	39	2	3	6	10	14	19	32
65+	14583	9.2	57	2	3	7	11	17	22	40
GRAND TOTAL	**39142**	**7.1**	**40**	**2**	**2**	**5**	**9**	**14**	**18**	**32**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	19	1	1	3	7	11	11	11
20-34	22	4.5	8	1	1	4	6	9	10	10
35-49	101	6.4	20	2	2	5	8	12	16	26
50-64	570	7.3	31	2	2	6	9	13	17	31
65+	833	8.4	44	2	3	7	11	16	21	30
B. *Operated*										
0-19 YRS	3	7.0	91	1	1	2	14	18	18	18
20-34	20	9.1	28	1	2	9	12	15	20	24
35-49	42	13.6	157	2	3	11	15	24	41	69
50-64	49	13.9	117	2	3	12	17	26	42	53
65+	22	13.0	91	2	3	10	22	25	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.6	32	1	2	5	8	17	20	21
20-34	43	6.2	14	2	2	6	8	9	15	21
35-49	446	8.0	40	2	3	7	10	15	19	34
50-64	2861	9.6	60	2	3	7	12	18	24	42
65+	5935	10.6	81	3	3	8	13	20	27	51
B. *Operated*										
0-19 YRS	12	10.3	15	3	5	10	13	16	16	16
20-34	64	15.0	146	3	5	11	17	29	45	63
35-49	111	14.5	109	3	4	13	18	28	37	54
50-64	420	15.8	159	4	5	12	20	33	43	72
65+	683	19.8	256	4	6	15	24	43	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1530	7.8	37	2	3	6	10	15	19	30
B. *Operated*	136	12.8	112	2	3	11	16	24	30	55
2. MULTIPLE DX										
A. *Not Operated*	9304	10.2	73	3	3	8	12	19	26	46
B. *Operated*	1290	17.7	209	4	5	14	22	36	50	82
1. SINGLE DX	1666	8.2	45	2	3	6	10	15	20	32
2. MULTIPLE DX	10594	11.1	95	3	3	8	14	21	29	56
A. NOT OPERATED	10834	9.8	68	2	3	8	12	18	25	44
B. OPERATED	1426	17.2	202	3	5	13	22	35	50	81
TOTAL 0-19 YRS	38	7.6	30	1	2	6	11	16	18	21
20-34	149	10.1	91	2	2	8	12	19	25	51
35-49	700	9.2	62	2	3	7	11	17	24	43
50-64	3900	10.0	72	2	3	8	12	19	26	46
65+	7473	11.2	100	3	3	8	14	22	30	59
GRAND TOTAL	**12260**	**10.7**	**89**	**2**	**3**	**8**	**13**	**21**	**28**	**55**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24583	3.6	5	1	2	3	4	6	7	10
20-34	7337	4.4	7	1	2	4	6	8	9	13
35-49	6008	5.3	11	1	2	5	7	9	11	16
50-64	6154	5.9	14	2	2	5	8	10	13	19
65+	3810	6.7	18	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	50	6.1	19	2	2	5	8	12	16	20
20-34	67	8.2	68	1	2	7	10	13	22	45
35-49	100	7.2	27	1	1	6	10	14	16	28
50-64	91	9.0	51	2	2	7	12	20	25	34
65+	49	10.3	60	2	2	8	14	21	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13472	4.3	7	1	2	4	5	7	9	14
20-34	5734	5.5	15	2	2	5	7	10	12	20
35-49	7448	6.8	23	2	3	6	8	12	15	25
50-64	13017	7.9	34	2	3	7	10	14	18	29
65+	14534	9.0	43	3	3	8	11	16	21	34
B. *Operated*										
0-19 YRS	177	8.8	89	2	3	7	10	15	21	48
20-34	281	10.1	46	2	3	9	13	19	22	32
35-49	542	13.2	103	3	4	11	16	25	33	62
50-64	874	14.2	141	3	4	12	17	27	38	77
65+	834	16.6	142	4	6	14	21	32	42	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47892	4.5	9	1	2	4	6	8	10	15
B. *Operated*	357	8.1	45	1	2	7	10	16	20	36
2. MULTIPLE DX										
A. *Not Operated*	54205	6.9	30	2	2	6	9	13	16	27
B. *Operated*	2708	14.0	126	3	4	11	17	28	36	68
1. SINGLE DX	48249	4.5	10	1	2	4	6	8	10	15
2. MULTIPLE DX	56913	7.2	36	2	2	6	9	14	18	31
A. NOT OPERATED	102097	5.8	21	2	2	5	7	11	14	23
B. OPERATED	3065	13.3	120	2	4	11	17	26	34	65
TOTAL 0-19 YRS	38282	3.9	6	1	2	3	5	7	8	12
20-34	13419	5.0	13	1	2	4	6	9	11	18
35-49	14098	6.4	23	2	2	5	8	11	15	25
50-64	20136	7.6	35	2	3	6	9	14	17	30
65+	19227	8.9	46	2	3	7	11	16	21	35
GRAND TOTAL	**105162**	**6.0**	**26**	**2**	**2**	**5**	**7**	**11**	**15**	**26**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	4.5	9	2	2	4	5	8	11	18
20-34	106	4.5	11	1	1	3	6	9	11	18
35-49	640	6.5	27	2	2	5	8	12	15	26
50-64	3363	7.4	31	2	3	6	9	13	17	30
65+	5327	8.0	40	2	3	7	10	14	19	32
B. *Operated*										
0-19 YRS	17	6.4	59	1	1	3	8	18	26	29
20-34	40	6.9	39	2	2	4	11	14	16	34
35-49	103	6.6	33	1	2	5	9	14	17	31
50-64	231	7.5	41	1	2	6	10	16	21	31
65+	218	9.2	75	2	2	7	12	18	24	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	7.4	33	2	2	6	9	14	19	31
20-34	336	7.4	38	2	3	6	9	14	16	24
35-49	2437	7.8	48	2	3	6	10	15	19	34
50-64	15834	9.1	53	2	3	7	11	17	22	38
65+	32107	10.3	69	3	3	8	13	19	26	45
B. *Operated*										
0-19 YRS	43	11.0	116	2	2	8	15	31	40	99+
20-34	106	10.5	147	2	2	8	11	23	28	68
35-49	435	13.2	135	3	4	10	16	27	35	67
50-64	2172	15.0	190	2	4	11	18	32	43	96
65+	3696	17.5	213	3	5	14	22	37	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9529	7.6	35	2	3	6	9	14	18	30
B. *Operated*	609	7.9	53	1	2	6	10	17	20	36
2. MULTIPLE DX										
A. *Not Operated*	50874	9.8	63	3	3	8	12	18	24	42
B. *Operated*	6452	16.2	201	3	4	12	20	34	48	97
1. SINGLE DX	10138	7.6	36	2	3	6	9	14	18	31
2. MULTIPLE DX	57326	10.5	83	3	3	8	13	20	27	52
A. NOT OPERATED	60403	9.4	59	2	3	7	12	18	23	41
B. OPERATED	7061	15.5	193	2	4	12	19	33	46	96
TOTAL 0-19 YRS	313	6.9	42	2	2	5	8	14	21	34
20-34	588	7.4	56	2	2	5	9	14	19	35
35-49	3615	8.2	58	2	3	6	10	15	20	41
50-64	21600	9.4	67	2	3	7	11	18	24	44
65+	41348	10.6	83	3	3	8	13	20	27	52
GRAND TOTAL	**67464**	**10.1**	**77**	**2**	**3**	**8**	**12**	**19**	**26**	**49**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	3.6	7	1	1	3	5	7	8	12
20-34	732	4.1	8	1	1	3	5	8	9	13
35-49	234	4.8	46	1	1	4	6	9	10	15
50-64	93	5.5	14	1	2	4	7	11	14	18
65+	64	7.6	55	2	2	5	9	16	19	46
B. *Operated*										
0-19 YRS	526	6.5	17	2	3	5	8	11	15	21
20-34	2167	6.6	19	2	3	5	8	12	15	23
35-49	703	7.1	20	2	3	6	9	13	16	23
50-64	318	8.3	35	3	3	7	11	15	19	32
65+	188	9.0	54	3	3	6	11	19	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.3	13	1	1	3	5	7	11	20
20-34	181	5.3	21	1	2	4	7	9	13	30
35-49	105	6.0	21	1	2	5	8	13	15	24
50-64	201	8.5	64	2	2	7	11	16	20	30
65+	305	11.3	91	3	4	8	14	23	30	46
B. *Operated*										
0-19 YRS	160	10.7	70	3	4	9	13	22	26	42
20-34	683	10.1	51	3	4	8	12	19	22	38
35-49	424	10.5	55	3	4	8	14	20	24	35
50-64	668	12.5	92	3	4	10	16	25	31	54
65+	925	15.0	146	4	5	11	18	30	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1387	4.4	17	1	1	3	5	8	10	17
B. *Operated*	3902	6.9	23	2	3	6	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	871	8.1	61	1	2	6	10	16	21	39
B. *Operated*	2860	12.3	97	3	4	9	15	24	31	54
1. SINGLE DX	5289	6.3	23	2	2	5	8	12	15	24
2. MULTIPLE DX	3731	11.4	92	3	3	9	14	22	29	50
A. NOT OPERATED	2258	5.8	38	1	1	4	7	11	15	30
B. OPERATED	6762	9.2	61	3	3	7	11	18	24	40
TOTAL 0-19 YRS	1029	6.3	28	1	2	5	8	12	16	26
20-34	3763	6.7	26	2	2	5	8	13	16	26
35-49	1466	7.6	38	2	3	6	9	15	19	30
50-64	1280	10.3	73	3	3	8	13	20	26	43
65+	1482	13.1	125	3	4	10	16	27	35	58
GRAND TOTAL	**9020**	**8.4**	**57**	**2**	**3**	**6**	**10**	**17**	**22**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1202	3.9	9	1	1	3	5	7	9	16
20-34	920	4.3	16	1	1	3	5	8	11	21
35-49	883	4.8	18	1	1	4	6	10	12	21
50-64	1099	5.3	17	1	2	4	7	10	13	21
65+	1473	7.2	39	1	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	221	6.7	62	<1	1	4	9	16	22	34
20-34	507	7.6	44	1	2	6	10	16	20	35
35-49	799	8.2	50	1	2	7	10	17	21	35
50-64	1299	8.3	58	1	2	7	11	17	22	35
65+	1154	8.9	71	1	2	7	12	19	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2006	5.3	22	1	2	4	6	10	14	24
20-34	1612	6.1	33	1	2	4	7	12	17	31
35-49	2476	7.0	37	2	2	5	9	14	18	32
50-64	6224	8.2	43	2	2	7	10	16	20	33
65+	15340	10.4	69	2	3	8	13	20	26	43
B. *Operated*										
0-19 YRS	332	10.7	178	1	2	6	14	24	34	87
20-34	824	12.2	147	1	2	9	16	28	39	82
35-49	1508	13.0	145	2	2	10	16	28	38	72
50-64	3766	13.5	157	2	3	10	18	28	38	74
65+	5215	15.7	175	2	3	12	21	33	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5577	5.3	23	1	1	4	7	10	14	24
B. *Operated*	3980	8.3	59	1	2	6	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*	27658	9.0	58	2	3	7	11	18	23	39
B. *Operated*	11645	14.2	165	2	3	11	19	30	41	77
1. SINGLE DX	9557	6.5	40	1	1	5	8	14	18	30
2. MULTIPLE DX	39303	10.5	96	2	3	8	13	22	29	53
A. NOT OPERATED	33235	8.4	54	2	2	6	11	17	22	37
B. OPERATED	15625	12.7	145	2	2	9	17	28	37	68
TOTAL 0-19 YRS	3761	5.4	37	1	1	4	6	11	15	29
20-34	3863	7.2	63	1	2	5	9	16	22	42
35-49	5666	8.4	73	1	2	6	10	17	24	47
50-64	12388	9.6	85	2	2	7	12	20	26	49
65+	23182	11.3	97	2	3	9	14	23	30	54
GRAND TOTAL	**48860**	**9.8**	**87**	**2**	**2**	**7**	**12**	**20**	**27**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	3.3	7	<1	1	3	4	6	7	14
20-34	182	3.6	10	<1	1	3	5	7	9	16
35-49	105	4.0	15	<1	1	3	5	7	9	25
50-64	65	4.0	18	<1	1	3	4	7	10	29
65+	49	4.5	22	1	1	3	5	9	14	25
B. *Operated*										
0-19 YRS	12483	1.9	2	<1	<1	2	2	3	4	5
20-34	10659	2.1	2	<1	1	2	2	4	5	7
35-49	3181	2.5	4	<1	1	2	3	4	5	8
50-64	2063	2.6	4	1	1	2	3	4	5	9
65+	764	2.8	13	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	448	2.8	5	<1	<1	2	4	6	7	10
20-34	440	3.6	13	<1	<1	3	5	7	10	17
35-49	283	3.9	16	<1	1	3	5	8	10	17
50-64	307	4.6	16	<1	1	3	6	10	12	20
65+	289	5.6	23	1	1	4	7	12	15	29
B. *Operated*										
0-19 YRS	4828	2.4	4	<1	1	2	3	4	5	9
20-34	6237	2.6	6	1	1	2	3	5	6	11
35-49	3989	2.9	10	1	1	2	3	5	7	15
50-64	4192	3.2	15	1	1	2	3	5	8	19
65+	2646	3.9	21	1	2	2	4	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	3.7	12	<1	1	3	5	7	9	19
B. *Operated*	29150	2.1	3	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1767	4.0	15	<1	1	3	5	8	11	19
B. *Operated*	21892	2.9	10	1	1	2	3	5	7	15
1. SINGLE DX	29761	2.1	3	<1	1	2	2	4	5	7
2. MULTIPLE DX	23659	3.0	10	1	1	2	3	5	7	15
A. NOT OPERATED	2378	3.9	14	<1	1	3	5	8	10	19
B. OPERATED	51042	2.4	6	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	17969	2.0	2	<1	1	2	2	3	4	7
20-34	17518	2.4	4	<1	1	2	3	4	5	9
35-49	7558	2.8	8	1	1	2	3	5	6	13
50-64	6627	3.1	12	1	1	2	3	5	8	18
65+	3748	3.8	20	1	2	2	4	7	11	23
GRAND TOTAL	**53420**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	3.9	5	1	2	4	5	6	7	12
20-34	188	3.5	4	1	1	3	4	6	7	10
35-49	127	4.4	6	1	2	4	5	7	9	12
50-64	132	4.2	8	1	1	4	5	8	10	14
65+	107	5.5	26	1	1	4	6	9	11	35
B. *Operated*										
0-19 YRS	701	2.5	4	<1	<1	2	3	5	6	11
20-34	767	3.1	5	<1	1	3	4	5	7	13
35-49	665	3.3	5	1	1	3	4	6	8	13
50-64	849	3.3	6	1	1	3	4	5	7	13
65+	658	3.8	11	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	614	4.4	6	1	2	4	5	7	9	13
20-34	220	4.9	13	1	2	4	6	9	12	19
35-49	159	5.7	15	1	2	5	7	10	13	22
50-64	288	6.8	31	1	2	5	9	14	17	25
65+	546	8.5	44	2	3	7	11	16	20	35
B. *Operated*										
0-19 YRS	327	3.5	11	1	1	3	4	7	9	19
20-34	445	4.7	20	1	2	4	5	9	11	29
35-49	580	4.6	15	1	2	3	5	9	12	21
50-64	817	5.0	30	1	2	3	5	9	14	27
65+	777	6.6	51	2	2	4	8	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	937	4.1	8	1	1	4	5	7	9	13
B. *Operated*	3640	3.2	6	<1	1	3	4	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	1827	6.2	26	1	2	5	8	11	16	25
B. *Operated*	2946	5.1	30	1	2	4	6	10	14	29
1. SINGLE DX	4577	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	4773	5.5	29	1	2	4	7	11	15	27
A. NOT OPERATED	2764	5.5	21	1	2	4	7	10	13	23
B. OPERATED	6586	4.1	18	1	1	3	4	8	11	21
TOTAL 0-19 YRS	2025	3.5	7	<1	1	3	5	6	8	13
20-34	1620	3.8	11	1	1	3	4	7	9	17
35-49	1531	4.1	11	1	2	3	5	8	10	18
50-64	2086	4.5	20	1	2	3	5	9	12	22
65+	2088	6.2	39	1	2	4	8	13	17	34
GRAND TOTAL	**9350**	**4.5**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	726	3.7	9	1	1	3	5	7	9	15
20-34	808	3.6	6	1	1	3	5	7	8	13
35-49	1072	3.8	8	1	1	3	5	7	8	13
50-64	971	3.8	9	1	1	3	5	7	9	14
65+	787	4.3	13	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	217	4.8	36	<1	<1	2	6	10	14	39
20-34	431	6.0	30	1	1	5	8	10	14	27
35-49	542	6.3	28	1	1	5	9	13	16	23
50-64	802	6.1	31	1	1	5	9	12	16	26
65+	1040	6.6	40	1	1	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	820	5.2	17	1	2	4	7	10	13	20
20-34	1978	4.8	13	1	2	4	6	9	11	18
35-49	3439	5.4	17	1	2	4	7	10	12	21
50-64	4370	5.6	18	1	2	5	7	10	13	22
65+	5753	6.9	34	2	2	5	9	13	17	29
B. *Operated*										
0-19 YRS	242	9.8	99	1	1	7	13	24	30	56
20-34	911	8.3	49	1	2	7	10	16	22	35
35-49	1728	9.0	73	2	2	7	11	17	22	48
50-64	2974	9.4	83	2	2	7	11	19	26	46
65+	4353	11.3	123	2	2	8	14	24	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4364	3.8	9	1	1	3	5	7	9	15
B. *Operated*	3032	6.2	34	1	1	5	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	16360	5.9	23	1	2	5	7	11	14	25
B. *Operated*	10208	10.0	97	2	2	8	12	21	28	55
1. SINGLE DX	7396	4.8	21	1	1	3	6	10	13	22
2. MULTIPLE DX	26568	7.5	56	1	2	5	9	15	20	39
A. NOT OPERATED	20724	5.5	21	1	2	4	7	10	13	23
B. OPERATED	13240	9.2	85	1	2	7	11	19	26	49
TOTAL 0-19 YRS	2005	5.2	29	1	1	3	6	10	15	29
20-34	4128	5.5	24	1	2	4	7	10	14	25
35-49	6781	6.2	34	1	2	5	8	12	15	29
50-64	9117	6.7	43	1	2	5	8	13	18	33
65+	11933	8.3	71	1	2	6	10	17	23	46
GRAND TOTAL	**33964**	**6.9**	**49**	**1**	**2**	**5**	**8**	**14**	**19**	**37**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	4.5	8	1	2	4	6	8	9	17
20-34	510	4.8	10	1	2	4	6	9	12	14
35-49	687	4.9	12	1	2	4	6	9	11	18
50-64	753	5.1	11	1	2	4	7	9	12	16
65+	624	6.1	20	1	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	14	6.2	8	1	2	6	8	10	11	11
20-34	214	8.1	28	2	3	7	10	15	19	25
35-49	546	8.3	35	1	2	7	11	15	19	30
50-64	624	8.9	50	1	2	8	12	17	20	30
65+	505	8.6	55	1	2	7	11	16	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	5.0	10	2	2	5	6	8	10	18
20-34	660	5.8	16	1	2	5	7	10	13	24
35-49	1370	6.7	23	2	2	6	8	12	15	24
50-64	1986	7.0	22	2	3	6	9	12	16	23
65+	3203	8.5	36	2	3	7	11	15	20	31
B. *Operated*										
0-19 YRS	34	6.0	13	2	2	5	9	11	14	15
20-34	355	9.6	60	3	4	8	12	17	20	38
35-49	1064	10.3	54	2	3	9	13	19	24	39
50-64	1837	10.8	64	2	4	9	13	20	24	44
65+	2515	12.4	94	3	4	10	15	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2682	5.2	13	1	2	4	7	10	12	18
B. *Operated*	1903	8.5	44	1	2	7	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	7309	7.4	29	2	3	6	9	13	17	28
B. *Operated*	5805	11.3	76	3	4	9	14	21	27	46
1. SINGLE DX	4585	6.6	29	1	2	5	9	13	16	25
2. MULTIPLE DX	13114	9.2	53	2	3	7	11	17	23	37
A. NOT OPERATED	9991	6.8	26	2	2	6	9	13	16	26
B. OPERATED	7708	10.6	69	2	3	9	13	20	25	43
TOTAL 0-19 YRS	246	5.0	10	1	2	4	6	9	10	17
20-34	1739	6.6	28	1	2	5	8	12	16	24
35-49	3667	7.6	36	2	2	6	10	14	18	30
50-64	5200	8.3	43	2	3	7	10	16	20	32
65+	6847	9.7	62	2	3	8	12	18	25	40
GRAND TOTAL	**17699**	**8.5**	**48**	**2**	**3**	**7**	**11**	**16**	**21**	**35**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.2	4	1	2	4	5	7	8	11
20-34	170	5.2	9	2	2	5	7	9	10	16
35-49	330	5.4	7	2	2	5	7	9	10	16
50-64	480	5.8	9	2	3	5	7	10	11	15
65+	574	7.2	15	3	3	6	9	12	14	22
B. *Operated*										
0-19 YRS	24	7.3	13	3	3	6	9	12	14	18
20-34	135	8.7	18	3	4	8	10	14	16	22
35-49	263	9.1	24	3	4	8	11	15	18	26
50-64	421	10.2	35	3	4	9	13	18	22	32
65+	473	11.7	57	4	5	10	15	21	24	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.0	34	1	2	5	8	10	11	40
20-34	221	6.4	18	2	3	5	8	11	13	26
35-49	501	6.5	17	2	3	6	8	11	14	20
50-64	1151	7.8	27	3	3	7	9	14	17	27
65+	2545	9.8	48	3	4	8	12	18	22	37
B. *Operated*										
0-19 YRS	27	7.5	8	3	3	7	9	11	12	14
20-34	165	11.9	146	3	4	9	12	22	28	78
35-49	492	13.3	122	3	4	10	15	26	33	63
50-64	1153	13.3	103	4	5	10	16	25	33	64
65+	2504	15.6	136	4	5	13	19	30	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1596	6.1	11	2	3	6	8	10	13	18
B. *Operated*	1316	10.3	40	3	4	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	4464	8.7	39	3	3	7	10	16	20	34
B. *Operated*	4341	14.5	127	4	5	11	18	28	36	65
1. SINGLE DX	2912	8.0	29	2	3	7	10	14	18	27
2. MULTIPLE DX	8805	11.6	91	3	4	9	14	22	29	54
A. NOT OPERATED	6060	8.0	33	2	3	7	10	14	18	30
B. OPERATED	5657	13.6	110	4	5	11	16	25	34	62
TOTAL 0-19 YRS	139	6.0	18	2	2	5	8	10	11	20
20-34	691	7.9	53	2	3	6	10	13	19	31
35-49	1586	8.8	59	3	3	7	10	16	22	39
50-64	3205	9.8	61	3	4	8	12	18	24	42
65+	6096	12.1	91	3	4	9	15	23	30	55
GRAND TOTAL	**11717**	**10.7**	**78**	**3**	**4**	**8**	**13**	**20**	**27**	**48**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	780	4.0	6	1	2	3	5	7	8	12
20-34	2784	4.3	7	1	2	4	5	7	9	14
35-49	2701	4.7	8	1	2	4	6	8	10	15
50-64	1952	5.0	9	1	2	4	6	9	10	15
65+	1164	5.8	19	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	35	7.7	20	2	3	7	10	13	18	20
20-34	394	9.5	30	2	4	9	11	16	21	26
35-49	592	9.5	28	2	4	8	11	16	19	26
50-64	440	10.4	37	2	4	9	13	18	22	32
65+	212	10.8	74	2	3	9	13	21	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	521	5.0	15	1	2	4	6	9	11	24
20-34	2956	5.5	13	2	2	5	7	10	12	19
35-49	4299	6.1	18	2	2	5	8	11	14	22
50-64	5312	6.5	19	2	3	5	8	11	14	22
65+	5880	8.0	32	2	3	7	10	14	18	31
B. *Operated*										
0-19 YRS	48	8.5	37	2	3	6	11	19	21	26
20-34	611	10.2	56	3	4	9	12	17	22	44
35-49	1258	11.2	61	3	4	9	14	20	25	42
50-64	1552	11.7	71	3	4	10	15	21	27	44
65+	1509	13.7	114	3	5	11	17	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9381	4.7	9	1	2	4	6	8	10	15
B. *Operated*	1673	9.9	37	2	4	9	12	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	18968	6.7	23	2	3	6	8	12	15	25
B. *Operated*	4978	12.0	81	3	4	10	15	22	28	50
1. SINGLE DX	11054	5.5	17	1	2	4	7	10	13	21
2. MULTIPLE DX	23946	7.8	40	2	3	6	9	14	19	33
A. NOT OPERATED	28349	6.0	19	2	2	5	7	11	14	22
B. OPERATED	6651	11.4	71	3	4	9	14	21	26	46
TOTAL 0-19 YRS	1384	4.6	12	1	2	4	6	8	10	18
20-34	6745	5.7	19	1	2	5	7	10	13	22
35-49	8850	6.6	27	2	2	5	8	12	16	26
50-64	9256	7.2	32	2	2	6	9	13	17	29
65+	8765	8.8	51	2	3	7	11	16	22	38
GRAND TOTAL	**35000**	**7.0**	**33**	**2**	**2**	**6**	**9**	**13**	**17**	**30**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	4.5	6	1	2	4	6	8	9	11
20-34	1046	4.8	9	2	2	4	6	8	9	13
35-49	1318	5.2	7	2	2	5	7	9	10	13
50-64	1446	5.7	9	2	3	5	7	9	11	15
65+	1325	6.9	19	2	3	6	9	11	14	18
B. *Operated*										
0-19 YRS	58	7.7	11	2	3	7	10	12	14	17
20-34	442	9.1	25	4	5	8	10	13	18	28
35-49	549	9.7	19	4	5	9	11	16	18	24
50-64	587	10.9	33	4	6	10	13	17	21	30
65+	550	12.3	47	4	6	11	15	20	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	5.6	11	2	2	5	7	9	11	17
20-34	792	5.6	12	2	2	5	7	10	12	19
35-49	1355	6.3	14	2	3	6	8	11	13	19
50-64	2679	7.3	22	3	3	6	9	12	15	23
65+	4701	9.6	49	3	4	8	11	17	21	39
B. *Operated*										
0-19 YRS	40	10.7	54	3	4	9	13	20	26	37
20-34	294	11.9	69	3	5	10	14	21	29	41
35-49	646	13.2	104	4	6	10	15	24	33	65
50-64	1252	14.6	111	5	6	12	17	26	35	61
65+	2302	18.4	184	5	7	14	23	35	47	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5319	5.7	11	2	2	5	7	9	11	16
B. *Operated*	2186	10.5	32	4	5	9	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	9679	8.1	35	3	3	7	10	14	18	31
B. *Operated*	4534	16.1	150	5	6	12	19	31	40	74
1. SINGLE DX	7505	7.1	22	2	3	6	9	12	15	24
2. MULTIPLE DX	14213	10.6	85	3	4	8	13	20	28	52
A. NOT OPERATED	14998	7.2	28	2	3	6	9	13	16	27
B. OPERATED	6720	14.3	118	5	6	11	17	26	35	65
TOTAL 0-19 YRS	434	5.8	16	2	2	5	8	10	13	20
20-34	2574	6.6	25	2	3	5	8	11	15	29
35-49	3868	7.6	36	2	3	6	9	13	17	32
50-64	5964	8.8	49	3	3	7	10	16	21	38
65+	8878	11.6	96	3	4	9	14	22	30	57
GRAND TOTAL	**21718**	**9.4**	**66**	**3**	**3**	**7**	**11**	**17**	**24**	**45**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	11	<1	1	5	7	11	12	12
20-34	43	6.3	26	1	2	5	7	11	16	31
35-49	76	6.7	19	2	3	6	8	11	16	26
50-64	94	6.8	17	2	3	6	9	12	16	20
65+	108	8.1	53	3	3	7	10	12	15	44
B. *Operated*										
0-19 YRS	3	9.0	4	7	7	9	10	11	11	11
20-34	53	11.0	40	3	4	10	14	21	24	26
35-49	170	14.3	73	5	6	13	18	24	26	52
50-64	212	14.3	50	6	7	13	18	23	25	39
65+	187	17.4	105	6	8	15	22	30	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.3	9	4	5	8	10	13	13	13
20-34	74	7.1	20	2	3	6	9	12	14	27
35-49	108	7.9	26	2	3	7	9	15	18	29
50-64	222	8.6	32	3	3	7	10	15	19	39
65+	400	10.9	68	3	4	9	13	20	25	40
B. *Operated*										
0-19 YRS	6	18.8	79	8	8	21	23	30	31	31
20-34	77	16.7	131	6	7	14	19	34	45	56
35-49	255	17.0	135	5	7	14	21	32	40	61
50-64	466	19.4	184	6	8	16	23	36	46	81
65+	715	20.9	207	7	8	17	26	42	52	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	7.1	30	2	3	6	9	12	16	26
B. *Operated*	625	14.9	75	5	7	13	19	25	29	47
2. MULTIPLE DX										
A. *Not Operated*	811	9.5	49	3	3	8	11	17	22	35
B. *Operated*	1519	19.6	186	6	8	16	24	38	48	81
1. SINGLE DX	958	12.2	73	3	4	10	16	23	26	44
2. MULTIPLE DX	2330	16.1	161	4	5	13	20	32	43	72
A. NOT OPERATED	1144	8.8	45	2	3	7	11	16	20	32
B. OPERATED	2144	18.2	158	6	7	15	22	33	45	72
TOTAL 0-19 YRS	28	9.5	48	2	3	8	11	22	24	31
20-34	247	10.8	78	2	3	9	14	21	30	47
35-49	609	13.3	100	3	4	11	17	25	31	54
50-64	994	14.7	130	3	5	12	19	27	37	70
65+	1410	16.6	166	4	5	13	21	33	46	72
GRAND TOTAL	**3288**	**14.9**	**139**	**3**	**5**	**12**	**19**	**28**	**38**	**69**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3120	2.9	4	1	1	2	4	5	6	9
20-34	4950	3.5	6	1	1	3	4	6	8	12
35-49	3533	4.0	7	1	1	3	5	7	9	13
50-64	2347	4.2	8	1	1	4	5	8	10	15
65+	1379	4.7	12	1	1	4	6	8	12	17
B. *Operated*										
0-19 YRS	78	4.6	7	<1	1	4	6	9	10	12
20-34	344	6.9	38	<1	2	5	8	13	19	29
35-49	415	7.0	31	1	2	6	9	12	17	31
50-64	416	7.7	39	<1	1	6	10	15	19	31
65+	303	7.8	47	<1	1	6	10	16	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4227	3.6	6	1	1	3	4	6	8	12
20-34	8864	4.8	13	1	2	4	6	9	11	17
35-49	10039	5.6	16	2	2	5	7	10	13	21
50-64	10052	6.0	17	2	2	5	7	11	13	21
65+	11371	7.3	31	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	176	7.2	43	2	3	6	8	12	18	45
20-34	1462	8.3	39	2	3	7	10	15	19	32
35-49	2212	9.7	58	2	3	8	12	18	23	41
50-64	2629	10.5	79	2	3	8	13	20	25	48
65+	2876	11.9	94	3	4	9	14	22	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15329	3.7	7	1	1	3	5	7	8	13
B. *Operated*	1556	7.2	37	<1	1	6	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	44553	5.8	20	2	2	5	7	11	13	22
B. *Operated*	9355	10.3	74	2	3	8	13	19	25	47
1. SINGLE DX	16885	4.1	11	1	1	3	5	7	10	16
2. MULTIPLE DX	53908	6.6	32	2	2	5	8	12	16	28
A. NOT OPERATED	59882	5.3	17	1	2	4	7	10	12	21
B. OPERATED	10911	9.9	70	2	3	8	12	19	24	45
TOTAL 0-19 YRS	7601	3.4	7	1	1	3	4	6	8	12
20-34	15620	4.8	15	1	2	4	6	9	11	19
35-49	16199	5.9	23	1	2	5	7	11	14	24
50-64	15444	6.5	30	2	2	5	8	12	16	28
65+	15929	7.9	45	2	3	6	10	15	19	35
GRAND TOTAL	**70793**	**6.0**	**28**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	749	3.1	5	1	1	3	4	6	7	10
20-34	1074	3.7	7	1	1	3	4	7	9	14
35-49	893	4.0	12	1	1	3	5	7	9	15
50-64	675	4.5	12	1	1	4	6	9	11	18
65+	444	5.0	14	1	1	4	6	10	13	17
B. *Operated*										
0-19 YRS	344	4.8	12	2	2	4	6	8	10	19
20-34	119	9.3	41	1	2	9	11	18	22	30
35-49	166	11.2	67	2	3	10	14	19	28	46
50-64	151	14.7	148	3	5	11	18	27	37	68
65+	128	14.4	141	1	2	12	18	29	33	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	829	4.0	8	1	1	3	5	7	9	13
20-34	1833	5.0	18	1	2	4	6	9	11	24
35-49	2066	5.6	19	1	2	4	7	10	13	22
50-64	2111	5.9	21	1	2	5	7	11	14	23
65+	2396	7.4	38	2	2	6	9	14	19	32
B. *Operated*										
0-19 YRS	114	9.1	72	2	3	7	12	19	27	44
20-34	326	12.1	90	2	3	9	15	26	36	45
35-49	562	13.7	142	3	3	10	17	27	36	75
50-64	794	16.1	164	3	5	13	20	32	42	76
65+	969	18.3	194	3	5	15	24	36	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3835	4.0	10	1	1	3	5	7	9	15
B. *Operated*	908	9.6	83	2	2	7	12	19	27	48
2. MULTIPLE DX										
A. *Not Operated*	9235	5.9	24	1	2	5	7	11	14	25
B. *Operated*	2765	15.6	164	3	4	12	20	31	42	69
1. SINGLE DX	4743	5.0	29	1	1	4	6	10	14	28
2. MULTIPLE DX	12000	8.1	73	2	2	5	10	17	24	46
A. NOT OPERATED	13070	5.3	21	1	2	4	6	10	13	23
B. OPERATED	3673	14.1	151	2	3	11	18	29	39	65
TOTAL 0-19 YRS	2036	4.1	13	1	1	3	5	7	9	19
20-34	3352	5.4	28	1	2	4	6	10	14	29
35-49	3687	6.7	49	1	2	5	8	13	19	37
50-64	3731	8.1	75	1	2	6	10	17	23	48
65+	3937	10.1	101	2	2	7	12	22	29	52
GRAND TOTAL	**16743**	**7.2**	**63**	**1**	**2**	**5**	**8**	**15**	**22**	**41**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	3.0	5	1	1	3	4	5	6	13
20-34	158	2.7	3	1	1	2	4	5	6	10
35-49	44	2.8	3	<1	1	2	4	6	6	7
50-64	13	4.5	13	1	1	3	6	9	13	14
65+	8	4.9	12	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	19920	3.8	3	2	2	4	4	6	7	10
20-34	13257	4.0	4	2	2	4	5	6	7	10
35-49	3604	4.6	6	2	3	4	5	7	9	12
50-64	1555	5.4	8	2	3	5	7	9	11	15
65+	534	6.6	14	3	3	6	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.9	4	1	1	2	4	5	7	10
20-34	82	3.7	16	1	1	3	5	6	11	25
35-49	25	3.9	9	1	1	3	6	8	11	13
50-64	19	4.8	17	<1	1	4	5	12	16	16
65+	24	11.4	68	1	3	9	15	23	29	33
B. *Operated*										
0-19 YRS	3007	5.6	15	2	3	4	6	10	13	20
20-34	2760	5.8	14	2	3	5	7	10	12	19
35-49	1053	7.4	27	3	3	6	9	13	18	29
50-64	815	8.9	35	3	4	7	11	16	20	31
65+	549	11.1	54	4	4	9	14	20	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	2.9	4	1	1	2	4	5	7	12
B. *Operated*	38870	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	263	4.2	20	1	1	3	5	8	12	27
B. *Operated*	8184	6.6	23	3	3	5	8	12	16	26
1. SINGLE DX	39280	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX	8447	6.5	23	2	3	5	8	12	16	26
A. NOT OPERATED	673	3.4	11	1	1	3	4	6	9	18
B. OPERATED	47054	4.5	8	2	2	4	5	7	9	16
TOTAL 0-19 YRS	23227	4.1	5	2	2	4	5	6	8	13
20-34	16257	4.3	6	2	2	4	5	7	8	13
35-49	4726	5.2	12	2	3	4	6	8	11	19
50-64	2402	6.6	19	3	3	5	8	11	14	24
65+	1115	8.9	40	3	4	7	11	16	21	34
GRAND TOTAL	**47727**	**4.5**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	8.6	26	2	3	8	11	15	17	28
20-34	52	6.9	18	1	2	6	9	13	15	20
35-49	38	7.9	15	2	3	8	10	13	14	20
50-64	31	8.7	20	4	5	9	10	12	15	27
65+	16	7.1	14	1	2	6	10	13	13	13
B. *Operated*										
0-19 YRS	3862	7.4	15	3	3	7	9	12	14	21
20-34	2206	7.2	14	3	3	7	9	12	14	20
35-49	1264	8.2	16	3	4	8	10	13	15	22
50-64	1007	9.6	23	4	5	9	11	15	18	27
65+	510	11.4	37	5	6	10	13	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	10.1	24	2	5	9	14	17	18	18
20-34	25	7.0	34	1	1	5	9	14	20	26
35-49	20	8.6	28	1	2	7	12	17	19	19
50-64	26	8.9	22	<1	2	8	11	13	18	22
65+	30	11.3	45	3	5	9	13	20	24	34
B. *Operated*										
0-19 YRS	1652	11.0	41	4	5	9	14	19	24	33
20-34	1201	10.7	42	4	5	9	12	18	22	36
35-49	916	12.3	52	5	6	11	14	21	26	39
50-64	1251	13.8	65	6	7	12	16	23	30	44
65+	1144	17.1	130	7	8	14	21	30	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	7.9	20	2	3	7	10	14	15	25
B. *Operated*	8849	7.9	18	3	4	7	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	116	9.2	33	1	2	8	12	17	19	29
B. *Operated*	6164	12.8	70	5	6	11	15	22	28	46
1. SINGLE DX	9059	7.9	18	3	4	7	10	13	15	24
2. MULTIPLE DX	6280	12.8	69	5	6	11	15	22	28	46
A. NOT OPERATED	326	8.4	25	2	3	8	11	14	18	26
B. OPERATED	15013	10.0	45	3	4	8	12	17	22	35
TOTAL 0-19 YRS	5602	8.5	25	3	4	7	10	14	18	27
20-34	3484	8.4	27	3	4	7	10	14	17	28
35-49	2238	9.8	35	4	4	9	12	16	21	32
50-64	2315	11.8	50	5	6	10	14	20	25	40
65+	1700	15.2	107	6	7	12	18	27	34	63
GRAND TOTAL	**15339**	**9.9**	**45**	**3**	**4**	**8**	**12**	**17**	**22**	**35**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	2.4	3	1	1	2	3	4	6	8
20-34	287	2.9	5	1	1	2	4	5	6	11
35-49	78	3.3	5	1	1	3	4	6	8	11
50-64	35	4.1	11	1	2	3	5	7	8	20
65+	19	3.9	5	<1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	1931	4.2	4	2	2	4	5	7	8	12
20-34	1306	4.7	12	2	2	4	5	7	9	14
35-49	346	5.4	10	2	3	5	6	9	11	18
50-64	154	6.9	23	2	3	6	8	11	15	28
65+	55	6.8	15	2	3	6	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.5	12	1	1	3	4	7	8	15
20-34	148	3.3	5	1	1	3	4	6	8	11
35-49	53	4.2	8	1	1	4	5	8	11	13
50-64	42	5.1	10	1	2	4	7	9	10	16
65+	24	7.8	65	1	2	6	9	12	22	42
B. *Operated*										
0-19 YRS	1000	5.2	9	2	3	4	6	8	11	16
20-34	883	6.3	16	3	3	5	7	11	13	21
35-49	308	8.1	46	3	3	6	9	14	19	39
50-64	168	10.5	57	4	5	8	12	19	24	46
65+	118	11.9	72	4	5	10	15	22	26	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	2.8	4	1	1	2	3	5	6	10
B. *Operated*	3792	4.6	9	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	455	3.9	12	1	1	3	5	8	9	14
B. *Operated*	2477	6.7	26	3	3	5	8	11	15	29
1. SINGLE DX	4576	4.3	9	1	2	4	5	7	9	14
2. MULTIPLE DX	2932	6.2	25	2	3	5	7	11	14	28
A. NOT OPERATED	1239	3.2	8	1	1	2	4	6	8	12
B. OPERATED	6269	5.4	17	2	3	4	6	9	12	21
TOTAL 0-19 YRS	3484	4.3	7	1	2	4	5	7	9	13
20-34	2624	4.9	14	2	2	4	6	8	11	17
35-49	785	6.2	26	2	2	5	7	10	14	28
50-64	399	8.0	40	2	3	6	9	15	19	39
65+	216	9.5	59	2	3	7	12	19	24	42
GRAND TOTAL	**7508**	**5.1**	**16**	**2**	**2**	**4**	**6**	**9**	**11**	**20**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	1.8	17	<1	<1	1	2	3	4	8
20-34	71	2.8	4	<1	1	2	4	5	6	11
35-49	62	2.6	3	<1	<1	2	4	5	6	6
50-64	92	3.3	10	<1	<1	3	4	6	9	19
65+	94	3.7	8	<1	1	3	5	8	10	12
B. *Operated*										
0-19 YRS	15916	2.1	2	<1	<1	2	3	4	4	6
20-34	15178	3.6	2	2	2	3	4	5	6	8
35-49	13385	4.0	3	2	2	4	5	6	7	9
50-64	20190	4.3	4	2	2	4	5	7	8	11
65+	14407	4.9	7	2	3	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	649	1.6	2	<1	<1	1	1	3	5	8
20-34	138	2.4	10	<1	<1	1	3	6	7	17
35-49	156	3.1	7	<1	1	2	4	7	8	15
50-64	349	3.7	10	<1	1	3	5	8	10	16
65+	602	5.1	29	1	1	4	6	11	14	29
B. *Operated*										
0-19 YRS	8236	2.3	4	<1	<1	2	3	4	5	9
20-34	4922	4.3	5	2	2	4	5	7	8	12
35-49	6913	5.0	8	2	3	4	6	8	10	16
50-64	14526	5.7	13	2	3	5	7	9	12	20
65+	16619	7.3	32	3	3	6	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	2.8	10	<1	<1	2	4	5	7	11
B. *Operated*	79076	3.8	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1894	3.3	15	<1	<1	2	4	7	10	19
B. *Operated*	51216	5.4	19	1	2	4	6	10	13	22
1. SINGLE DX	79539	3.8	4	1	2	4	5	6	7	10
2. MULTIPLE DX	53110	5.4	19	1	2	4	6	9	13	22
A. NOT OPERATED	2357	3.2	14	<1	<1	2	4	7	10	17
B. OPERATED	130292	4.4	11	1	2	4	5	7	9	16
TOTAL 0-19 YRS	24945	2.2	3	<1	<1	2	3	4	5	7
20-34	20309	3.8	3	2	2	4	4	6	7	10
35-49	20516	4.3	5	2	2	4	5	7	8	12
50-64	35157	4.9	8	2	3	4	6	8	9	16
65+	31722	6.2	22	2	3	5	7	10	14	24
GRAND TOTAL	**132649**	**4.4**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.3		<1	<1	1	1	2	2	5
20-34	8	1.6	1	<1	<1	1	2	3	3	3
35-49	5	2.8	6	<1	<1	1	5	6	6	6
50-64	16	2.3	6	<1	1	1	2	7	8	9
65+	45	2.7	7	<1	<1	2	3	5	9	14
B. *Operated*										
0-19 YRS	1000	2.2	3	<1	1	2	3	4	5	9
20-34	498	4.0	3	2	2	4	5	6	7	9
35-49	418	4.6	6	2	2	4	6	7	9	12
50-64	729	5.1	6	2	3	5	6	8	10	14
65+	1195	6.5	13	2	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.6	5	<1	<1	2	4	5	7	11
20-34	6	2.5	2	<1	<1	2	3	5	5	5
35-49	14	5.6	23	1	1	5	7	13	17	18
50-64	34	5.4	61	1	1	3	5	11	25	39
65+	144	7.7	77	1	1	5	9	17	24	46
B. *Operated*										
0-19 YRS	617	2.9	7	1	1	2	3	5	7	16
20-34	194	5.1	19	2	3	4	6	8	10	30
35-49	215	6.3	16	2	3	5	7	12	14	20
50-64	709	8.3	45	3	3	7	9	15	20	44
65+	2134	11.1	79	3	4	9	13	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	2.1	4	<1	<1	1	2	5	6	11
B. *Operated*	3840	4.6	10	1	1	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	236	6.3	62	1	1	4	7	15	22	40
B. *Operated*	3869	8.7	64	1	2	7	11	17	23	45
1. SINGLE DX	3957	4.5	10	1	1	4	6	8	10	16
2. MULTIPLE DX	4105	8.6	65	1	2	7	10	17	23	44
A. NOT OPERATED	353	4.9	47	<1	1	2	5	11	16	34
B. OPERATED	7709	6.7	41	1	2	5	8	13	18	33
TOTAL 0-19 YRS	1698	2.4	4	<1	1	2	3	5	6	10
20-34	706	4.3	8	2	2	4	5	7	8	12
35-49	652	5.2	10	2	2	5	6	8	12	19
50-64	1488	6.6	29	2	3	5	7	11	15	31
65+	3518	9.3	61	3	3	7	11	17	23	43
GRAND TOTAL	**8062**	**6.6**	**42**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	5	<1	<1	1	2	4	9	11
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	14	2.1	7	<1	1	1	2	5	10	11
50-64	11	2.1	3	<1	<1	1	3	5	6	6
65+	10	4.2	16	1	1	3	4	11	14	14
B. *Operated*										
0-19 YRS	2857	2.1	2	<1	1	2	2	3	4	6
20-34	986	3.4	2	1	2	3	4	5	6	8
35-49	1077	3.6	3	1	2	3	4	6	7	11
50-64	856	4.3	6	2	2	4	5	7	8	12
65+	364	5.2	11	2	2	5	6	9	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	2.4	15	<1	<1	1	2	6	6	24
20-34	25	1.9	2	<1	1	1	3	4	5	6
35-49	51	2.8	5	<1	1	2	4	6	7	11
50-64	69	4.3	11	1	1	4	6	8	9	19
65+	82	7.0	33	1	2	5	9	16	18	30
B. *Operated*										
0-19 YRS	629	2.9	5	<1	1	2	3	5	7	13
20-34	562	4.7	8	2	2	4	6	8	10	14
35-49	854	5.9	20	2	2	5	7	10	13	23
50-64	1026	6.3	20	2	3	5	8	11	14	22
65+	623	8.2	37	3	3	7	10	15	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.5	7	<1	<1	1	3	5	10	13
B. *Operated*	6140	3.1	4	<1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	377	3.8	19	<1	<1	2	5	8	12	23
B. *Operated*	3694	5.7	21	1	2	5	7	10	13	24
1. SINGLE DX	6210	3.0	4	<1	1	3	4	5	7	10
2. MULTIPLE DX	4071	5.5	21	1	2	4	7	10	13	24
A. NOT OPERATED	447	3.6	18	<1	<1	2	5	8	11	21
B. OPERATED	9834	4.0	12	1	1	3	5	8	10	18
TOTAL 0-19 YRS	3669	2.3	3	<1	1	2	3	4	5	9
20-34	1575	3.8	5	1	2	3	5	6	8	12
35-49	1996	4.5	12	1	2	4	5	8	10	18
50-64	1962	5.3	15	2	2	4	6	9	12	20
65+	1079	7.1	30	2	3	6	8	13	18	31
GRAND TOTAL	**10281**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	3	<1	<1	1	2	3	6	7
20-34	35	3.7	12	1	1	2	5	7	8	19
35-49	35	2.6	2	1	1	2	4	5	5	6
50-64	42	4.1	7	1	2	3	6	8	10	11
65+	51	4.3	9	1	1	3	6	8	11	14
B. *Operated*										
0-19 YRS	549	2.6	3	<1	1	2	3	4	5	8
20-34	1662	4.2	5	1	2	4	5	7	8	12
35-49	2424	5.4	8	2	2	5	7	9	10	15
50-64	3076	6.0	12	2	3	5	8	10	11	16
65+	2002	7.1	13	3	3	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	7	<1	<1	1	4	8	9	9
20-34	59	3.1	8	<1	1	2	4	7	8	15
35-49	144	4.5	15	<1	1	3	6	10	11	20
50-64	232	5.0	13	1	1	4	7	10	12	18
65+	384	6.8	63	1	2	5	8	13	18	32
B. *Operated*										
0-19 YRS	174	3.6	7	1	1	3	4	6	10	14
20-34	1029	6.3	18	2	3	5	7	10	14	27
35-49	2133	7.7	23	3	3	7	9	13	16	26
50-64	3343	8.9	35	3	4	8	11	15	19	31
65+	3115	10.4	56	3	4	9	12	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	3.6	8	1	1	3	5	7	8	14
B. *Operated*	9713	5.6	11	2	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	834	5.5	38	1	1	4	7	11	14	24
B. *Operated*	9794	8.7	39	3	3	7	11	15	19	33
1. SINGLE DX	9889	5.6	11	2	2	5	7	9	11	17
2. MULTIPLE DX	10628	8.5	40	2	3	7	10	15	19	33
A. NOT OPERATED	1010	5.2	33	1	1	4	7	10	13	24
B. OPERATED	19507	7.2	26	2	3	6	9	13	16	26
TOTAL 0-19 YRS	751	2.8	4	<1	1	2	3	5	6	11
20-34	2785	5.0	11	2	2	4	6	8	10	18
35-49	4736	6.4	17	2	3	6	8	11	13	22
50-64	6693	7.4	26	2	3	6	9	13	16	26
65+	5552	8.9	44	3	3	8	11	15	19	34
GRAND TOTAL	**20517**	**7.1**	**28**	**2**	**3**	**6**	**9**	**12**	**16**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	6	1	1	3	5	7	10	10
20-34	232	4.0	7	1	2	3	5	7	9	15
35-49	659	3.8	5	1	2	3	5	7	8	12
50-64	877	4.0	5	1	2	4	5	7	8	12
65+	733	4.8	19	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	33	5.2	64	1	1	2	5	11	18	44
20-34	100	7.4	14	2	3	7	9	12	15	18
35-49	224	8.1	17	2	3	8	10	14	15	22
50-64	288	8.7	21	2	3	9	11	14	16	25
65+	180	10.7	42	2	3	10	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.6	9	1	1	4	6	9	10	15
20-34	957	4.9	11	1	2	4	6	8	11	15
35-49	3273	5.2	12	2	2	4	6	9	11	19
50-64	5730	5.4	12	2	2	5	7	10	12	18
65+	8427	6.5	22	2	3	5	8	12	15	24
B. *Operated*										
0-19 YRS	46	11.5	106	2	2	8	18	29	34	99+
20-34	485	9.0	41	2	3	8	11	15	21	36
35-49	1441	9.5	46	3	4	8	11	16	20	30
50-64	2219	10.0	47	2	3	9	12	18	22	34
65+	2174	11.7	80	2	3	10	15	22	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2531	4.2	10	1	2	4	5	7	9	13
B. *Operated*	825	8.7	27	2	3	8	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	18474	5.9	17	2	2	5	7	10	13	21
B. *Operated*	6365	10.4	59	2	3	9	13	19	24	40
1. SINGLE DX	3356	5.3	18	1	2	4	7	10	13	20
2. MULTIPLE DX	24839	7.0	32	2	2	6	9	13	17	28
A. NOT OPERATED	21005	5.7	16	2	2	5	7	10	13	21
B. OPERATED	7190	10.2	56	2	3	9	12	18	23	38
TOTAL 0-19 YRS	196	6.3	48	1	2	4	7	12	22	47
20-34	1774	6.1	22	2	2	5	8	11	14	25
35-49	5597	6.2	24	2	2	5	8	11	14	24
50-64	9114	6.5	25	2	2	5	8	12	15	25
65+	11514	7.5	38	2	3	6	9	14	18	31
GRAND TOTAL	**28195**	**6.8**	**30**	**2**	**2**	**5**	**9**	**13**	**16**	**28**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	25	3.4	4	<1	1	3	4	6	8	8
35-49	22	6.8	72	1	2	5	7	12	27	41
50-64	24	4.1	10	<1	1	3	6	10	11	11
65+	21	3.6	4	<1	1	4	5	6	7	8
B. *Operated*										
0-19 YRS	119	2.7	2	<1	1	2	4	5	5	7
20-34	342	4.0	3	2	2	4	5	6	7	10
35-49	448	4.6	8	2	2	4	5	7	9	15
50-64	571	5.1	11	2	2	4	6	8	11	20
65+	560	5.6	8	2	3	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	6	<1	1	2	4	8	8	8
20-34	28	6.3	96	1	1	4	5	10	27	51
35-49	47	5.1	15	1	1	4	7	12	14	15
50-64	54	6.0	21	1	1	5	7	12	17	20
65+	103	6.5	26	1	2	5	9	14	17	24
B. *Operated*										
0-19 YRS	53	4.3	11	1	1	4	6	8	12	17
20-34	155	5.5	22	2	2	4	6	9	13	27
35-49	306	6.5	25	2	3	5	8	12	15	27
50-64	438	7.2	24	3	3	6	8	13	17	28
65+	635	8.9	56	3	4	7	10	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.4	22	1	1	3	5	8	10	30
B. *Operated*	2040	4.8	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	246	5.9	30	1	1	4	7	12	16	24
B. *Operated*	1587	7.5	38	2	3	6	9	14	18	32
1. SINGLE DX	2134	4.8	9	2	2	4	6	8	10	16
2. MULTIPLE DX	1833	7.3	37	2	3	6	9	14	17	31
A. NOT OPERATED	340	5.5	28	1	1	4	7	11	15	24
B. OPERATED	3627	6.0	23	2	2	5	7	10	14	26
TOTAL 0-19 YRS	188	3.2	6	<1	1	3	4	6	7	14
20-34	550	4.5	14	2	2	4	5	7	8	24
35-49	823	5.4	18	2	2	4	6	9	13	23
50-64	1087	6.0	17	2	3	5	7	11	14	23
65+	1319	7.2	35	2	3	6	8	13	16	31
GRAND TOTAL	**3967**	**5.9**	**24**	**2**	**2**	**5**	**7**	**10**	**14**	**26**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.7	3	<1	<1	2	4	5	6	6
20-34	15	4.3	13	<1	1	2	8	10	10	10
35-49	33	3.3	5	<1	1	3	5	6	8	9
50-64	62	4.2	9	1	1	3	6	8	11	14
65+	93	5.0	12	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	219	3.1	16	1	1	2	3	5	7	14
20-34	478	4.5	12	2	2	4	5	8	11	17
35-49	770	5.1	11	2	2	4	6	9	11	17
50-64	930	6.2	12	2	3	5	8	10	13	19
65+	1216	8.6	33	3	4	7	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	8	<1	<1	2	3	8	9	9
20-34	19	7.2	63	<1	1	4	11	15	25	34
35-49	50	5.1	23	1	1	4	6	10	11	31
50-64	141	6.1	25	1	2	5	7	13	16	24
65+	437	8.3	73	2	2	6	9	15	21	51
B. *Operated*										
0-19 YRS	55	6.8	57	1	2	4	8	12	30	35
20-34	288	7.0	43	2	3	6	8	12	16	23
35-49	729	8.5	57	3	3	6	10	15	21	40
50-64	1431	10.3	65	3	4	8	12	19	25	42
65+	2660	14.5	131	4	5	11	18	27	36	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	4.3	10	1	1	4	6	9	10	15
B. *Operated*	3613	6.3	22	2	2	5	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	657	7.5	59	1	2	6	9	14	19	43
B. *Operated*	5163	12.0	104	3	4	9	15	23	31	57
1. SINGLE DX	3828	6.2	22	2	2	5	8	11	14	23
2. MULTIPLE DX	5820	11.5	101	3	4	9	14	22	30	56
A. NOT OPERATED	872	6.7	49	1	2	5	8	12	17	41
B. OPERATED	8776	9.7	78	2	3	7	12	19	25	48
TOTAL 0-19 YRS	296	3.8	25	1	1	3	4	7	10	31
20-34	800	5.5	26	2	2	4	7	10	13	22
35-49	1582	6.6	35	2	2	5	8	12	16	31
50-64	2564	8.4	47	2	3	7	10	15	20	37
65+	4406	12.1	105	3	4	9	15	23	30	57
GRAND TOTAL	**9648**	**9.4**	**76**	**2**	**3**	**7**	**11**	**18**	**25**	**47**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	3.4	9	1	1	2	4	7	8	17
20-34	1021	4.6	10	1	1	4	6	8	10	15
35-49	1390	5.1	12	1	2	4	6	9	11	18
50-64	1854	5.4	13	1	2	5	7	10	12	19
65+	2193	6.4	21	1	2	5	8	12	14	22
B. *Operated*										
0-19 YRS	504	7.5	33	3	3	7	9	12	16	26
20-34	753	10.1	39	4	5	9	12	16	21	29
35-49	889	11.3	37	5	6	10	14	18	21	35
50-64	1080	12.3	44	6	7	11	14	20	24	41
65+	1336	14.3	61	6	8	12	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	373	4.8	17	1	1	4	6	9	12	21
20-34	962	5.7	24	1	2	5	7	10	12	24
35-49	1507	6.7	24	2	2	5	8	12	16	25
50-64	3193	7.4	33	2	2	6	9	13	17	29
65+	7383	9.3	54	2	3	7	11	17	22	39
B. *Operated*										
0-19 YRS	535	10.4	76	3	4	8	12	18	26	53
20-34	989	13.7	115	5	6	11	16	25	34	77
35-49	1538	15.4	121	6	7	12	18	28	35	67
50-64	2748	18.4	166	7	8	15	22	35	46	83
65+	5737	20.4	178	7	9	17	25	38	49	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6990	5.4	15	1	2	5	7	10	12	19
B. *Operated*	4562	11.8	50	4	6	10	14	20	24	40
2. MULTIPLE DX										
A. *Not Operated*	13418	8.1	44	2	3	7	10	15	20	34
B. *Operated*	11547	18.2	166	6	7	15	22	34	45	81
1. SINGLE DX	11552	7.9	39	1	2	6	10	15	19	30
2. MULTIPLE DX	24965	12.8	126	2	3	10	16	26	35	65
A. NOT OPERATED	20408	7.2	36	2	2	6	9	14	17	30
B. OPERATED	16109	16.4	141	5	7	13	20	31	41	74
TOTAL 0-19 YRS	1944	6.7	43	1	1	5	8	12	16	34
20-34	3725	8.4	61	2	2	7	10	16	22	43
35-49	5324	9.6	69	2	3	8	12	18	24	44
50-64	8875	11.0	100	2	3	8	13	22	30	56
65+	16649	13.1	124	3	4	10	16	26	35	64
GRAND TOTAL	**36517**	**11.3**	**103**	**2**	**3**	**9**	**14**	**22**	**31**	**56**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23002	3.1	4	1	1	3	4	5	7	10
20-34	9919	3.1	4	1	1	3	4	6	7	10
35-49	4236	3.7	7	1	1	3	5	7	8	13
50-64	3216	3.9	10	1	1	3	5	7	8	13
65+	3127	4.6	12	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	426	5.0	16	1	2	4	6	9	11	21
20-34	704	5.7	21	1	2	5	7	10	13	23
35-49	322	7.1	28	2	2	6	9	13	17	30
50-64	262	6.7	23	1	1	6	9	13	16	24
65+	190	9.8	84	1	2	8	12	17	23	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28270	3.9	8	1	2	3	5	7	8	14
20-34	10469	4.0	9	1	1	3	5	7	9	15
35-49	7003	5.1	15	1	2	4	6	9	12	20
50-64	9311	5.7	19	2	2	5	7	10	13	23
65+	18111	7.3	38	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	643	8.1	78	2	3	6	8	16	24	60
20-34	1041	8.0	48	2	2	6	10	15	19	38
35-49	915	9.6	52	2	3	8	12	17	20	39
50-64	1153	11.2	86	2	4	9	13	22	28	56
65+	1810	14.3	138	3	4	11	18	28	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43500	3.3	6	1	1	3	4	6	7	11
B. *Operated*	1904	6.3	29	1	2	5	8	12	15	30
2. MULTIPLE DX										
A. *Not Operated*	73164	5.1	20	1	2	4	6	9	12	22
B. *Operated*	5562	11.0	96	2	3	8	13	21	29	58
1. SINGLE DX	45404	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	78726	5.5	27	1	2	4	7	10	14	27
A. NOT OPERATED	116664	4.4	15	1	1	3	5	8	11	20
B. OPERATED	7466	9.8	83	2	3	7	12	19	26	54
TOTAL 0-19 YRS	52341	3.6	8	1	1	3	4	6	8	13
20-34	22133	3.8	10	1	1	3	5	7	9	15
35-49	12476	5.0	18	1	2	4	6	9	12	20
50-64	13942	5.8	26	1	2	4	7	11	14	27
65+	23238	7.5	48	2	2	6	9	14	19	36
GRAND TOTAL	**124130**	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	5.0	11	1	2	4	6	10	12	15
20-34	275	5.1	9	1	2	5	6	9	11	15
35-49	1732	5.1	9	2	2	5	6	9	11	15
50-64	3667	5.3	11	1	2	5	7	9	11	15
65+	4962	5.5	14	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	20	7.3	21	2	3	6	8	16	17	18
20-34	172	9.3	27	4	4	8	11	15	19	30
35-49	522	11.1	26	4	6	10	13	18	21	28
50-64	1152	12.3	40	3	6	11	15	20	24	34
65+	1030	13.8	61	3	6	13	17	24	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.1	27	1	2	4	7	12	21	24
20-34	286	5.7	12	2	2	5	7	11	12	18
35-49	2026	5.9	12	2	2	5	7	10	12	18
50-64	7499	6.3	17	2	2	5	8	11	14	22
65+	21413	7.6	34	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	20	12.7	105	5	6	10	15	17	35	53
20-34	217	12.0	54	5	6	10	14	19	22	44
35-49	1262	13.3	60	4	6	12	16	22	28	42
50-64	4033	15.0	106	4	6	13	18	26	34	60
65+	6700	17.0	151	4	6	14	21	32	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10660	5.4	12	1	2	5	7	9	11	17
B. *Operated*	2896	12.4	46	3	5	11	15	21	25	34
2. MULTIPLE DX										
A. *Not Operated*	31255	7.1	29	2	3	6	9	13	16	27
B. *Operated*	12232	15.8	127	4	6	13	19	29	38	65
1. SINGLE DX	13556	6.9	28	1	2	6	9	13	16	26
2. MULTIPLE DX	43487	9.6	72	2	3	7	12	19	25	46
A. NOT OPERATED	41915	6.7	25	2	2	6	8	12	15	25
B. OPERATED	15128	15.2	113	4	6	13	18	27	35	61
TOTAL 0-19 YRS	95	7.5	45	2	2	6	9	16	18	40
20-34	950	7.6	31	2	3	6	10	14	17	27
35-49	5542	7.8	35	2	3	6	10	15	19	29
50-64	16351	8.6	55	2	3	7	11	17	22	37
65+	34105	9.3	71	2	3	7	11	18	25	46
GRAND TOTAL	**57043**	**8.9**	**63**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	3.1	6	1	1	3	4	6	7	14
20-34	264	3.2	5	1	1	3	4	6	7	12
35-49	203	3.9	8	1	1	3	5	7	9	16
50-64	119	4.3	31	<1	1	3	5	8	10	32
65+	61	5.6	14	1	2	5	7	11	13	18
B. *Operated*										
0-19 YRS	721	3.3	7	1	1	3	4	6	7	12
20-34	4753	3.6	5	1	1	3	4	6	7	11
35-49	4116	3.8	6	1	2	3	4	6	8	12
50-64	2369	4.2	9	1	2	4	5	7	9	17
65+	784	5.0	17	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	3.8	10	1	1	3	5	6	9	18
20-34	290	4.3	14	1	1	3	5	8	10	23
35-49	284	5.3	19	1	2	4	7	9	11	23
50-64	348	5.5	19	1	1	4	7	11	16	20
65+	357	7.6	50	1	2	6	9	16	20	38
B. *Operated*										
0-19 YRS	380	4.4	13	1	2	4	5	8	9	22
20-34	3679	4.6	10	2	2	4	5	7	9	16
35-49	4170	5.1	23	2	2	4	6	9	11	22
50-64	3509	5.9	29	2	2	4	7	10	14	29
65+	1847	8.7	85	2	3	6	10	17	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	772	3.7	11	1	1	3	5	7	9	14
B. *Operated*	12743	3.8	7	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1417	5.6	27	1	2	4	7	11	15	27
B. *Operated*	13585	5.6	31	2	2	4	6	10	13	28
1. SINGLE DX	13515	3.8	7	1	2	3	5	6	8	13
2. MULTIPLE DX	15002	5.6	30	2	2	4	6	10	13	28
A. NOT OPERATED	2189	4.9	22	1	1	4	6	9	13	22
B. OPERATED	26328	4.8	20	1	2	4	5	8	11	22
TOTAL 0-19 YRS	1364	3.7	9	1	1	3	5	6	8	15
20-34	8986	4.0	8	1	2	3	5	7	8	13
35-49	8773	4.5	15	1	2	4	5	8	10	18
50-64	6345	5.2	22	2	2	4	6	9	12	24
65+	3049	7.5	64	2	2	5	9	15	21	45
GRAND TOTAL	**28517**	**4.8**	**20**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3314	3.8	12	1	1	3	5	7	9	16
20-34	6035	4.9	17	1	2	4	6	9	12	21
35-49	4057	4.9	16	1	2	4	6	9	12	20
50-64	2908	5.0	18	1	1	4	6	10	13	21
65+	2967	5.0	22	1	1	4	6	10	12	22
B. *Operated*										
0-19 YRS	1040	6.6	40	1	1	5	8	14	19	33
20-34	2942	8.1	58	1	2	6	10	16	23	40
35-49	2117	8.4	61	1	2	6	11	17	22	39
50-64	1931	8.7	67	1	2	7	11	18	23	39
65+	1761	10.1	101	1	2	7	13	21	28	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2844	4.5	16	1	1	3	6	8	11	20
20-34	7068	5.9	26	1	2	5	7	11	14	27
35-49	7270	6.0	23	2	2	5	8	11	14	25
50-64	8666	6.3	27	2	2	5	8	12	15	26
65+	16432	7.5	45	2	2	6	9	14	19	34
B. *Operated*										
0-19 YRS	1094	9.9	97	2	2	7	12	21	28	61
20-34	5031	10.9	113	2	3	8	13	24	33	62
35-49	4888	11.3	115	2	3	8	14	23	31	58
50-64	6036	12.7	141	2	3	9	16	27	37	77
65+	7914	15.5	187	3	4	12	20	32	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19281	4.8	17	1	1	4	6	9	12	21
B. *Operated*	9791	8.5	67	1	2	6	11	17	23	40
2. MULTIPLE DX										
A. *Not Operated*	42280	6.5	33	1	2	5	8	12	17	29
B. *Operated*	24963	12.8	147	2	3	9	16	27	37	72
1. SINGLE DX	29072	6.0	37	1	1	4	7	12	17	31
2. MULTIPLE DX	67243	8.9	85	2	2	6	11	18	26	52
A. NOT OPERATED	61561	6.0	29	1	2	5	7	11	15	27
B. OPERATED	34754	11.6	128	2	2	8	15	24	34	65
TOTAL 0-19 YRS	8292	5.2	32	1	1	4	6	10	15	30
20-34	21076	7.1	54	1	2	5	8	14	20	39
35-49	18332	7.5	57	1	2	5	9	15	20	39
50-64	19541	8.3	74	1	2	6	10	17	24	47
65+	29074	9.6	99	2	2	7	12	20	28	57
GRAND TOTAL	**96315**	**8.0**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	9.8	134	1	1	5	13	30	32	32
20-34	150	7.1	28	2	2	6	9	13	16	30
35-49	341	8.6	49	2	3	7	10	18	24	35
50-64	399	10.0	71	2	3	7	13	21	27	40
65+	136	11.5	102	3	3	8	14	21	32	52
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	39	9.9	141	1	1	8	12	20	25	70
35-49	111	8.0	54	1	1	6	11	16	22	36
50-64	157	8.5	60	1	1	7	12	21	25	32
65+	63	9.6	71	1	1	8	14	20	27	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	17.0	201	2	3	15	26	31	44	55
20-34	759	11.2	82	3	3	8	14	25	29	39
35-49	2346	12.6	105	3	3	9	16	26	32	50
50-64	3470	13.1	118	3	4	10	17	27	34	57
65+	1592	13.9	133	3	4	11	17	27	35	66
B. *Operated*										
0-19 YRS	4	6.8	14	2	2	7	9	11	11	11
20-34	236	16.1	181	2	3	12	21	33	43	66
35-49	802	17.8	223	2	4	14	24	37	50	91
50-64	1147	17.6	213	2	4	13	23	36	45	77
65+	465	19.3	202	3	5	16	26	38	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1032	9.3	63	2	3	7	12	19	26	39
B. *Operated*	371	8.7	69	1	1	7	12	19	24	47
2. MULTIPLE DX										
A. *Not Operated*	8191	12.9	115	3	4	10	17	26	33	54
B. *Operated*	2654	17.8	211	3	4	14	23	36	48	84
1. SINGLE DX	1403	9.2	65	1	2	7	12	19	25	40
2. MULTIPLE DX	10845	14.1	143	3	4	11	19	29	37	64
A. NOT OPERATED	9223	12.5	110	3	3	9	16	26	32	53
B. OPERATED	3025	16.7	203	2	3	13	22	35	45	81
TOTAL 0-19 YRS	35	14.6	172	1	2	8	25	30	38	55
20-34	1184	11.6	103	2	3	8	15	26	31	50
35-49	3600	13.2	132	2	3	10	17	28	35	61
50-64	5173	13.7	139	2	3	10	18	28	37	61
65+	2256	14.7	149	3	4	11	19	30	40	67
GRAND TOTAL	**12248**	**13.6**	**136**	**2**	**3**	**10**	**18**	**28**	**36**	**61**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	19th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.6	8	<1	1	2	5	7	11	12
20-34	148	6.3	38	1	2	5	8	14	16	42
35-49	195	7.8	43	1	2	6	11	17	21	31
50-64	272	8.5	58	1	2	7	11	16	22	34
65+	215	9.4	67	2	3	7	11	18	24	44
B. *Operated*										
0-19 YRS	72	3.3	9	1	1	2	4	6	11	14
20-34	538	3.5	23	1	1	2	4	8	11	20
35-49	481	4.5	37	1	1	2	5	11	16	28
50-64	527	5.4	56	1	1	2	7	13	18	35
65+	258	7.7	76	1	1	4	11	19	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	5.3	18	1	1	4	7	10	14	20
20-34	272	8.4	51	1	2	6	11	17	26	34
35-49	910	10.4	75	2	3	8	13	20	26	46
50-64	2056	11.5	85	2	3	9	15	22	28	48
65+	1973	12.7	98	3	4	10	16	24	32	52
B. *Operated*										
0-19 YRS	56	7.9	64	1	2	5	10	15	28	41
20-34	444	8.2	86	1	1	5	11	17	23	49
35-49	805	10.9	128	1	2	8	15	25	33	56
50-64	1499	12.4	152	1	2	9	17	27	35	63
65+	1248	15.4	167	2	3	12	20	32	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	860	8.0	53	1	2	6	10	16	21	38
B. *Operated*	1876	4.8	45	1	1	2	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	5265	11.6	87	2	3	9	15	22	30	48
B. *Operated*	4052	12.5	149	1	2	9	17	27	36	61
1. SINGLE DX	2736	5.8	49	1	1	3	8	14	19	34
2. MULTIPLE DX	9317	12.0	114	2	2	9	16	25	32	54
A. NOT OPERATED	6125	11.1	84	2	3	9	14	22	28	47
B. OPERATED	5928	10.1	128	1	1	6	14	24	32	56
TOTAL 0-19 YRS	212	5.1	29	1	1	3	6	11	14	30
20-34	1402	6.2	55	1	1	4	8	14	19	38
35-49	2391	9.2	88	1	2	6	12	20	27	47
50-64	4354	10.9	108	1	2	8	14	23	30	52
65+	3694	13.1	123	2	3	10	17	27	35	57
GRAND TOTAL	**12053**	**10.6**	**106**	**1**	**2**	**8**	**14**	**23**	**30**	**52**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	306	5.8	23	2	2	5	7	11	13	22
20-34	865	6.3	19	2	2	5	8	11	14	22
35-49	424	6.7	22	2	2	6	8	12	14	25
50-64	355	7.6	44	2	2	6	9	13	18	31
65+	245	8.6	42	2	3	7	10	16	20	39
B. *Operated*										
0-19 YRS	32	7.0	42	1	1	6	11	14	23	27
20-34	223	6.5	46	1	1	4	9	15	20	26
35-49	196	7.3	46	1	1	5	11	19	20	30
50-64	203	9.8	129	1	1	6	13	20	31	58
65+	129	10.3	68	1	1	8	17	22	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	6.2	19	2	2	5	8	12	16	22
20-34	824	7.5	41	2	2	6	9	13	18	30
35-49	964	10.0	72	2	3	8	13	19	25	45
50-64	1646	10.8	84	2	3	8	13	22	29	50
65+	1679	11.6	91	3	4	9	14	22	30	53
B. *Operated*										
0-19 YRS	44	11.4	100	2	2	10	15	24	29	51
20-34	237	12.3	124	1	2	10	14	26	36	55
35-49	364	12.8	161	1	2	10	17	26	38	65
50-64	659	15.1	142	2	3	12	21	30	38	72
65+	677	17.6	207	2	4	14	23	34	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2195	6.8	27	2	2	6	8	12	15	25
B. *Operated*	783	8.2	73	1	1	6	12	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	5325	10.2	77	2	3	8	13	20	27	48
B. *Operated*	1981	15.1	169	2	3	12	20	31	41	76
1. SINGLE DX	2978	7.1	40	1	2	6	9	14	19	30
2. MULTIPLE DX	7306	11.6	107	2	3	9	14	23	32	55
A. NOT OPERATED	7520	9.2	65	2	3	7	11	18	24	44
B. OPERATED	2764	13.2	151	1	2	10	18	28	36	66
TOTAL 0-19 YRS	594	6.4	30	2	2	5	8	12	16	26
20-34	2149	7.4	45	2	2	6	9	14	18	36
35-49	1948	9.6	79	2	2	7	12	19	25	46
50-64	2863	11.3	101	2	3	8	14	24	31	51
65+	2730	12.8	123	2	4	10	16	25	34	62
GRAND TOTAL	**10284**	**10.3**	**91**	**2**	**2**	**8**	**13**	**21**	**28**	**51**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.4	6	1	1	3	4	6	8	15
20-34	1557	3.2	4	1	1	3	4	6	7	10
35-49	1490	3.6	6	1	1	3	5	7	8	12
50-64	1566	4.1	7	1	1	3	5	8	9	14
65+	1454	5.4	13	1	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	1216	7.2	8	4	5	6	8	11	13	17
20-34	14034	7.2	7	4	5	7	8	10	12	16
35-49	12475	7.6	8	4	5	7	9	11	13	18
50-64	12840	8.3	11	5	5	8	9	12	15	20
65+	7103	10.2	23	5	6	9	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	4.4	9	1	1	3	5	9	11	15
20-34	1367	4.2	10	1	1	4	5	8	10	16
35-49	1854	5.0	15	1	2	4	6	9	12	18
50-64	3553	5.7	17	1	2	5	7	11	13	21
65+	7439	7.8	35	2	3	6	10	14	18	32
B. *Operated*										
0-19 YRS	614	9.2	20	5	5	8	11	14	17	24
20-34	8728	9.0	21	5	5	8	10	14	17	25
35-49	11127	9.7	27	5	5	8	11	15	18	28
50-64	17213	11.1	38	5	6	9	13	18	22	33
65+	18894	14.8	77	6	7	13	18	25	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6276	4.0	8	1	1	3	5	7	9	14
B. *Operated*	47668	8.1	12	5	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	14352	6.5	27	2	2	5	8	12	16	27
B. *Operated*	56576	11.7	51	5	6	10	14	20	24	40
1. SINGLE DX	53944	7.6	13	3	4	7	9	12	14	20
2. MULTIPLE DX	70928	10.7	51	3	5	9	13	19	23	38
A. NOT OPERATED	20628	5.8	23	1	2	5	7	11	14	23
B. OPERATED	104244	10.0	37	5	5	8	12	17	21	33
TOTAL 0-19 YRS	2178	7.2	14	2	3	6	9	12	14	20
20-34	25686	7.4	14	3	4	7	9	12	14	20
35-49	26946	8.1	19	3	4	7	9	13	16	23
50-64	35172	9.2	29	3	5	8	11	15	19	29
65+	34890	12.0	65	3	5	10	15	21	27	44
GRAND TOTAL	**124872**	**9.3**	**37**	**3**	**4**	**8**	**11**	**16**	**20**	**32**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	3.9	7	1	2	3	5	7	9	15
20-34	1415	3.8	6	1	1	3	5	7	8	12
35-49	1142	4.0	6	1	1	4	5	7	9	12
50-64	1007	4.4	8	1	1	4	6	8	10	14
65+	880	5.6	12	1	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	131	7.6	11	4	5	7	9	11	16	19
20-34	1471	8.0	13	4	5	7	9	12	15	22
35-49	1495	8.4	16	4	5	7	10	13	16	21
50-64	1125	9.4	21	5	5	8	11	15	17	24
65+	860	11.5	30	5	6	10	14	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	4.5	8	1	2	4	6	8	9	12
20-34	1229	4.7	9	1	2	4	6	8	10	15
35-49	1373	5.8	16	2	2	5	7	10	13	20
50-64	1965	6.2	18	2	2	5	8	11	13	21
65+	3603	8.3	39	2	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	122	9.1	23	4	5	8	10	14	18	32
20-34	1899	9.7	30	4	5	8	12	16	19	29
35-49	2466	10.6	34	5	5	9	13	17	21	31
50-64	2741	12.2	50	5	6	10	15	20	25	37
65+	3071	16.5	111	7	8	14	20	29	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4627	4.3	8	1	1	4	6	8	10	14
B. *Operated*	5082	9.0	20	4	5	8	11	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	8354	6.8	27	2	2	6	8	12	15	27
B. *Operated*	10299	12.6	68	5	6	10	15	22	28	46
1. SINGLE DX	9709	6.8	20	1	2	6	9	12	15	22
2. MULTIPLE DX	18653	10.0	58	2	3	8	12	18	23	40
A. NOT OPERATED	12981	5.9	22	1	2	5	7	11	14	23
B. OPERATED	15381	11.4	55	5	6	9	14	20	24	42
TOTAL 0-19 YRS	620	5.9	16	1	2	5	8	10	13	20
20-34	6014	6.9	22	2	2	6	9	12	15	23
35-49	6476	7.9	27	2	3	7	10	14	17	27
50-64	6838	8.9	39	2	3	8	11	16	20	32
65+	8414	11.3	79	3	4	9	14	21	28	48
GRAND TOTAL	**28362**	**8.9**	**47**	**2**	**3**	**7**	**11**	**16**	**21**	**38**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	16	1	1	3	5	12	14	14
20-34	110	3.7	6	1	1	3	5	7	8	13
35-49	137	3.9	8	1	1	3	5	8	9	13
50-64	132	5.0	12	1	2	4	7	10	12	17
65+	224	5.4	13	1	2	5	8	10	11	17
B. *Operated*										
0-19 YRS	38	9.9	22	5	6	9	12	17	19	24
20-34	441	9.0	19	3	5	8	11	14	17	23
35-49	398	9.0	37	2	3	8	11	15	19	28
50-64	520	10.1	33	2	4	9	13	17	21	29
65+	783	12.8	57	2	4	12	17	22	25	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.6	7	1	2	4	7	9	10	10
20-34	83	5.3	21	1	2	4	6	12	15	26
35-49	157	5.7	13	1	2	5	7	11	13	17
50-64	262	6.5	34	1	2	5	8	13	17	24
65+	765	8.4	38	2	3	7	11	16	19	34
B. *Operated*										
0-19 YRS	30	10.4	19	5	6	10	12	16	18	23
20-34	370	11.2	50	4	5	10	13	18	24	41
35-49	435	12.8	83	5	6	10	15	22	27	70
50-64	893	14.3	72	4	6	12	18	24	31	45
65+	2232	18.0	113	5	8	16	22	30	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	4.7	11	1	1	4	6	9	11	15
B. *Operated*	2180	10.6	42	2	4	9	14	19	23	30
2. MULTIPLE DX										
A. *Not Operated*	1282	7.5	34	2	2	6	9	14	18	29
B. *Operated*	3960	15.9	100	5	6	14	20	27	35	55
1. SINGLE DX	2794	9.3	41	1	2	8	12	17	21	29
2. MULTIPLE DX	5242	13.9	97	3	4	12	18	26	32	51
A. NOT OPERATED	1896	6.6	28	1	2	5	8	13	16	26
B. OPERATED	6140	14.1	86	4	5	12	18	25	30	49
TOTAL 0-19 YRS	94	8.6	23	2	3	8	11	16	18	24
20-34	1004	8.9	35	2	3	8	11	15	18	34
35-49	1127	9.4	58	2	2	8	12	17	22	41
50-64	1807	11.3	62	2	3	10	15	21	25	37
65+	4004	14.5	101	3	4	13	19	26	32	53
GRAND TOTAL	**8036**	**12.3**	**83**	**2**	**3**	**10**	**16**	**23**	**28**	**46**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.7	15	<1	1	4	8	12	13	13
20-34	96	5.3	12	1	1	4	7	11	12	15
35-49	135	5.0	10	1	2	4	7	10	11	13
50-64	189	5.8	17	1	2	5	8	11	13	16
65+	258	6.4	27	1	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	10	8.3	48	1	1	7	13	18	19	19
20-34	92	8.9	61	1	1	7	11	19	24	38
35-49	101	8.9	40	1	2	8	12	18	21	27
50-64	125	10.0	93	1	2	8	13	21	24	52
65+	140	14.6	106	1	2	13	22	28	32	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	7.8	26	1	2	8	11	14	16	22
20-34	156	6.9	32	1	2	6	9	15	19	25
35-49	237	7.0	36	2	2	5	9	13	15	26
50-64	453	8.2	44	2	2	7	10	14	20	40
65+	1156	10.4	78	2	3	8	13	19	25	46
B. *Operated*										
0-19 YRS	18	14.4	67	2	3	15	17	24	32	36
20-34	166	13.5	118	2	3	11	18	24	31	62
35-49	286	14.8	145	2	3	12	19	30	38	92
50-64	560	17.5	175	2	4	15	22	33	44	77
65+	1119	20.7	179	5	8	18	26	38	47	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	5.8	19	1	2	5	8	11	13	20
B. *Operated*	468	10.9	84	1	2	9	15	23	28	44
2. MULTIPLE DX										
A. *Not Operated*	2029	9.2	63	2	3	7	11	17	22	41
B. *Operated*	2149	18.5	174	3	5	16	24	35	45	79
1. SINGLE DX	1167	7.8	51	1	2	6	10	16	22	33
2. MULTIPLE DX	4178	14.0	142	2	3	11	18	28	37	64
A. NOT OPERATED	2728	8.3	54	2	2	7	10	16	20	39
B. OPERATED	2617	17.1	166	2	4	14	22	33	42	72
TOTAL 0-19 YRS	76	8.8	45	1	2	8	13	17	20	33
20-34	510	9.1	72	1	2	7	12	19	24	45
35-49	759	9.8	89	2	2	8	13	20	27	50
50-64	1327	11.9	123	2	3	9	15	24	33	58
65+	2673	14.6	146	3	4	11	19	29	38	65
GRAND TOTAL	**5345**	**12.6**	**128**	**2**	**3**	**9**	**17**	**26**	**35**	**60**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	5.6	10	1	2	5	7	9	11	17
20-34	2554	6.3	21	2	2	5	8	11	14	22
35-49	2628	6.8	22	2	3	6	8	12	15	27
50-64	1731	7.0	23	2	3	6	8	12	15	24
65+	1090	7.6	25	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	34	10.9	67	1	2	9	13	25	29	32
20-34	258	11.8	96	2	2	9	14	26	31	47
35-49	360	13.6	159	1	2	10	17	26	37	68
50-64	278	12.4	115	1	2	10	17	26	35	76
65+	157	13.4	132	1	2	11	18	27	39	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	7.0	49	2	2	5	8	12	17	36
20-34	3841	7.7	29	2	3	6	9	14	17	28
35-49	5828	8.4	36	2	3	7	10	15	19	32
50-64	4646	9.0	43	3	3	7	11	16	21	34
65+	4303	10.0	52	3	4	8	12	18	23	40
B. *Operated*										
0-19 YRS	65	18.2	293	3	5	12	20	41	56	89
20-34	725	18.8	242	4	6	14	23	41	53	85
35-49	1248	19.6	253	4	5	15	25	42	56	84
50-64	1445	19.2	209	4	6	16	24	40	55	99
65+	1193	21.0	222	6	8	17	26	41	54	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8359	6.7	22	2	3	6	8	12	15	25
B. *Operated*	1087	12.7	126	1	2	10	17	26	36	58
2. MULTIPLE DX										
A. *Not Operated*	18905	8.7	41	2	3	7	11	16	20	33
B. *Operated*	4676	19.7	231	4	6	16	24	41	55	91
1. SINGLE DX	9446	7.4	38	2	3	6	9	13	17	33
2. MULTIPLE DX	23581	10.9	98	3	3	8	13	21	29	58
A. NOT OPERATED	27264	8.1	36	2	3	7	10	15	19	31
B. OPERATED	5763	18.4	218	3	5	14	23	38	51	87
TOTAL 0-19 YRS	742	7.5	65	2	2	6	8	13	18	44
20-34	7378	8.4	62	2	3	6	10	16	21	44
35-49	10064	9.5	80	2	3	7	11	18	25	51
50-64	8100	10.5	88	2	3	8	13	20	27	56
65+	6743	11.7	99	3	4	9	14	22	30	58
GRAND TOTAL	33027	9.9	83	2	3	7	12	19	26	52

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	3.3	6	1	1	3	4	6	7	10
20-34	707	4.0	9	1	1	3	5	7	9	14
35-49	663	4.2	8	1	1	4	6	8	9	13
50-64	944	5.1	14	1	2	4	6	9	11	21
65+	1574	6.2	22	1	2	5	8	12	14	22
B. *Operated*										
0-19 YRS	20	5.0	10	1	2	4	6	8	12	15
20-34	75	6.2	24	1	1	4	9	14	16	21
35-49	89	7.1	25	1	2	6	10	14	17	24
50-64	140	8.7	52	1	2	7	11	17	20	43
65+	202	9.8	51	2	3	8	12	19	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	606	4.2	15	1	1	3	5	8	10	21
20-34	1678	4.7	13	1	2	4	6	9	11	16
35-49	2674	6.1	22	2	2	5	8	11	15	22
50-64	5031	7.1	30	2	3	6	9	12	16	29
65+	12915	8.6	46	2	3	7	10	16	20	35
B. *Operated*										
0-19 YRS	93	8.4	47	1	2	7	11	16	24	36
20-34	296	9.6	82	2	3	7	12	18	23	43
35-49	605	11.0	101	3	4	8	13	20	28	66
50-64	1525	12.3	101	3	4	10	15	24	32	59
65+	3293	14.4	133	3	5	11	18	28	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4340	5.0	15	1	1	4	6	9	12	19
B. *Operated*	526	8.3	43	1	2	7	11	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	22904	7.5	38	2	2	6	9	14	18	32
B. *Operated*	5812	13.1	120	3	4	10	16	26	35	63
1. SINGLE DX	4866	5.4	19	1	1	4	7	10	13	22
2. MULTIPLE DX	28716	8.7	60	2	3	7	10	17	22	42
A. NOT OPERATED	27244	7.1	35	2	2	6	9	13	17	30
B. OPERATED	6338	12.7	116	3	4	10	16	25	33	61
TOTAL 0-19 YRS	1171	4.2	15	1	1	3	5	8	10	23
20-34	2756	5.1	22	1	2	4	6	9	12	22
35-49	4031	6.6	36	2	2	5	8	12	16	29
50-64	7640	7.9	48	2	2	6	9	15	20	37
65+	17984	9.4	66	2	3	7	11	18	24	45
GRAND TOTAL	33582	8.2	55	2	2	6	10	16	21	39

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	4.2	8	1	2	3	5	7	10	16
20-34	51	5.9	11	2	2	6	8	9	12	20
35-49	49	5.7	22	1	1	4	7	12	14	26
50-64	62	9.8	77	2	3	7	11	24	27	40
65+	56	9.6	81	1	2	7	12	19	34	38
B. *Operated*										
0-19 YRS	24	6.3	88	<1	<1	2	8	15	33	37
20-34	34	8.3	22	1	3	8	11	14	17	22
35-49	37	12.0	179	1	2	8	13	32	41	65
50-64	38	10.9	169	1	2	8	12	18	31	77
65+	33	11.9	99	1	2	9	16	26	37	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	5.4	18	2	2	4	6	10	14	24
20-34	134	8.1	38	2	3	6	10	16	23	34
35-49	173	9.2	57	2	3	7	11	18	24	40
50-64	239	11.3	113	2	3	8	13	24	31	60
65+	331	11.4	79	3	3	9	15	22	29	44
B. *Operated*										
0-19 YRS	32	11.4	317	1	2	7	10	17	42	99
20-34	106	11.4	53	3	4	10	13	21	28	66
35-49	142	15.1	159	3	4	11	17	34	40	65
50-64	175	15.9	155	3	4	13	23	31	35	80
65+	172	18.9	232	4	5	15	25	39	53	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	5.8	30	1	2	4	7	11	17	33
B. *Operated*	166	10.1	117	1	1	8	12	21	33	62
2. MULTIPLE DX										
A. *Not Operated*	1184	9.1	68	2	2	7	11	18	25	41
B. *Operated*	627	15.6	174	3	4	12	19	31	42	80
1. SINGLE DX	684	6.8	55	1	2	4	8	14	20	38
2. MULTIPLE DX	1811	11.4	114	2	3	8	14	24	32	60
A. NOT OPERATED	1702	8.1	59	2	2	6	10	17	24	38
B. OPERATED	793	14.4	167	2	4	11	18	29	40	77
TOTAL 0-19 YRS	663	5.2	32	1	2	4	6	9	13	25
20-34	325	8.9	40	2	3	7	11	17	22	36
35-49	401	11.1	110	2	3	8	14	21	34	58
50-64	514	12.7	132	2	3	10	16	27	33	64
65+	592	13.4	137	3	3	10	18	27	37	63
GRAND TOTAL	**2495**	**10.1**	**102**	**2**	**2**	**7**	**12**	**22**	**29**	**56**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	390	6.7	25	1	2	5	9	13	16	23
20-34	100	5.8	21	2	2	5	7	11	15	24
35-49	68	5.6	18	1	1	5	8	11	12	23
50-64	56	8.1	31	<1	2	7	12	17	20	21
65+	59	7.9	53	1	2	7	10	14	18	47
B. *Operated*										
0-19 YRS	194	4.5	17	2	2	3	6	10	15	21
20-34	224	4.7	17	1	2	3	6	10	13	21
35-49	136	4.9	20	1	1	3	7	11	13	25
50-64	119	5.8	29	1	2	4	7	14	16	25
65+	57	7.7	51	1	2	5	11	16	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	313	6.6	24	1	2	5	9	13	17	22
20-34	204	6.2	28	1	2	5	8	10	13	34
35-49	209	8.0	32	2	3	6	11	16	20	26
50-64	324	9.4	62	3	3	7	11	17	24	42
65+	570	12.0	112	2	3	9	15	23	32	62
B. *Operated*										
0-19 YRS	162	8.2	77	1	2	5	11	16	24	61
20-34	360	8.6	79	2	2	6	11	20	23	37
35-49	341	9.9	88	2	2	7	13	21	28	46
50-64	467	12.1	126	2	2	9	16	27	36	59
65+	416	15.8	187	2	3	13	20	34	48	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	673	6.6	27	1	2	5	9	13	17	24
B. *Operated*	730	5.1	23	1	2	3	6	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1620	9.2	70	2	2	7	11	18	24	45
B. *Operated*	1746	11.5	126	2	2	8	15	25	35	62
1. SINGLE DX	1403	5.8	25	1	2	4	8	12	16	23
2. MULTIPLE DX	3366	10.4	100	2	2	7	14	22	29	55
A. NOT OPERATED	2293	8.5	58	2	2	6	11	17	22	40
B. OPERATED	2476	9.6	104	1	2	6	13	21	29	55
TOTAL 0-19 YRS	1059	6.5	32	1	2	5	9	13	17	26
20-34	888	6.7	48	1	2	5	8	14	20	33
35-49	754	8.1	58	1	2	6	10	17	22	41
50-64	966	10.2	92	2	2	7	14	22	29	48
65+	1102	13.0	140	2	3	10	16	27	36	68
GRAND TOTAL	**4769**	**9.1**	**83**	**2**	**2**	**6**	**12**	**19**	**26**	**49**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	5.4	11	2	2	5	6	10	12	18
20-34	30	5.0	8	2	2	4	7	9	10	12
35-49	18	5.1	20	1	2	3	6	9	16	20
50-64	12	8.0	60	2	2	5	8	24	24	24
65+	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*										
0-19 YRS	28	5.8	38	1	2	4	7	14	20	29
20-34	17	6.2	27	1	1	6	9	13	18	20
35-49	10	6.0	34	2	2	4	6	15	21	21
50-64	3	5.0	13	2	2	4	8	9	9	9
65+	7	10.4	69	2	2	7	16	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	7.1	21	2	3	6	9	13	15	25
20-34	39	6.8	11	2	3	7	9	12	13	15
35-49	27	6.4	18	2	2	6	8	10	17	21
50-64	28	8.4	37	2	3	7	11	15	22	27
65+	70	12.6	103	3	3	10	17	28	38	40
B. *Operated*										
0-19 YRS	34	8.3	38	1	2	7	12	16	23	26
20-34	41	8.6	67	<1	1	7	11	14	25	41
35-49	45	10.0	70	2	2	9	12	16	29	42
50-64	44	12.1	120	2	2	9	16	26	38	46
65+	56	16.6	160	2	4	12	24	33	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	5.4	13	2	2	5	7	10	12	20
B. *Operated*	65	6.4	37	1	2	5	7	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	329	8.3	43	2	3	6	11	16	22	38
B. *Operated*	220	11.6	106	2	2	9	14	26	34	47
1. SINGLE DX	365	5.6	18	2	2	5	7	10	14	23
2. MULTIPLE DX	549	9.6	71	2	2	7	12	20	28	41
A. NOT OPERATED	629	6.9	31	2	2	5	8	13	17	28
B. OPERATED	285	10.4	95	1	2	8	13	25	30	45
TOTAL 0-19 YRS	465	5.2	19	2	2	5	8	12	15	24
20-34	127	6.9	32	1	2	6	9	12	14	38
35-49	100	7.8	47	2	2	6	10	16	21	36
50-64	87	10.1	84	2	2	7	12	24	28	45
65+	135	14.1	127	2	4	11	19	29	38	51
GRAND TOTAL	914	8.0	53	2	2	6	10	16	23	39

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.2	14	<1	<1	2	4	6	12	17
20-34	51	3.5	12	<1	<1	2	5	8	11	16
35-49	64	3.5	23	<1	1	2	3	9	12	28
50-64	139	5.2	76	1	1	3	5	9	19	49
65+	193	5.2	49	<1	<1	2	6	11	19	37
B. *Operated*										
0-19 YRS	69	8.8	111	<1	1	4	11	24	38	90
20-34	252	9.2	104	1	1	4	13	24	28	49
35-49	284	6.9	82	1	1	4	7	17	25	45
50-64	473	6.4	60	<1	1	4	8	15	21	35
65+	326	7.1	68	1	2	4	8	16	22	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	6.2	74	<1	1	3	7	16	21	52
20-34	356	4.9	38	<1	1	3	6	12	15	32
35-49	566	4.6	28	1	1	2	6	12	16	25
50-64	1132	7.0	63	1	1	5	9	16	22	39
65+	2036	10.1	91	1	1	8	13	22	29	48
B. *Operated*										
0-19 YRS	170	7.8	78	<1	<1	4	11	21	32	88
20-34	1021	10.9	154	<1	<1	6	15	27	37	64
35-49	1231	11.6	137	1	2	8	16	27	34	56
50-64	2274	12.1	171	<1	2	8	16	28	40	75
65+	2122	15.3	234	2	2	10	20	36	50	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	4.7	48	<1	1	2	5	10	15	41
B. *Operated*	1404	7.3	77	<1	1	4	8	19	25	46
2. MULTIPLE DX										
A. *Not Operated*	4165	8.0	75	1	1	5	11	18	25	42
B. *Operated*	6818	12.7	183	<1	2	8	17	30	42	77
1. SINGLE DX	1870	6.7	71	<1	1	3	8	17	24	46
2. MULTIPLE DX	10983	10.9	147	1	1	7	14	26	36	66
A. NOT OPERATED	4631	7.7	73	1	1	5	10	17	24	41
B. OPERATED	8222	11.8	169	<1	2	7	16	28	40	71
TOTAL 0-19 YRS	333	7.4	81	<1	<1	4	10	20	28	67
20-34	1680	9.2	124	<1	1	5	12	23	33	54
35-49	2145	8.9	108	1	1	5	12	21	30	50
50-64	4018	9.7	131	<1	1	6	12	23	32	64
65+	4677	12.1	162	1	2	8	16	28	39	73
GRAND TOTAL	12853	10.3	138	1	1	6	14	25	34	64

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	6.5	48	1	1	4	7	20	21	26
20-34	21	4.1	6	<1	1	4	6	8	8	9
35-49	23	6.8	38	1	1	4	10	17	19	22
50-64	64	4.9	18	<1	1	3	7	11	14	19
65+	134	8.7	57	<1	1	7	11	18	26	35
B. *Operated*										
0-19 YRS	10	3.8	15	<1	<1	2	8	10	10	10
20-34	26	7.8	63	<1	1	6	10	18	23	37
35-49	35	8.5	75	<1	1	6	12	20	30	36
50-64	63	7.3	90	<1	1	4	9	19	31	47
65+	73	12.3	216	1	1	8	18	27	34	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.9	24	<1	1	4	8	14	16	21
20-34	112	8.4	105	1	2	5	10	16	25	60
35-49	169	8.1	52	2	2	6	11	17	19	41
50-64	493	10.4	79	1	2	8	13	22	28	42
65+	1992	13.5	130	2	3	10	17	28	36	62
B. *Operated*										
0-19 YRS	61	7.1	109	<1	<1	<1	9	24	39	93
20-34	133	14.2	197	2	2	10	20	32	50	85
35-49	208	17.0	240	2	3	13	25	40	52	99+
50-64	472	18.3	246	3	4	14	25	37	53	89
65+	863	22.6	282	3	6	19	31	47	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	7.0	44	1	1	5	10	16	20	34
B. *Operated*	207	9.2	129	<1	1	6	12	22	32	49
2. MULTIPLE DX										
A. *Not Operated*	2822	12.3	117	2	3	10	15	25	34	56
B. *Operated*	1737	19.6	268	2	3	16	27	43	56	99+
1. SINGLE DX	478	8.0	82	1	1	5	10	19	26	37
2. MULTIPLE DX	4559	15.1	187	2	3	11	20	33	43	81
A. NOT OPERATED	3093	11.8	113	2	2	9	15	25	33	55
B. OPERATED	1944	18.5	263	2	3	14	26	41	53	99
TOTAL 0-19 YRS	156	6.4	61	<1	<1	3	9	16	22	46
20-34	292	10.7	147	1	2	7	13	25	37	72
35-49	435	12.3	163	1	2	8	16	31	41	74
50-64	1092	13.3	169	1	2	9	18	29	39	70
65+	3062	15.8	190	2	3	12	21	34	45	81
GRAND TOTAL	**5037**	**14.4**	**181**	**2**	**2**	**10**	**19**	**32**	**42**	**78**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1109	4.3	4	2	2	4	5	7	8	12
20-34	1696	4.5	6	2	2	4	5	7	8	13
35-49	473	5.0	5	2	3	5	6	8	9	13
50-64	300	5.3	7	2	3	5	6	8	10	15
65+	274	6.9	20	3	3	6	8	11	14	31
B. *Operated*										
0-19 YRS	90	6.1	9	3	3	6	7	9	10	19
20-34	97	6.2	12	3	3	5	7	10	11	24
35-49	40	7.0	10	2	3	7	9	11	12	13
50-64	28	8.4	13	3	4	8	11	14	14	15
65+	23	8.1	10	3	4	9	11	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1065	4.8	6	2	2	4	6	8	9	14
20-34	1909	5.3	9	2	2	5	6	9	11	16
35-49	963	6.6	13	2	3	6	8	11	13	18
50-64	1177	7.6	21	3	3	7	9	12	16	26
65+	2100	9.6	42	3	4	8	12	17	22	33
B. *Operated*										
0-19 YRS	201	7.9	21	3	3	7	9	15	18	21
20-34	337	8.8	43	3	4	7	10	15	22	33
35-49	242	11.2	65	4	5	9	13	18	24	52
50-64	323	12.2	80	4	5	10	14	21	28	44
65+	472	16.3	134	5	6	13	20	30	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3852	4.7	7	2	2	4	6	7	9	14
B. *Operated*	278	6.6	11	3	3	6	9	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	7214	7.0	24	2	3	6	8	12	16	26
B. *Operated*	1575	12.0	88	4	5	9	14	22	30	52
1. SINGLE DX	4130	4.9	7	2	2	4	6	8	9	14
2. MULTIPLE DX	8789	7.9	39	2	3	6	9	14	19	33
A. NOT OPERATED	11066	6.2	19	2	3	5	7	11	14	23
B. OPERATED	1853	11.2	80	3	4	9	13	21	28	51
TOTAL 0-19 YRS	2465	4.9	7	2	2	4	6	8	9	16
20-34	4039	5.3	12	2	2	5	6	8	11	17
35-49	1718	6.8	22	2	3	6	8	12	14	22
50-64	1828	8.1	33	3	3	7	10	14	17	30
65+	2869	10.4	62	3	4	8	12	19	25	44
GRAND TOTAL	**12919**	**6.9**	**31**	**2**	**3**	**5**	**8**	**12**	**16**	**30**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1240	4.2	10	2	2	4	5	7	8	13
20-34	1891	4.4	5	2	2	4	5	7	8	12
35-49	550	5.0	9	2	2	4	6	8	10	16
50-64	367	5.4	13	2	2	5	7	9	12	24
65+	307	6.4	19	2	2	5	8	11	15	23
B. Operated										
0-19 YRS	163	5.4	50	<1	1	5	7	10	11	22
20-34	234	6.4	21	1	2	6	9	13	16	23
35-49	142	7.0	30	1	2	5	9	15	19	25
50-64	113	8.2	60	1	2	5	11	20	24	36
65+	96	11.6	98	2	2	9	15	22	28	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1065	4.9	12	2	2	4	6	8	10	15
20-34	2097	5.2	13	2	2	4	6	8	11	19
35-49	1019	6.7	25	2	3	6	8	11	15	25
50-64	1273	7.5	31	2	3	6	9	13	17	28
65+	2229	9.6	47	3	4	8	12	17	22	39
B. Operated										
0-19 YRS	387	6.8	24	1	1	6	9	13	16	25
20-34	764	8.7	47	2	3	7	11	16	21	41
35-49	586	10.8	66	2	2	9	14	21	27	38
50-64	784	13.0	112	2	3	10	17	26	34	59
65+	934	15.6	150	3	4	13	20	31	40	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4355	4.7	9	2	2	4	6	8	9	15
B. Operated	748	7.2	48	1	2	6	9	15	20	28
2. MULTIPLE DX										
A. Not Operated	7683	7.0	31	2	3	6	8	13	16	29
B. Operated	3455	11.7	99	2	3	9	15	23	31	56
1. SINGLE DX	5103	5.0	15	2	2	4	6	8	11	20
2. MULTIPLE DX	11138	8.5	57	2	3	6	10	16	22	41
A. NOT OPERATED	12038	6.2	24	2	2	5	7	11	14	26
B. OPERATED	4203	10.9	93	2	2	8	14	22	29	54
TOTAL 0-19 YRS	2855	4.9	15	1	2	4	6	8	11	18
20-34	4986	5.5	18	2	2	5	7	9	12	23
35-49	2297	7.4	36	2	2	6	9	14	19	32
50-64	2537	8.9	62	2	3	7	11	17	24	44
65+	3566	11.0	81	3	4	9	13	21	28	51
GRAND TOTAL	16241	7.4	46	2	2	5	9	14	20	36

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	217	2.6	3	1	1	2	3	5	6	9
20-34	1948	2.5	3	1	1	2	3	5	6	9
35-49	2145	2.4	5	<1	1	2	3	5	6	9
50-64	1310	2.6	4	1	1	2	3	5	6	9
65+	482	3.4	6	1	1	3	4	6	7	13
B. Operated										
0-19 YRS	114	7.4	22	2	2	7	9	13	15	26
20-34	1021	8.2	19	2	3	8	10	13	16	22
35-49	1417	8.3	20	2	3	8	10	13	16	23
50-64	1328	9.1	26	2	3	9	11	15	18	27
65+	590	9.9	32	2	3	9	12	17	21	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	3.6	7	1	1	3	5	7	8	16
20-34	1202	3.4	8	1	1	3	4	6	8	14
35-49	1626	3.7	10	1	1	3	5	7	9	17
50-64	1808	4.2	11	1	1	3	5	8	11	18
65+	1288	6.0	34	1	2	5	7	11	15	24
B. Operated										
0-19 YRS	112	10.3	69	1	3	8	12	17	27	48
20-34	1006	9.5	53	2	3	8	12	16	21	35
35-49	1533	9.9	58	2	3	9	12	18	23	42
50-64	2249	10.7	60	2	3	9	13	19	24	40
65+	1941	13.0	101	2	3	11	16	24	31	53
SUBTOTALS:										
1. SINGLF DX										
A. Not Operated	6102	2.6	4	1	1	2	3	5	6	9
B. Operated	4470	8.7	23	2	3	8	11	14	17	26
2. MULTIPLE DX										
A. Not Operated	6074	4.3	16	1	1	3	5	8	11	19
B. Operated	6841	11.0	72	2	3	9	14	20	26	43
1. SINGLE DX	10572	5.2	22	1	1	3	8	11	14	21
2. MULTIPLE DX	12915	7.8	57	1	2	6	10	16	21	37
A. NOT OPERATED	12176	3.4	11	1	1	3	4	7	9	16
B. OPERATED	11311	10.1	54	2	3	9	12	18	23	39
TOTAL 0-19 YRS	593	5.2	29	1	1	3	7	11	15	27
20-34	5177	5.2	26	1	1	3	7	11	14	23
35-49	6721	5.7	31	1	1	4	8	12	15	26
50-64	6695	7.1	40	1	1	5	10	14	18	30
65+	4301	9.4	74	1	2	8	12	19	24	42
GRAND TOTAL	23487	6.6	43	1	1	5	9	14	18	30

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (5)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	760	2.5	3	1	1	2	3	4	5	8
20-34	7199	2.2	2	1	1	2	3	4	5	7
35-49	7955	2.2	3	1	1	2	3	4	5	7
50-64	4919	2.5	3	1	1	2	3	4	6	8
65+	1376	2.8	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	411	5.5	10	2	2	5	7	10	11	17
20-34	4497	5.9	13	2	2	5	8	11	13	17
35-49	5230	6.1	15	2	2	5	8	11	13	19
50-64	4281	6.8	19	2	2	6	9	12	14	21
65+	1514	7.5	28	2	2	7	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	3.0	9	1	1	2	4	5	6	15
20-34	2080	2.8	4	1	1	2	4	5	7	10
35-49	2816	2.9	5	1	1	2	4	5	7	10
50-64	2979	3.4	7	1	1	3	4	6	8	11
65+	1598	4.1	10	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	168	7.1	23	2	3	5	9	12	16	27
20-34	1773	7.3	26	2	2	6	9	13	17	26
35-49	2594	7.8	27	2	3	7	10	14	17	26
50-64	3055	8.9	39	2	3	8	11	16	20	30
65+	2573	11.0	59	3	4	9	14	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22209	2.3	3	1	1	2	3	4	5	8
B. *Operated*	15933	6.4	17	2	2	5	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	9673	3.3	6	1	1	3	4	6	8	12
B. *Operated*	10763	8.9	40	2	3	8	11	16	20	31
1. SINGLE DX	38142	4.0	13	1	1	3	5	9	11	16
2. MULTIPLE DX	20436	6.2	32	1	1	4	8	13	17	27
A. NOT OPERATED	31882	2.6	4	1	1	2	3	5	6	9
B. OPERATED	26696	7.4	28	2	2	6	9	13	17	26
TOTAL 0-19 YRS	1539	3.9	11	1	1	3	5	8	10	17
20-34	15549	3.9	12	1	1	3	5	8	11	16
35-49	18595	4.2	15	1	1	3	5	9	12	18
50-64	15834	5.3	23	1	1	4	7	11	14	22
65+	7061	7.1	42	1	2	5	9	15	19	31
GRAND TOTAL	58578	4.8	21	1	1	3	6	10	13	21

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.0	9	1	1	2	3	6	7	19
20-34	223	3.0	6	1	1	2	4	5	7	12
35-49	196	3.3	7	1	1	2	4	7	9	14
50-64	214	3.7	12	1	1	3	5	7	10	21
65+	218	5.1	19	1	1	4	7	10	14	23
B. *Operated*										
0-19 YRS	1239	6.2	22	<1	1	6	9	12	14	20
20-34	805	7.2	27	1	1	7	10	14	17	23
35-49	615	6.5	34	1	2	5	9	14	17	28
50-64	787	6.8	37	1	1	5	9	15	19	28
65+	593	7.6	57	1	1	5	11	17	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	294	4.2	15	1	1	3	5	8	11	24
20-34	451	4.7	19	1	1	4	6	9	12	21
35-49	383	5.7	29	1	1	4	7	11	17	26
50-64	783	6.6	36	1	2	5	8	13	17	28
65+	1629	10.0	83	2	3	8	13	20	26	51
B. *Operated*										
0-19 YRS	1478	7.2	37	<1	1	7	10	14	17	31
20-34	1329	9.3	51	2	2	8	12	18	22	36
35-49	1365	9.7	69	1	2	8	13	19	23	44
50-64	2144	10.7	93	2	2	9	14	21	29	51
65+	2603	12.8	128	2	2	10	17	26	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	3.6	12	1	1	3	5	7	10	18
B. *Operated*	4039	6.8	33	1	1	6	9	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	3540	7.6	58	1	2	5	9	16	21	40
B. *Operated*	8919	10.4	88	1	2	8	13	21	27	47
1. SINGLE DX	5043	6.1	30	1	1	5	9	13	16	25
2. MULTIPLE DX	12459	9.6	81	1	2	8	12	20	26	46
A. NOT OPERATED	4544	6.8	50	1	1	5	8	14	20	35
B. OPERATED	12958	9.2	73	1	2	8	12	19	25	43
TOTAL 0-19 YRS	3164	6.3	29	<1	1	6	9	12	16	28
20-34	2808	7.5	40	1	2	6	10	15	19	30
35-49	2559	7.9	54	1	2	6	11	16	21	35
50-64	3928	8.7	71	1	2	7	11	18	24	43
65+	5043	11.0	105	2	2	8	14	23	30	51
GRAND TOTAL	17502	8.6	69	1	2	7	11	18	23	41

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.4	2	<1	1	2	3	4	5	8
20-34	563	2.5	17	<1	1	2	3	4	5	8
35-49	577	2.5	3	<1	1	2	3	5	5	9
50-64	309	2.3	2	1	1	2	3	4	5	8
65+	125	3.0	4	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	45	5.8	20	1	1	5	7	13	14	21
20-34	267	6.1	18	1	2	5	8	12	15	21
35-49	356	6.2	20	1	2	5	8	12	14	22
50-64	376	5.9	25	1	2	4	8	12	15	25
65+	355	6.3	23	1	2	5	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	3	2	2	4	4	7	7	7
20-34	245	3.2	6	1	1	3	4	6	7	10
35-49	278	3.4	6	1	1	3	4	7	8	12
50-64	306	4.1	11	1	1	3	5	8	10	18
65+	243	6.0	33	1	2	4	7	12	17	34
B. *Operated*										
0-19 YRS	51	6.1	26	2	2	4	9	11	15	32
20-34	279	7.3	51	1	2	5	9	14	18	40
35-49	337	7.5	40	1	2	6	10	15	20	34
50-64	709	8.4	56	2	2	6	11	17	22	37
65+	1369	10.1	70	2	3	8	13	19	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1634	2.5	8	1	1	2	3	5	6	8
B. *Operated*	1399	6.1	22	1	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1090	4.1	14	1	1	3	5	8	10	21
B. *Operated*	2745	9.0	61	2	2	7	12	18	24	40
1. SINGLE DX	3033	4.2	18	1	1	3	5	9	12	19
2. MULTIPLE DX	3835	7.6	53	1	2	5	10	16	21	38
A. NOT OPERATED	2724	3.2	11	1	1	2	4	6	8	15
B. OPERATED	4144	8.0	50	2	2	6	10	16	21	38
TOTAL 0-19 YRS	174	4.5	17	1	1	3	6	9	12	20
20-34	1354	4.3	26	1	1	3	5	9	12	23
35-49	1548	4.6	20	1	1	3	6	10	13	22
50-64	1700	6.0	37	1	1	4	8	13	17	31
65+	2092	8.6	59	2	2	6	11	17	23	39
GRAND TOTAL	**6868**	**6.1**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**33**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	520	3.1	3	1	1	3	4	5	6	10
20-34	445	3.2	8	1	1	3	4	6	7	13
35-49	217	3.5	4	1	1	3	5	6	7	10
50-64	185	3.8	10	1	1	3	5	7	9	19
65+	267	5.1	13	1	2	4	7	9	13	18
B. *Operated*										
0-19 YRS	786	2.6	10	<1	1	2	3	5	6	11
20-34	1255	3.1	7	<1	1	2	4	6	8	13
35-49	1126	3.2	6	1	1	2	4	6	8	14
50-64	1298	3.5	12	1	1	2	4	7	9	17
65+	1455	4.5	16	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	572	3.8	6	1	1	3	5	6	8	13
20-34	858	4.7	10	1	2	4	6	9	10	18
35-49	600	5.6	24	1	2	5	7	9	12	25
50-64	847	6.3	24	2	2	5	8	12	15	26
65+	2378	8.5	46	2	3	7	10	15	21	40
B. *Operated*										
0-19 YRS	1265	3.1	7	<1	1	2	4	6	8	15
20-34	2510	4.6	18	1	1	3	6	10	12	22
35-49	2514	5.3	23	1	1	4	7	11	14	24
50-64	3371	5.5	30	1	2	4	7	11	15	27
65+	5318	7.7	59	2	2	5	10	16	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1634	3.6	8	1	1	3	4	6	8	14
B. *Operated*	5920	3.5	11	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	5255	6.7	33	2	2	5	8	13	16	30
B. *Operated*	14978	5.9	37	1	1	4	7	12	17	31
1. SINGLE DX	7554	3.5	10	1	1	3	4	7	9	16
2. MULTIPLE DX	20233	6.1	36	1	2	4	8	12	17	31
A. NOT OPERATED	6889	6.0	29	1	2	5	7	12	15	28
B. OPERATED	20898	5.2	31	1	1	3	6	11	15	28
TOTAL 0-19 YRS	3143	3.1	7	<1	1	2	4	6	7	13
20-34	5068	4.1	14	1	1	3	5	8	11	19
35-49	4457	4.7	19	1	1	3	6	10	13	21
50-64	5701	5.1	25	1	1	4	6	10	14	24
65+	9418	7.3	50	2	2	5	9	15	20	37
GRAND TOTAL	**27787**	**5.4**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.4	4	<1	<1	2	3	5	7	8
20-34	31	2.5	7	<1	<1	2	2	5	10	12
35-49	22	3.1	5	<1	<1	2	5	7	7	8
50-64	23	3.8	13	<1	1	2	5	7	11	17
65+	66	4.1	9	1	1	4	5	7	9	16
B. *Operated*										
0-19 YRS	3433	1.7	2	<1	<1	1	2	3	4	7
20-34	1578	3.0	7	<1	1	2	4	5	8	14
35-49	1171	3.3	10	<1	1	2	4	7	9	16
50-64	1238	3.7	9	<1	1	3	5	7	9	15
65+	1540	4.5	15	1	1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	1.8	2	<1	<1	1	2	4	5	7
20-34	63	3.9	12	<1	1	3	5	9	10	17
35-49	49	5.2	23	1	1	4	7	10	13	27
50-64	85	4.6	11	1	1	4	6	9	10	16
65+	303	6.3	30	1	2	5	7	12	18	34
B. *Operated*										
0-19 YRS	2978	2.2	6	<1	<1	2	2	4	6	10
20-34	2319	3.7	14	1	1	3	4	7	10	20
35-49	2165	4.5	21	1	1	3	5	10	13	22
50-64	2991	5.1	22	1	1	4	6	10	14	23
65+	4634	7.2	46	2	2	5	9	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.3	8	<1	1	2	5	7	8	16
B. *Operated*	8960	2.9	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	575	5.1	23	1	1	4	6	10	15	27
B. *Operated*	15087	4.9	28	1	1	3	6	10	14	26
1. SINGLE DX	9139	2.9	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX	15662	4.9	28	1	1	3	6	10	14	26
A. NOT OPERATED	754	4.7	20	1	1	3	6	9	13	25
B. OPERATED	24047	4.1	22	<1	1	3	5	9	12	23
TOTAL 0-19 YRS	6523	1.9	4	<1	<1	1	2	3	5	9
20-34	3991	3.4	11	<1	1	2	4	7	9	16
35-49	3407	4.1	17	1	1	3	5	9	12	21
50-64	4337	4.6	18	1	1	3	6	10	13	21
65+	6543	6.5	39	1	2	5	8	13	17	31
GRAND TOTAL	**24801**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**9**	**12**	**23**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2864	3.3	5	1	1	3	4	6	7	11
20-34	1690	3.6	5	1	1	3	5	6	7	11
35-49	835	4.0	9	1	1	3	5	7	9	16
50-64	868	4.3	9	1	1	4	6	8	10	15
65+	1711	5.8	20	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	2425	2.4	6	<1	<1	2	3	5	7	11
20-34	2337	3.1	9	<1	1	2	4	6	8	13
35-49	2150	3.3	12	<1	1	2	4	7	9	17
50-64	2501	3.7	12	1	1	3	4	7	10	17
65+	2688	4.7	20	1	2	4	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4105	4.2	9	1	1	4	5	8	9	14
20-34	4232	5.0	15	1	2	4	6	9	12	21
35-49	3008	6.1	24	2	2	5	8	11	14	24
50-64	5275	7.0	30	2	2	6	9	13	16	28
65+	19165	9.6	62	2	3	8	12	18	23	43
B. *Operated*										
0-19 YRS	3444	3.3	12	<1	1	2	4	7	10	17
20-34	4223	5.1	35	1	1	3	6	11	15	29
35-49	4345	5.6	36	1	1	4	7	12	16	29
50-64	7058	6.7	51	1	2	4	9	14	19	36
65+	12526	9.8	90	2	2	7	13	20	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7968	4.1	10	1	1	3	5	7	10	16
B. *Operated*	12101	3.5	13	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	35785	7.7	47	2	2	6	10	15	19	36
B. *Operated*	31596	7.2	63	1	1	5	9	16	22	41
1. SINGLE DX	20069	3.7	12	1	1	3	5	7	10	17
2. MULTIPLE DX	67381	7.5	55	1	2	5	9	15	20	38
A. NOT OPERATED	43753	7.1	42	1	2	5	9	14	18	33
B. OPERATED	43697	6.2	52	1	1	4	8	14	19	37
TOTAL 0-19 YRS	12838	3.4	9	1	1	3	4	7	9	14
20-34	12482	4.5	20	1	1	3	5	9	12	22
35-49	10338	5.1	27	1	1	4	7	10	14	25
50-64	15702	6.2	37	1	2	4	8	12	17	30
65+	36090	9.1	69	2	2	7	11	18	24	45
GRAND TOTAL	**87450**	**6.6**	**47**	**1**	**1**	**5**	**8**	**14**	**18**	**35**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	9	2.2	2	1	1	2	3	4	4	4
35-49	10	4.0	6	<1	1	4	5	7	9	9
50-64	133	3.5	9	<1	1	3	4	6	9	18
65+	245	3.7	9	<1	1	3	4	7	9	18
B. *Operated*										
0-19 YRS	35	5.6	14	<1	1	6	7	9	12	20
20-34	61	3.9	8	<1	1	3	5	8	10	14
35-49	670	4.3	11	1	1	4	6	8	11	16
50-64	9386	6.0	12	1	2	6	8	10	12	17
65+	15995	7.3	17	2	3	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	16	1	1	4	5	11	13	13
20-34	10	4.6	21	<1	<1	3	4	12	16	16
35-49	51	5.1	11	1	2	4	7	9	14	17
50-64	622	4.7	18	1	1	4	6	9	12	21
65+	2130	7.1	60	1	1	5	9	15	21	43
B. *Operated*										
0-19 YRS	40	7.9	42	1	2	6	9	18	21	29
20-34	107	5.7	33	<1	1	3	8	13	17	28
35-49	935	5.5	18	1	1	4	7	11	14	21
50-64	13959	7.9	29	2	2	7	10	14	17	28
65+	35316	10.4	55	3	4	8	13	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.6	9	<1	1	3	4	7	9	18
B. *Operated*	26147	6.7	16	2	2	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2820	6.5	51	1	1	4	8	13	19	39
B. *Operated*	50357	9.6	49	2	3	8	12	17	22	36
1. SINGLE DX	26546	6.7	16	2	2	6	8	11	14	20
2. MULTIPLE DX	53177	9.4	50	2	3	8	12	17	22	36
A. NOT OPERATED	3219	6.2	46	1	1	4	7	13	17	37
B. OPERATED	76504	8.6	40	2	3	7	10	15	20	33
TOTAL 0-19 YRS	84	6.5	29	1	2	6	8	15	19	27
20-34	187	4.9	24	<1	1	3	6	11	15	24
35-49	1666	5.0	15	1	1	4	7	10	13	19
50-64	24100	7.0	23	2	2	6	9	12	16	24
65+	53686	9.3	46	2	3	8	11	17	21	35
GRAND TOTAL	79723	8.5	40	2	3	7	10	15	20	33

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.3	8	1	1	2	4	8	9	15
20-34	291	3.5	4	1	1	3	4	6	8	11
35-49	308	4.1	5	1	2	4	5	7	9	12
50-64	305	4.5	5	2	2	4	6	7	8	12
65+	160	4.3	5	1	2	4	5	8	9	10
B. *Operated*										
0-19 YRS	86	3.2	39	<1	1	2	3	5	7	41
20-34	741	2.6	5	<1	1	2	3	5	7	11
35-49	852	2.5	4	<1	1	2	3	5	7	10
50-64	665	3.3	7	1	1	2	4	6	8	14
65+	370	4.6	22	1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.2	9	1	2	3	6	7	11	14
20-34	334	4.5	9	1	2	4	6	8	10	15
35-49	498	4.9	8	2	2	4	6	8	10	15
50-64	778	5.4	10	2	2	5	7	9	11	18
65+	699	6.4	20	2	3	5	7	11	14	24
B. *Operated*										
0-19 YRS	108	3.9	20	1	1	2	5	7	13	27
20-34	851	3.5	11	1	1	2	5	7	9	16
35-49	1276	4.0	11	1	1	3	5	8	11	16
50-64	1735	5.4	30	1	2	4	7	11	14	24
65+	1434	7.8	51	2	2	6	10	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1116	4.0	5	1	2	4	5	7	9	12
B. *Operated*	2714	3.0	9	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	2363	5.4	13	2	2	5	7	9	11	19
B. *Operated*	5404	5.4	30	1	1	4	7	11	14	26
1. SINGLE DX	3830	3.3	8	1	1	2	4	6	8	13
2. MULTIPLE DX	7767	5.4	25	1	2	4	7	10	14	24
A. NOT OPERATED	3479	5.0	11	1	2	4	6	9	11	17
B. OPERATED	8118	4.6	24	1	1	3	6	10	13	23
TOTAL 0-19 YRS	300	3.6	21	1	1	2	4	7	9	18
20-34	2217	3.3	8	1	1	2	4	7	8	14
35-49	2934	3.7	9	1	1	3	5	7	9	14
50-64	3483	4.9	19	1	2	4	6	9	12	20
65+	2663	6.8	38	2	2	5	8	13	17	32
GRAND TOTAL	11597	4.7	20	1	1	4	6	9	12	22

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	1.4	1	<1	<1	1	2	2	2	5
20-34	8	3.5	4	2	2	3	4	7	8	8
35-49	6	3.0	3	<1	<1	3	5	5	5	5
50-64	13	2.8	2	<1	1	3	4	5	5	5
65+	5	2.6	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	1383	2.3	2	<1	1	2	3	4	5	7
20-34	638	3.3	3	1	2	3	4	5	6	9
35-49	659	3.3	3	1	2	3	4	5	6	10
50-64	1234	3.5	3	1	2	3	4	5	7	10
65+	675	3.9	6	2	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	1.7	5	<1	<1	1	2	4	4	14
20-34	8	1.8	1	<1	<1	1	2	4	4	4
35-49	12	4.3	8	1	1	4	7	8	9	9
50-64	27	6.0	63	<1	1	3	7	14	24	37
65+	48	5.8	39	1	1	4	7	11	17	38
B. *Operated*										
0-19 YRS	1219	2.4	3	<1	1	2	3	4	5	8
20-34	317	3.9	5	1	2	3	5	7	8	12
35-49	386	4.3	7	1	2	4	5	7	9	14
50-64	1022	4.9	12	2	2	4	6	8	11	19
65+	941	6.4	31	2	3	5	8	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.0	2	<1	<1	2	2	4	5	7
B. *Operated*	4589	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	190	3.5	25	<1	<1	2	4	8	11	31
B. *Operated*	3885	4.3	15	1	1	3	5	8	11	19
1. SINGLE DX	4667	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	4075	4.3	15	1	1	3	5	8	11	19
A. NOT OPERATED	268	3.1	19	<1	<1	2	4	6	9	22
B. OPERATED	8474	3.7	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	2743	2.3	2	<1	1	2	3	4	5	7
20-34	971	3.5	3	1	2	3	4	6	7	11
35-49	1063	3.7	4	1	2	3	4	6	8	12
50-64	2296	4.1	8	2	2	3	5	7	9	15
65+	1669	5.4	22	2	2	4	6	10	13	22
GRAND TOTAL	8742	3.7	9	1	1	3	4	6	8	15

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	554	4.0	6	1	1	4	5	7	9	12
20-34	1092	4.5	7	1	2	4	6	8	9	13
35-49	549	5.1	7	1	2	5	6	9	10	12
50-64	410	6.0	10	2	3	5	7	10	12	18
65+	282	6.1	9	2	3	6	7	10	12	17
B. *Operated*										
0-19 YRS	180	3.8	10	1	1	3	5	8	10	17
20-34	425	4.2	10	1	2	3	5	8	10	15
35-49	314	4.2	9	1	1	3	5	8	11	15
50-64	243	5.4	17	2	2	4	6	10	14	21
65+	160	6.5	28	2	2	5	8	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	4.8	8	1	2	4	6	9	10	15
20-34	410	5.5	14	2	2	5	7	10	11	17
35-49	361	6.0	13	2	3	5	7	10	11	22
50-64	523	7.1	21	2	3	6	9	12	14	24
65+	682	8.2	26	3	4	7	10	14	17	27
B. *Operated*										
0-19 YRS	141	4.8	14	1	1	4	7	10	13	18
20-34	312	5.6	18	2	2	5	7	11	13	22
35-49	302	6.1	17	2	2	5	8	12	13	23
50-64	453	8.0	38	2	3	7	10	15	19	33
65+	490	10.0	52	2	3	8	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2887	4.9	8	1	2	4	6	8	10	14
B. *Operated*	1322	4.6	14	1	2	4	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	2152	6.7	20	2	3	6	8	12	14	25
B. *Operated*	1698	7.5	36	2	2	6	10	15	19	31
1. SINGLE DX	4209	4.8	10	1	2	4	6	9	11	16
2. MULTIPLE DX	3850	7.1	27	2	3	6	9	13	17	28
A. NOT OPERATED	5039	5.7	14	2	2	5	7	10	12	19
B. OPERATED	3020	6.3	28	1	2	5	8	13	16	28
TOTAL 0-19 YRS	1051	4.2	8	1	1	4	5	8	10	14
20-34	2239	4.8	10	1	2	4	6	8	11	15
35-49	1526	5.3	11	1	2	5	7	9	11	17
50-64	1629	6.8	23	2	3	6	8	12	15	28
65+	1614	8.2	33	2	3	7	10	15	19	29
GRAND TOTAL	8059	5.9	19	2	2	5	7	11	14	23

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1054	1.6	1	<1	<1	1	2	2	3	4
20-34	324	1.9	1	<1	<1	2	2	3	3	5
35-49	171	2.1	2	<1	1	2	2	3	5	9
50-64	156	2.1	1	1	1	2	2	3	4	5
65+	84	2.4	3	<1	1	2	3	4	5	13
B. *Operated*										
0-19 YRS	4045	1.7	1	<1	<1	2	2	2	3	4
20-34	1447	2.1	2	<1	1	2	2	3	3	5
35-49	711	2.0	1	<1	1	2	2	3	3	5
50-64	411	2.2	2	1	1	2	2	3	4	10
65+	244	2.4	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	1.6	1	<1	<1	1	2	3	3	5
20-34	93	2.5	4	<1	1	2	3	4	6	13
35-49	136	3.1	6	<1	1	2	4	6	8	13
50-64	164	3.3	8	<1	1	2	4	6	9	16
65+	134	3.8	17	1	1	3	4	6	11	26
B. *Operated*										
0-19 YRS	1051	2.1	2	<1	1	2	2	3	5	7
20-34	845	2.6	5	1	1	2	3	4	6	13
35-49	734	3.1	8	1	1	2	3	6	9	14
50-64	735	3.5	11	1	1	2	4	7	9	17
65+	688	5.2	28	1	2	3	6	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1789	1.7	1	<1	<1	2	2	3	3	6
B. *Operated*	6858	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	858	2.6	7	<1	<1	2	3	5	7	14
B. *Operated*	4053	3.2	11	1	1	2	3	6	9	18
1. SINGLE DX	8647	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	4911	3.1	10	<1	1	2	3	6	9	18
A. NOT OPERATED	2647	2.0	3	<1	<1	2	2	3	4	9
B. OPERATED	10911	2.4	5	<1	1	2	2	3	5	12
TOTAL 0-19 YRS	6481	1.8	1	<1	<1	2	2	2	3	5
20-34	2709	2.2	3	<1	1	2	2	3	4	9
35-49	1752	2.6	5	<1	1	2	3	4	7	12
50-64	1466	2.9	7	1	1	2	3	5	8	14
65+	1150	4.2	21	1	1	3	5	9	13	25
GRAND TOTAL	**13558**	**2.3**	**5**	**<1**	**1**	**2**	**2**	**3**	**5**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	2.1	2	<1	<1	2	3	4	6	7
20-34	220	3.0	6	<1	1	2	4	6	7	10
35-49	145	3.0	8	<1	1	2	3	6	8	15
50-64	147	2.9	8	<1	1	2	3	7	8	12
65+	75	4.2	12	1	1	3	5	8	9	20
B. *Operated*										
0-19 YRS	2554	2.5	3	1	1	2	3	4	5	9
20-34	2338	2.6	4	1	1	2	3	4	5	10
35-49	1406	2.9	4	1	1	2	3	5	7	12
50-64	1394	3.7	8	1	2	3	4	6	8	12
65+	520	4.1	11	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	3.1	6	1	1	2	4	7	8	13
20-34	178	4.4	18	1	1	3	5	8	14	20
35-49	180	4.4	14	1	1	3	6	8	12	20
50-64	221	4.5	28	1	1	3	5	10	13	24
65+	232	7.1	48	1	2	5	9	14	21	33
B. *Operated*										
0-19 YRS	992	3.1	7	1	1	2	4	5	8	14
20-34	1478	3.5	11	1	1	3	4	7	9	14
35-49	1253	4.7	24	1	2	3	5	9	12	31
50-64	1797	5.5	31	1	2	4	7	10	13	32
65+	1094	7.5	79	2	2	5	8	15	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	846	2.8	6	<1	1	2	3	6	7	14
B. *Operated*	8212	2.9	5	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	970	4.8	27	1	1	3	6	11	14	30
B. *Operated*	6614	4.9	32	1	1	3	5	9	13	32
1. SINGLE DX	9058	2.9	5	1	1	2	3	5	7	11
2. MULTIPLE DX	7584	4.9	31	1	1	3	6	9	13	31
A. NOT OPERATED	1816	3.9	18	1	1	2	5	8	12	21
B. OPERATED	14826	3.8	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	3964	2.6	4	1	1	2	3	5	6	10
20-34	4214	3.0	7	1	1	2	[illegible]	5	7	13
35-49	2984	3.7	14	1	1	3	[illegible]	7	10	19
50-64	3559	4.6	22	1	2	3	[illegible]	8	11	21
65+	1921	6.4	57	1	2	4	7	13	19	40
GRAND TOTAL	**16642**	**3.8**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	<1	1	2	3	4	4
20-34	49	2.2	3	<1	<1	2	3	5	7	7
35-49	93	2.4	5	<1	1	2	3	5	6	13
50-64	38	2.1	2	<1	1	2	2	4	5	6
65+	15	2.8	3	<1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	610	2.2	1	<1	1	2	2	3	4	6
20-34	4966	2.3	2	<1	1	2	3	4	5	7
35-49	11116	2.4	2	<1	1	2	3	4	5	8
50-64	5061	2.5	3	<1	1	2	3	4	5	8
65+	1747	2.7	3	1	2	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	9	<1	<1	1	4	8	10	10
20-34	66	4.8	18	<1	1	4	6	10	11	23
35-49	146	3.5	7	<1	1	3	5	7	9	12
50-64	70	4.1	18	<1	1	3	5	8	11	26
65+	43	4.3	10	<1	1	3	6	9	11	13
B. *Operated*										
0-19 YRS	152	2.7	4	1	1	2	3	5	6	9
20-34	2206	3.1	6	<1	1	2	4	6	7	13
35-49	5579	3.4	8	1	1	3	4	6	8	14
50-64	3548	3.8	10	1	2	3	4	7	9	16
65+	1709	4.6	24	2	2	3	5	9	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	2.3	3	<1	<1	2	3	4	6	9
B. *Operated*	23500	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	336	3.9	12	<1	1	3	5	8	10	17
B. *Operated*	13194	3.6	10	1	2	3	4	7	9	16
1. SINGLE DX	23710	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	13530	3.6	10	1	2	3	4	7	9	16
A. NOT OPERATED	546	3.3	9	<1	<1	2	4	7	9	15
B. OPERATED	36694	2.9	5	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	788	2.3	2	<1	1	2	3	4	4	7
20-34	7287	2.6	3	<1	1	2	3	4	6	10
35-49	16934	2.8	4	<1	1	2	3	5	6	11
50-64	8717	3.0	6	1	1	2	3	5	7	12
65+	3514	3.7	14	1	2	3	4	7	9	18
GRAND TOTAL	37240	2.9	5	<1	1	2	3	5	7	11

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.4	4	1	1	3	5	6	7	11
20-34	275	3.5	5	1	1	3	4	6	7	14
35-49	129	3.8	11	<1	<1	3	5	7	10	17
50-64	66	3.6	11	<1	1	2	5	7	9	19
65+	47	3.9	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	1688	2.9	2	1	1	3	4	5	5	8
20-34	3396	3.0	4	<1	1	3	4	5	6	9
35-49	2220	3.0	4	<1	1	2	4	5	6	10
50-64	1694	3.1	4	1	1	3	4	5	7	10
65+	857	3.1	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	4	<1	<1	2	4	6	7	11
20-34	218	3.9	14	<1	1	3	5	8	10	19
35-49	207	4.6	25	<1	1	3	6	10	12	19
50-64	164	5.6	43	<1	<1	4	7	12	19	28
65+	182	5.0	17	<1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	344	3.8	12	1	2	3	4	6	8	18
20-34	1488	3.8	10	1	1	3	4	6	8	16
35-49	1703	4.2	13	1	2	3	5	7	10	17
50-64	1502	4.8	17	1	2	4	6	9	11	23
65+	987	5.1	24	2	2	3	6	10	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	3.6	7	<1	1	3	5	6	8	15
B. *Operated*	9855	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	832	4.6	23	<1	1	3	6	10	12	22
B. *Operated*	6024	4.4	15	1	2	3	5	8	11	20
1. SINGLE DX	10476	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	6856	4.4	16	1	1	3	5	8	11	20
A. NOT OPERATED	1453	4.1	16	<1	1	3	5	8	11	20
B. OPERATED	15879	3.5	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	2197	3.1	4	1	1	3	4	5	6	9
20-34	5377	3.3	6	<1	1	3	4	6	7	12
35-49	4259	3.6	9	1	1	3	4	6	8	14
50-64	3426	4.0	13	1	1	3	5	7	10	19
65+	2073	4.3	16	1	2	3	5	8	11	20
GRAND TOTAL	17332	3.6	9	1	1	3	4	6	8	16

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1176	2.6	3	1	1	2	3	5	6	9
20-34	2343	2.5	3	1	1	2	3	5	6	9
35-49	445	2.9	6	1	1	2	4	5	7	9
50-64	37	3.3	3	1	1	3	4	6	7	9
65+	8	3.5	2	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	1966	4.6	6	1	2	4	6	8	9	13
20-34	6912	4.7	7	1	1	5	6	8	9	13
35-49	1648	6.1	10	2	2	6	7	9	11	17
50-64	276	7.2	10	2	3	7	8	11	13	18
65+	133	9.5	19	4	5	9	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	569	3.5	6	1	1	3	4	6	8	14
20-34	1613	3.5	10	1	1	3	4	6	8	13
35-49	427	4.3	11	1	1	3	6	8	10	15
50-64	44	3.7	9	<1	1	3	5	6	10	16
65+	35	5.8	19	1	1	5	8	10	12	25
B. *Operated*										
0-19 YRS	1696	5.3	8	1	2	5	7	9	10	15
20-34	11374	6.0	12	1	2	6	7	9	12	18
35-49	4793	7.6	22	2	4	7	9	12	15	24
50-64	722	8.8	26	4	5	8	10	13	17	27
65+	340	12.7	69	6	6	10	15	22	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4009	2.6	3	1	1	2	3	5	6	9
B. *Operated*	10935	5.0	8	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2688	3.6	9	1	1	3	5	7	9	14
B. *Operated*	18925	6.5	17	2	2	6	8	10	13	21
1. SINGLE DX	14944	4.4	8	1	1	4	6	8	9	13
2. MULTIPLE DX	21613	6.2	17	1	2	6	8	10	13	21
A. NOT OPERATED	6697	3.0	6	1	1	2	4	6	7	11
B. OPERATED	29860	6.0	14	1	2	6	7	10	12	19
TOTAL 0-19 YRS	5407	4.3	7	1	1	4	6	8	9	13
20-34	22242	[illegible]	11	1	1	5	7	8	10	16
35-49	7313	6.4	19	1	2	6	8	11	14	22
50-64	1079	8.0	22	2	3	7	9	12	16	26
65+	516	11.2	57	4	5	9	14	19	25	44
GRAND TOTAL	36557	5.4	14	1	2	5	7	9	11	18

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3828	4.4	5	2	2	4	5	7	9	12
20-34	9145	4.6	6	2	2	4	6	8	9	13
35-49	1119	5.3	8	2	2	5	7	9	11	14
50-64	79	5.7	23	2	2	5	7	10	15	30
65+	26	6.7	37	2	3	5	7	11	22	30
B. *Operated*										
0-19 YRS	1233	5.3	13	1	2	5	7	9	12	19
20-34	6148	4.9	12	1	1	5	7	9	11	17
35-49	1431	6.2	18	1	2	6	8	11	13	20
50-64	224	6.9	30	1	2	6	9	13	17	29
65+	55	8.1	33	1	2	7	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2126	5.2	10	2	2	5	6	9	10	15
20-34	6200	5.5	11	2	2	5	7	9	11	17
35-49	1089	6.5	14	2	3	6	8	11	13	20
50-64	148	8.2	23	3	3	7	10	15	18	24
65+	90	8.3	25	3	3	7	11	16	19	21
B. *Operated*										
0-19 YRS	1831	6.6	17	2	2	6	8	12	14	20
20-34	16022	6.0	16	1	2	6	8	10	13	20
35-49	4780	7.8	28	2	2	7	9	13	17	28
50-64	660	10.3	68	2	4	8	12	19	25	46
65+	224	16.0	167	3	5	12	22	34	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14197	4.6	6	2	2	4	6	8	9	13
B. *Operated*	9091	5.2	14	1	1	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	9653	5.6	12	2	2	5	7	10	12	18
B. *Operated*	23517	6.7	23	1	2	6	8	11	14	24
1. SINGLE DX	23288	4.9	9	1	2	4	6	8	10	16
2. MULTIPLE DX	33170	6.4	20	1	2	6	8	11	14	22
A. NOT OPERATED	23850	5.0	9	2	2	4	6	8	10	15
B. OPERATED	32608	6.3	21	1	2	6	8	11	14	22
TOTAL 0-19 YRS	9018	5.2	10	2	2	5	7	9	11	16
20-34	37515	5.4	12	1	2	5	7	9	11	18
35-49	8419	7.0	22	2	2	6	9	12	15	24
50-64	1111	9.0	54	2	2	7	11	17	23	40
65+	395	12.5	123	2	3	9	16	28	35	64
GRAND TOTAL	56458	5.7	16	1	2	5	7	10	12	20

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.4	4	<1	1	3	5	6	7	8
20-34	306	3.5	6	1	1	3	4	6	8	13
35-49	85	3.6	3	1	1	3	5	7	8	11
50-64	4	3.8	6	1	1	3	5	7	7	7
65+										
B. *Operated*										
0-19 YRS	258	3.4	6	<1	1	2	5	7	8	10
20-34	5599	4.5	8	<1	1	5	6	8	9	12
35-49	2413	6.0	8	1	2	6	7	8	10	14
50-64	216	5.9	10	1	1	6	8	9	11	15
65+	21	4.2	14	<1	1	2	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.9	5	1	1	4	5	7	9	9
20-34	324	3.9	10	<1	1	3	5	8	10	15
35-49	139	5.0	20	1	1	4	7	9	12	21
50-64	9	6.7	35	1	1	4	8	16	20	20
65+	3	3.[illegible]	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	313	4.3	9	1	1	4	6	8	9	15
20-34	13357	5.6	11	1	2	6	7	9	10	16
35-49	12310	7.2	10	2	4	7	8	10	12	18
50-64	1528	7.8	12	3	5	7	9	11	14	21
65+	161	9.2	40	2	4	8	10	16	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	3.5	6	1	1	3	5	7	8	11
B. *Operated*	8507	4.9	8	<1	1	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	510	4.2	13	1	1	3	8	8	10	16
B. *Operated*	27669	6.5	11	1	2	6	8	10	11	17
1. SINGLE DX	8956	4.8	8	<1	1	5	7	8	9	12
2. MULTIPLE DX	28179	6.5	11	1	2	6	8	10	11	17
A. NOT OPERATED	959	3.9	9	1	1	3	5	8	9	14
B. OPERATED	36176	6.1	11	1	2	6	8	9	11	17
TOTAL 0-19 YRS	660	3.8	7	<1	1	3	6	7	8	12
20-34	19586	5.3	10	1	1	6	7	8	10	15
35-49	14947	6.9	10	2	4	7	8	10	12	17
50-64	1757	7.6	12	2	4	7	9	11	13	20
65+	185	8.6	39	2	2	8	10	15	19	39
GRAND TOTAL	37135	6.1	11	1	2	6	8	9	14	17

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	2	1	1	2	4	5	5	5
20-34	30	3.2	4	1	1	3	4	6	7	7
35-49	7	4.1	9	<1	<1	4	6	8	9	9
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	61	2.0	1	<1	<1	2	3	4	4	6
20-34	1031	2.6	3	<1	1	2	3	5	7	9
35-49	684	2.7	5	<1	1	2	3	6	7	8
50-64	283	2.4	3	<1	1	2	3	4	6	10
65+	89	2.7	4	<1	1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.3	6	1	1	4	6	8	9	10
20-34	83	4.0	8	1	1	3	6	8	10	13
35-49	26	5.0	9	1	1	4	6	10	11	14
50-64	12	6.2	14	2	2	5	10	11	12	12
65+	10	6.7	8	<1	2	7	8	10	10	10
B. *Operated*										
0-19 YRS	130	3.3	5	1	1	2	4	7	8	10
20-34	3380	4.4	11	1	1	3	6	8	10	16
35-49	3152	5.0	14	1	1	5	7	9	11	16
50-64	968	4.8	28	1	1	3	7	10	11	19
65+	365	5.9	28	2	2	4	8	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.2	4	1	1	3	4	6	7	9
B. *Operated*	2148	2.6	4	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	158	4.5	9	1	1	4	6	9	10	13
B. *Operated*	7995	4.8	15	1	1	4	7	9	11	16
1. SINGLE DX	2195	2.6	4	<1	1	2	3	5	7	9
2. MULTIPLE DX	8153	4.7	15	1	1	4	7	9	11	16
A. NOT OPERATED	205	4.2	8	1	1	4	6	8	10	13
B. OPERATED	10143	4.3	13	1	1	3	6	8	10	15
TOTAL 0-19 YRS	226	3.0	4	<1	1	2	4	6	8	10
20-34	4524	4.0	10	1	1	3	6	8	9	14
35-49	3869	4.6	13	1	1	3	7	9	10	14
50-64	1265	4.3	23	1	1	3	6	9	11	18
65+	464	5.3	24	1	2	3	8	10	14	28
GRAND TOTAL	10348	4.3	13	1	1	3	6	8	10	15

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	3.5	4	1	1	3	4	6	7	10
20-34	683	3.8	6	1	1	3	5	7	8	13
35-49	133	4.3	8	1	1	4	5	7	10	16
50-64	37	4.9	12	<1	<1	5	7	10	10	15
65+	29	7.4	113	1	1	6	8	12	16	60
B. *Operated*										
0-19 YRS	495	2.4	2	<1	1	2	3	4	5	8
20-34	3673	2.3	2	<1	1	2	3	4	5	8
35-49	1526	2.3	2	<1	1	2	3	4	5	7
50-64	519	2.5	3	<1	1	2	3	4	5	9
65+	137	3.3	6	<1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	4.5	5	1	2	4	6	8	9	11
20-34	784	4.8	9	1	2	4	6	8	10	16
35-49	241	5.7	22	1	2	5	7	10	14	24
50-64	111	7.9	37	3	3	7	9	13	18	39
65+	155	8.6	29	2	3	7	12	16	19	27
B. *Operated*										
0-19 YRS	322	3.6	8	1	1	3	5	7	9	15
20-34	2142	4.0	16	<1	1	3	5	8	10	16
35-49	1319	4.4	15	1	1	3	6	9	12	17
50-64	492	5.2	50	1	1	3	6	11	15	35
65+	255	7.3	56	1	2	5	10	15	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1146	3.9	9	1	1	3	5	7	8	14
B. *Operated*	6350	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1563	5.5	16	1	2	5	7	10	13	20
B. *Operated*	4530	4.4	22	1	1	3	6	9	11	21
1. SINGLE DX	7496	2.6	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	6093	4.7	21	1	1	3	6	9	12	21
A. NOT OPERATED	2709	4.8	14	1	2	4	6	9	11	18
B. OPERATED	10880	3.2	12	<1	1	2	4	6	8	15
TOTAL 0-19 YRS	1353	3.3	5	1	1	3	4	6	8	12
20-34	7282	3.2	8	<1	1	2	4	6	8	13
35-49	3219	3.5	10	<1	1	2	4	7	9	16
50-64	1159	4.2	29	1	1	3	5	9	12	23
65+	576	6.7	44	1	2	5	9	14	19	34
GRAND TOTAL	13589	3.5	12	<1	1	2	4	7	9	16

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	16	3.9	10	<1	<1	3	6	8	11	12
35-49	32	2.9	12	<1	<1	2	3	7	10	17
50-64	31	2.9	7	<1	<1	2	4	7	8	11
65+	35	4.9	13	1	2	4	6	13	14	14
B. *Operated*										
0-19 YRS	36	5.0	10	<1	1	5	7	9	11	12
20-34	1775	5.9	6	2	3	6	7	9	10	13
35-49	2925	7.0	8	3	4	7	8	10	12	16
50-64	3897	7.6	8	4	5	7	9	11	13	17
65+	3130	8.1	11	4	5	8	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	90	3.0	10	<1	<1	1	4	8	10	14
35-49	180	3.4	9	<1	<1	2	5	7	9	14
50-64	253	4.4	17	<1	1	3	6	9	11	20
65+	396	5.9	44	1	1	4	7	12	16	43
B. *Operated*										
0-19 YRS	41	7.5	22	2	3	6	10	13	16	25
20-34	6252	6.8	9	[illegible]	4	6	8	10	12	17
35-49	11146	7.9	11	4	5	7	9	11	14	20
50-64	9737	8.7	14	4	5	8	10	13	16	22
65+	7701	9.8	27	5	6	9	11	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.7	11	<1	<1	2	5	7	12	15
B. *Operated*	11763	7.3	9	4	4	7	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	921	4.7	27	<1	1	3	6	10	12	26
B. *Operated*	34877	8.3	16	4	5	8	10	13	15	23
1. SINGLE DX	11879	7.3	9	3	4	7	9	11	13	17
2. MULTIPLE DX	35798	8.2	17	4	5	8	10	12	15	23
A. NOT OPERATED	1037	4.6	26	<1	1	3	6	10	12	26
B. OPERATED	46640	8.1	14	4	5	7	9	12	15	22
TOTAL 0-19 YRS	81	6.2	18	1	1	5	8	12	13	22
20-34	8133	6.5	9	2	4	6	8	10	11	16
35-49	14283	7.[illegible]	11	4	5	7	9	11	13	19
50-64	13918	8.3	13	4	5	8	10	12	15	21
65+	11262	9.2	24	4	5	8	11	14	17	27
GRAND TOTAL	47677	8.0	15	4	5	7	9	12	15	22

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	2	1	1	3	3	5	6	6
20-34	34	2.6	8	<1	1	2	2	5	9	14
35-49	15	2.4	2	<1	1	2	3	4	6	6
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	57	1.9	1	1	1	2	2	3	4	6
20-34	764	1.8	2	<1	<1	2	2	3	4	7
35-49	883	1.8	2	<1	<1	2	2	3	5	8
50-64	127	1.9	2	<1	<1	2	2	2	5	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	4	1	1	3	4	5	7	8
20-34	63	3.2	7	1	1	3	4	5	7	18
35-49	44	3.0	11	<1	<1	2	4	6	7	21
50-64	10	2.2	3	<1	<1	2	2	5	7	7
65+										
B. *Operated*										
0-19 YRS	54	2.9	5	<1	1	2	3	5	8	14
20-34	1094	3.4	9	<1	1	2	5	7	9	13
35-49	1427	3.6	10	<1	1	2	6	8	9	14
50-64	194	3.2	8	<1	1	2	5	8	9	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.6	5	<1	1	2	3	4	6	13
B. *Operated*	1831	1.8	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	136	3.1	8	<1	1	2	4	6	7	19
B. *Operated*	2769	3.5	9	<1	1	2	5	8	9	14
1. SINGLE DX	1895	1.9	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX	2905	3.5	9	<1	1	2	5	8	9	14
A. NOT OPERATED	200	2.9	7	<1	1	2	4	6	7	16
B. OPERATED	4600	2.8	7	<1	<1	2	3	7	8	12
TOTAL 0-19 YRS	141	2.6	3	<1	1	2	3	4	6	10
20-34	1955	2.8	6	<1	<1	2	3	6	8	12
35-49	2369	2.9	3	<1	<1	2	3	7	8	13
50-64	335	2.7	6	<1	<1	2	2	7	8	11
65+										
GRAND TOTAL	4800	2.8	7	<1	<1	2	3	7	8	12

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	444	2.1	2	<1	1	2	3	4	4	6
20-34	1134	2.1	2	<1	1	2	3	4	5	8
35-49	361	1.9	2	<1	<1	2	2	4	4	7
50-64	46	2.1	3	<1	<1	2	2	4	6	11
65+										
B. *Operated*										
0-19 YRS	1533	2.0	1	<1	1	2	2	3	4	6
20-34	17479	2.1	3	<1	<1	2	2	4	6	8
35-49	16641	2.1	3	<1	<1	2	2	4	6	9
50-64	2212	1.9	2	<1	<1	2	2	3	5	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	486	3.3	8	1	1	3	4	6	7	15
20-34	1331	3.1	6	<1	1	2	4	6	8	12
35-49	829	3.2	10	<1	1	2	4	7	9	15
50-64	111	2.7	5	<1	<1	2	3	6	8	11
65+										
B. *Operated*										
0-19 YRS	1324	3.0	6	1	1	2	4	6	8	14
20-34	22857	3.9	10	<1	1	3	6	8	9	14
35-49	29014	4.3	11	<1	1	3	7	8	10	15
50-64	3640	4.1	15	<1	1	2	6	9	10	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1985	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	37865	2.1	3	<1	<1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	2757	3.1	8	<1	1	2	4	6	8	13
B. *Operated*	56835	4.1	11	<1	1	3	6	8	10	14
1. SINGLE DX	39850	2.1	3	<1	<1	2	2	4	6	8
2. MULTIPLE DX	59592	4.0	11	<1	1	3	6	8	10	14
A. NOT OPERATED	4742	2.7	6	<1	1	2	3	5	7	11
B. OPERATED	94700	3.3	9	<1	1	2	5	7	9	13
TOTAL 0-19 YRS	3787	2.5	4	<1	1	2	3	5	6	10
20-34	42801	3.1	8	<1	1	2	4	7	8	12
35-49	46845	3.5	9	<1	<1	2	5	8	9	13
50-64	6009	3.2	11	<1	<1	2	4	8	9	15
65+										
GRAND TOTAL	99442	3.2	9	<1	1	2	5	7	9	13

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	5.0	11	3	3	4	7	10	10	10
35-49	50	2.5	3	<1	1	2	4	5	6	8
50-64	70	2.3	3	<1	<1	2	3	5	7	8
65+	43	3.2	11	<1	1	2	3	7	9	18
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	27	2.0	2	<1	<1	2	2	3	5	8
35-49	1575	1.8	4	<1	<1	2	2	2	3	7
50-64	5678	1.8	2	<1	<1	2	2	2	3	8
65+	1464	2.2	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	4.5	7	2	2	3	6	9	9	9
35-49	154	4.4	10	<1	1	4	6	9	11	15
50-64	215	3.5	8	<1	<1	3	5	7	9	13
65+	238	5.2	22	1	1	4	7	10	13	27
B. *Operated*										
0-19 YRS	4	1.8		<1	<1	2	2	2	2	2
20-34	39	4.7	8	1	1	5	7	8	10	12
35-49	1549	3.1	13	<1	1	2	3	7	9	17
50-64	6698	3.2	11	<1	1	2	3	7	9	16
65+	2767	4.1	18	1	1	2	5	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.7	5	<1	1	2	3	6	7	12
B. *Operated*	8746	1.9	2	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*	627	4.4	14	<1	1	3	6	9	11	18
B. *Operated*	11057	3.4	13	<1	1	2	4	8	10	17
1. SINGLE DX	8913	1.9	2	<1	<1	2	2	3	3	8
2. MULTIPLE DX	11684	3.5	13	<1	1	2	4	8	10	17
A. NOT OPERATED	794	4.0	13	<1	1	3	5	8	11	16
B. OPERATED	19803	2.7	9	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	89	3.9	7	<1	1	3	6	8	9	11
35-49	3328	2.5	9	<1	<1	2	2	5	8	13
50-64	12661	2.6	7	<1	<1	2	2	5	8	13
65+	4512	3.5	14	1	1	2	4	8	11	18
GRAND TOTAL	20597	2.8	9	<1	1	2	3	6	8	15

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	2.5	6	<1	1	2	3	4	6	12
20-34	529	2.5	6	<1	<1	2	3	5	6	12
35-49	178	3.1	10	<1	1	2	4	6	8	14
50-64	65	3.5	6	<1	1	3	6	7	8	12
65+	44	4.0	15	<1	1	3	6	7	14	18
B. *Operated*										
0-19 YRS	770	2.8	5	<1	1	2	3	6	7	11
20-34	8421	2.9	6	<1	1	2	4	6	7	11
35-49	5696	3.0	8	<1	<1	2	3	7	8	14
50-64	3530	2.8	7	<1	<1	2	3	6	8	12
65+	1140	3.5	23	1	1	2	3	7	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	3.0	5	<1	<1	2	4	6	7	11
20-34	601	2.9	6	<1	1	2	4	6	8	11
35-49	334	3.9	15	1	1	3	5	8	11	20
50-64	185	5.5	33	1	1	4	7	12	16	31
65+	321	7.4	67	1	2	5	8	15	20	55
B. *Operated*										
0-19 YRS	730	4.0	14	1	1	3	5	7	9	13
20-34	10158	4.2	10	<1	1	3	6	8	9	15
35-49	12067	4.8	15	<1	1	4	7	9	11	17
50-64	7502	5.0	22	1	1	3	7	10	12	23
65+	2864	7.3	72	1	2	4	9	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	997	2.7	7	<1	1	2	3	5	7	13
B. *Operated*	19557	3.0	8	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1605	4.3	26	<1	1	3	5	9	12	24
B. *Operated*	33321	4.9	20	1	1	4	7	9	12	22
1. SINGLE DX	20554	3.0	8	<1	1	2	3	6	8	13
2. MULTIPLE DX	34926	4.9	21	1	1	3	7	9	12	22
A. NOT OPERATED	2602	3.7	19	<1	1	2	5	8	11	20
B. OPERATED	52878	4.2	17	<1	1	3	6	8	10	19
TOTAL 0-19 YRS	1845	3.3	9	<1	1	2	4	7	8	13
20-34	19709	3.6	9	<1	1	3	5	7	8	13
35-49	18275	4.2	13	<1	1	3	6	8	10	16
50-64	11282	4.3	18	<1	1	2	6	9	11	21
65+	4369	6.3	61	1	1	3	8	14	20	41
GRAND TOTAL	55480	4.1	17	<1	1	3	6	8	10	19

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	939	2.2	3	<1	1	2	3	4	5	7
20-34	1409	2.3	3	<1	1	2	3	4	6	8
35-49	233	2.7	4	<1	1	2	3	5	7	11
50-64	53	3.7	10	<1	<1	3	5	8	11	13
65+	43	4.2	15	1	1	3	5	10	11	22
B. *Operated*										
0-19 YRS	651	2.6	4	<1	1	2	3	5	7	9
20-34	6751	3.0	6	<1	<1	2	4	7	8	10
35-49	2588	6.1	13	1	1	6	8	10	12	17
50-64	1611	8.1	12	2	4	8	10	12	14	20
65+	741	9.0	20	2	4	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	610	2.7	5	<1	1	2	4	5	6	9
20-34	1533	2.8	6	<1	1	2	4	6	7	12
35-49	406	3.5	9	<1	1	3	5	7	9	15
50-64	153	4.6	19	1	1	3	6	9	12	28
65+	137	7.1	44	1	1	5	9	15	19	33
B. *Operated*										
0-19 YRS	695	3.4	8	<1	1	2	5	7	8	13
20-34	14142	4.6	10	<1	1	5	7	8	10	14
35-49	6984	6.9	14	1	2	7	8	11	13	19
50-64	2598	9.3	27	3	5	8	11	15	18	27
65+	1346	10.4	38	2	4	9	13	17	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2677	2.4	3	<1	1	2	3	4	6	9
B. *Operated*	12342	4.7	14	<1	1	3	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2838	3.2	10	<1	1	2	4	6	8	15
B. *Operated*	25765	5.9	18	1	1	6	8	10	13	20
1. SINGLE DX	15019	4.3	13	<1	1	3	7	9	11	16
2. MULTIPLE DX	28603	5.7	18	1	1	6	8	10	13	20
A. NOT OPERATED	5515	2.8	7	<1	1	2	3	5	7	12
B. OPERATED	38107	5.5	17	<1	1	5	8	10	12	19
TOTAL 0-19 YRS	2295	2.7	5	<1	1	2	3	5	7	11
20-34	23835	3.9	9	<1	1	3	6	8	9	13
35-49	10210	6.4	14	1	2	6	8	10	13	18
50-64	4415	8.6	22	2	3	8	10	14	16	25
65+	2267	9.6	33	2	3	9	12	16	19	31
GRAND TOTAL	43622	5.2	16	<1	1	5	7	10	12	19

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.4	2	1	1	2	4	5	5	5
20-34	113	2.9	11	<1	1	2	3	6	7	19
35-49	14	3.4	25	<1	1	2	3	8	17	20
50-64										
65+										
B. *Operated*										
0-19 YRS	483	5.3	3	3	3	5	6	7	8	12
20-34	6368	5.3	4	3	3	5	6	7	8	11
35-49	600	5.6	5	3	3	5	6	8	9	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	2	<1	<1	2	3	4	5	5
20-34	57	2.6	3	<1	1	2	4	5	6	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	328	5.8	7	3	4	5	7	8	10	15
20-34	5180	5.8	6	3	4	5	7	8	9	14
35-49	720	6.5	8	3	4	6	7	10	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	2.9	12	<1	1	2	3	6	7	21
B. *Operated*	7451	5.3	4	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	71	2.5	3	<1	1	2	4	5	5	9
B. *Operated*	6228	5.9	6	3	4	5	7	8	10	15
1. SINGLE DX	7589	5.3	4	3	3	5	6	7	8	11
2. MULTIPLE DX	6299	5.8	6	3	4	5	7	8	10	15
A. NOT OPERATED	209	2.8	9	<1	1	2	3	5	6	15
B. OPERATED	13679	5.6	5	3	4	5	6	8	9	13
TOTAL 0-19 YRS	835	5.4	5	2	3	5	6	8	9	13
20-34	11718	5.5	5	3	3	5	6	8	9	13
35-49	1335	6.1	7	3	4	6	7	9	10	17
50-64										
65+										
GRAND TOTAL	13888	5.5	5	3	3	5	6	8	9	13

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	1.3	1	<1	1	1	2	2	2	5
20-34	432	1.5	1	<1	<1	1	2	2	4	6
35-49	49	1.2		<1	<1	1	1	2	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	7730	1.4	1	<1	<1	1	2	2	3	4
20-34	18177	1.3	1	<1	<1	<1	1	2	2	4
35-49	2063	1.3	1	<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	1	<1	<1	1	2	3	4	7
20-34	146	2.0	5	<1	<1	1	2	4	5	11
35-49	45	2.1	5	<1	1	1	2	3	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	2061	1.8	3	<1	<1	1	2	3	5	9
20-34	7755	2.0	4	<1	<1	1	2	4	6	10
35-49	2222	2.3	6	<1	<1	2	3	4	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	753	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	27970	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	249	1.9	4	<1	<1	1	2	3	5	10
B. *Operated*	12038	2.0	4	<1	<1	1	2	4	6	10
1. SINGLE DX	28723	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	12287	2.0	4	<1	<1	1	2	4	6	10
A. NOT OPERATED	1002	1.5	2	<1	<1	1	2	3	4	8
B. OPERATED	40008	1.5	2	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	10121	1.5	1	<1	<1	1	2	2	3	6
20-34	26510	1.5	2	<1	<1	1	2	2	3	7
35-49	4379	1.8	4	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	41010	1.5	2	<1	<1	1	2	2	3	7

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	10	2.2	2	1	1	2	3	4	5	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	8	5.0	26	1	1	3	7	14	16	16
35-49	4	5.5	4	4	4	5	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.3		4	4	4	5	5	5	5
B. *Operated*	15	1.9	1	<1	<1	2	3	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	14	4.7	17	1	1	4	6	9	14	16
1. SINGLE DX	18	2.3	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX	17	4.3	14	1	1	3	6	8	13	16
A. NOT OPERATED	6	3.3	1	2	2	3	4	5	5	5
B. OPERATED	29	3.3	10	<1	1	2	4	7	9	16
TOTAL 0-19 YRS	5	2.4	2	<1	<1	2	3	4	4	4
20-34	23	3.4	11	1	1	2	4	6	11	16
35-49	7	3.6	8	<1	<1	4	5	8	8	8
50-64										
65+										
GRAND TOTAL	35	3.3	9	<1	1	3	4	6	8	16

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1051	1.7	1	<1	1	1	2	3	4	5
20-34	3580	1.7	1	<1	<1	1	2	3	4	6
35-49	277	1.6	1	<1	<1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7610	1.6	1	<1	<1	1	2	3	4	6
20-34	42426	1.5	1	<1	<1	1	2	2	3	6
35-49	5238	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	2.5	3	1	1	2	3	5	6	8
20-34	692	2.4	4	<1	1	2	3	4	6	11
35-49	84	2.4	2	<1	1	2	3	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1122	2.6	5	1	1	2	3	5	6	11
20-34	6440	2.4	6	<1	1	2	3	5	6	11
35-49	1292	2.4	5	<1	1	2	3	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4908	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	55274	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	968	2.4	4	1	1	2	3	4	6	10
B. *Operated*	8954	2.4	6	<1	1	2	3	5	6	11
1. SINGLE DX	60182	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	9922	2.4	6	<1	1	2	3	5	6	11
A. NOT OPERATED	5876	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	64228	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	9975	1.6	2	<1	<1	1	2	3	4	7
20-34	53138	1.6	2	<1	<1	1	2	3	4	7
35-49	6991	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	70104	1.7	2	<1	<1	1	2	3	4	7

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	2.9	6	<1	1	2	4	6	8	11
20-34	905	2.7	5	<1	1	2	3	5	8	10
35-49	97	2.2	3	<1	1	2	3	4	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	758	2.1	3	<1	1	2	2	4	5	9
20-34	6438	1.7	1	<1	<1	1	2	3	4	7
35-49	715	1.9	4	<1	<1	1	2	3	4	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.5	5	<1	1	3	5	7	8	9
20-34	295	3.4	9	1	1	3	4	7	9	16
35-49	29	2.8	5	1	1	2	3	6	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	214	3.7	14	1	1	3	4	7	10	20
20-34	1678	2.9	13	<1	1	2	3	6	9	13
35-49	281	3.6	16	<1	1	2	5	7	10	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1277	2.7	5	<1	1	2	3	5	8	10
B. *Operated*	7911	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	408	3.4	8	1	1	3	4	7	8	14
B. *Operated*	2173	3.1	12	<1	1	2	4	6	8	15
1. SINGLE DX	9188	1.9	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	2581	3.1	11	<1	1	2	4	6	[illegible]	15
A. NOT OPERATED	1685	2.9	6	<1	1	2	4	6	7	10
B. OPERATED	10084	2.1	4	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	1331	2.6	6	<1	1	2	3	5	6	11
20-34	9316	2.1	4	<1	<1	2	2	4	5	9
35-49	1122	2.3	8	<1	<1	2	2	5	7	12
50-64										
65+										
GRAND TOTAL	11769	2.2	4	<1	<1	2	2	4	6	10

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1024	2.3	3	<1	1	2	3	4	5	8
20-34	6043	2.5	3	1	1	2	3	4	5	8
35-49	376	2.5	3	<1	1	2	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	30	2.6	2	1	1	2	4	5	5	5
20-34	122	2.7	3	<1	1	2	4	5	6	8
35-49	11	2.7	3	<1	<1	2	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	3.1	3	1	1	3	4	5	7	9
20-34	1074	3.5	6	1	1	3	4	6	8	12
35-49	74	3.2	4	1	1	3	4	6	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	18	5.7	41	1	1	3	6	15	22	25
20-34	106	3.9	26	1	1	3	5	7	8	31
35-49	10	4.5	11	<1	<1	4	6	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7443	2.5	3	1	1	2	3	4	5	8
B. *Operated*	163	2.6	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1350	3.4	5	1	1	3	4	6	8	11
B. *Operated*	134	4.2	26	1	1	3	5	8	11	28
1. SINGLE DX	7606	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1484	3.5	7	1	1	3	4	6	8	13
A. NOT OPERATED	8793	2.6	3	1	1	2	3	5	6	9
B. OPERATED	297	3.3	14	1	1	2	4	6	8	18
TOTAL 0-19 YRS	1274	2.5	4	<1	1	2	3	4	5	9
20-34	7345	2.6	4	1	1	2	3	5	6	9
35-49	471	2.7	3	<1	1	2	3	5	6	10
50-64										
65+										
GRAND TOTAL	**9090**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	1.9	1	1	1	2	3	3	4	5
20-34	317	2.3	5	<1	<1	2	3	4	5	9
35-49	13	3.8	9	1	1	2	5	7	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	2.5	4	<1	1	2	3	5	7	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	7	1	1	2	4	5	9	11
20-34	79	2.8	4	<1	1	2	4	5	7	12
35-49	6	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	11	3.1	5	1	1	2	4	7	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388	2.3	5	<1	1	2	3	4	5	9
B. *Operated*	19	2.8	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	100	2.8	4	<1	1	2	3	5	7	12
B. *Operated*	14	2.9	4	1	1	2	3	5	8	9
1. SINGLE DX	407	2.3	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	114	2.8	4	<1	1	2	3	5	8	12
A. NOT OPERATED	488	2.4	5	<1	1	2	3	4	5	10
B. OPERATED	33	2.8	4	1	1	2	3	5	8	9
TOTAL 0-19 YRS	77	2.1	2	1	1	2	3	4	5	9
20-34	423	2.5	5	<1	1	2	3	4	6	9
35-49	21	3.3	7	1	1	2	4	6	9	12
50-64										
65+										
GRAND TOTAL	**521**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1024	3.7	7	1	1	3	4	6	8	14
20-34	4548	3.6	8	1	1	3	4	6	8	14
35-49	355	4.0	9	1	2	3	5	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	86	3.7	4	1	1	3	5	6	8	10
20-34	407	4.0	15	<1	1	3	5	8	10	22
35-49	33	5.3	20	<1	1	4	8	12	15	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	4.5	10	<1	1	3	6	9	11	16
20-34	1214	4.1	11	1	1	3	5	8	10	16
35-49	163	4.5	11	1	2	4	6	8	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	51	4.3	17	1	1	3	5	9	14	20
20-34	279	4.6	17	<1	<1	3	6	10	14	19
35-49	22	7.7	56	<1	1	5	13	20	24	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5927	3.6	8	1	1	3	4	7	8	14
B. *Operated*	526	4.0	13	<1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	1602	4.2	11	1	1	3	5	8	10	16
B. *Operated*	352	4.8	20	<1	1	3	6	11	14	21
1. SINGLE DX	6453	3.7	8	1	1	3	4	7	9	15
2. MULTIPLE DX	1954	4.3	13	1	1	3	5	8	11	18
A. NOT OPERATED	7529	3.8	9	1	1	3	4	7	9	15
B. OPERATED	878	4.3	16	<1	1	3	5	9	13	21
TOTAL 0-19 YRS	1386	3.9	8	1	1	3	5	7	9	15
20-34	6448	3.8	9	1	1	3	4	7	9	16
35-49	573	4.4	12	1	2	3	5	8	11	19
50-64										
65+										
GRAND TOTAL	**8407**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1259	3.2	3	1	2	3	4	5	7	9
20-34	5285	3.9	6	1	2	3	5	6	8	13
35-49	119	4.3	8	1	2	4	5	7	9	19
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.1	4	<1	<1	3	4	6	7	7
20-34	23	4.9	27	<1	1	2	6	14	17	19
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	444	3.6	6	1	1	3	4	7	8	13
20-34	1882	4.3	13	1	2	3	5	8	10	17
35-49	48	5.1	15	1	2	4	6	9	16	17
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.9	9	2	2	4	6	8	12	13
20-34	65	5.7	17	1	2	5	7	9	15	23
35-49	4	8.5	60	4	4	5	13	20	20	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6663	3.8	6	1	2	3	5	6	8	12
B. *Operated*	34	4.5	21	<1	1	3	5	11	16	19
2. MULTIPLE DX										
A. *Not Operated*	2374	4.2	12	1	2	3	5	8	10	17
B. *Operated*	83	5.7	17	1	2	5	7	10	15	23
1. SINGLE DX	6697	3.8	6	1	2	3	5	6	8	12
2. MULTIPLE DX	2457	4.2	12	1	2	3	5	8	10	17
A. NOT OPERATED	9037	3.9	7	1	2	3	5	7	8	14
B. OPERATED	117	5.3	18	1	2	4	6	11	15	21
TOTAL 0-19 YRS	1726	3.4	4	1	2	3	4	6	7	11
20-34	7255	4.0	8	1	2	3	5	7	9	14
35-49	173	4.7	11	1	2	4	5	8	11	19
50-64										
65+										
GRAND TOTAL	**9154**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7100	1.2	1	<1	<1	1	1	2	2	4
20-34	26492	1.2	2	<1	<1	<1	1	1	2	5
35-49	1290	1.2	1	<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	554	1.2	1	<1	<1	<1	1	1	3	6
20-34	2286	1.2	1	<1	<1	1	1	2	2	5
35-49	114	1.1		<1	<1	1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	596	1.8	4	<1	<1	1	2	3	5	11
20-34	2167	1.9	5	<1	<1	1	2	4	5	10
35-49	135	2.1	7	<1	<1	1	2	4	6	15
50-64										
65+										
B. *Operated*										
0-19 YRS	69	1.7	2	<1	<1	1	2	4	5	6
20-34	334	2.2	14	<1	<1	1	2	4	6	12
35-49	10	1.3	1	<1	<1	1	1	3	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34882	1.2	1	<1	<1	<1	1	1	2	5
B. *Operated*	2954	1.2	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	2898	1.9	5	<1	<1	1	2	4	5	11
B. *Operated*	413	2.1	12	<1	<1	1	2	4	6	12
1. SINGLE DX	37836	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX	3311	1.9	6	<1	<1	1	2	4	5	11
A. NOT OPERATED	37780	1.3	2	<1	<1	1	1	2	3	5
B. OPERATED	3367	1.3	2	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	8319	1.2	1	<1	<1	1	1	2	3	5
20-34	31279	1.3	2	<1	<1	1	1	2	3	6
35-49	1549	1.2	1	<1	<1	<1	1	2	2	6
50-64										
65+										
GRAND TOTAL	**41147**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	3.2	11	<1	1	2	3	6	9	19
20-34	1940	3.5	16	<1	1	3	4	6	9	18
35-49	183	3.6	18	<1	1	3	4	7	13	19
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.8	19	<1	<1	2	4	11	14	15
20-34	152	4.7	52	<1	1	3	5	9	14	36
35-49	14	4.9	12	<1	1	4	6	8	13	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.1	11	1	1	3	5	7	9	22
20-34	477	4.4	22	1	1	3	5	9	13	28
35-49	62	5.5	58	1	1	3	6	11	14	49
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.8	13	1	1	5	7	10	10	10
20-34	63	6.0	50	<1	1	4	7	12	20	41
35-49	6	8.0	18	2	2	8	12	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2345	3.5	16	<1	1	3	4	6	9	19
B. *Operated*	178	4.6	47	<1	1	3	5	9	15	34
2. MULTIPLE DX										
A. *Not Operated*	600	4.5	24	1	1	3	5	9	12	29
B. *Operated*	74	6.1	45	<1	1	4	7	12	17	40
1. SINGLE DX	2523	3.6	18	<1	1	3	4	6	10	20
2. MULTIPLE DX	674	4.7	27	1	1	3	5	9	13	31
A. NOT OPERATED	2945	3.7	17	1	1	3	4	7	10	21
B. OPERATED	252	5.1	46	<1	1	3	5	10	15	36
TOTAL 0-19 YRS	300	3.4	11	<1	1	2	4	6	10	19
20-34	2632	3.8	20	1	1	3	4	7	10	23
35-49	265	4.4	28	1	1	3	5	8	13	30
50-64										
65+										
GRAND TOTAL	**3197**	**3.8**	**20**	**1**	**1**	**3**	**4**	**7**	**11**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	536	2.2	3	<1	<1	2	3	4	5	9
20-34	2390	2.2	4	<1	<1	2	3	4	5	10
35-49	155	2.5	6	<1	1	2	3	5	6	14
50-64										
65+										
B. *Operated*										
0-19 YRS	42	1.8	2	<1	<1	1	2	3	5	8
20-34	231	2.5	9	<1	<1	1	3	5	7	20
35-49	12	2.7	6	<1	<1	1	4	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	2.6	5	<1	1	2	3	5	8	11
20-34	598	2.8	8	<1	1	2	3	5	8	16
35-49	37	3.3	7	1	1	2	4	6	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.8	6	<1	<1	4	5	7	8	9
20-34	93	3.3	11	<1	<1	2	4	8	11	17
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3081	2.2	4	<1	<1	2	3	4	5	10
B. *Operated*	285	2.4	8	<1	<1	1	3	5	7	19
2. MULTIPLE DX										
A. *Not Operated*	755	2.8	8	<1	1	2	3	5	8	15
B. *Operated*	113	3.4	10	<1	<1	3	4	7	9	16
1. SINGLE DX	3366	2.3	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	868	2.9	8	<1	1	2	3	5	8	15
A. NOT OPERATED	3836	2.3	5	<1	<1	2	3	4	6	11
B. OPERATED	398	2.7	9	<1	<1	2	3	6	8	19
TOTAL 0-19 YRS	714	2.3	3	<1	<1	2	3	4	6	10
20-34	3312	2.4	6	<1	<1	2	3	4	6	12
35-49	208	2.7	6	<1	1	2	3	5	6	14
50-64										
65+										
GRAND TOTAL	**4234**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1099	3.4	4	<1	1	3	4	6	7	10
20-34	2426	3.2	4	<1	1	3	4	6	7	9
35-49	66	3.5	5	<1	1	3	4	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	117	2.3	4	<1	<1	1	3	5	7	10
20-34	250	2.4	5	<1	<1	1	3	5	6	12
35-49	4	2.3	4	<1	<1	1	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1103	3.9	6	1	1	4	5	6	8	11
20-34	2193	3.7	6	1	1	3	5	7	8	11
35-49	57	4.1	6	1	2	3	5	7	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	88	4.4	17	<1	<1	3	5	10	13	20
20-34	215	4.4	13	<1	1	3	6	9	12	15
35-49	11	6.5	23	2	3	6	7	13	19	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3591	3.3	4	<1	1	3	4	6	7	9
B. *Operated*	371	2.4	5	<1	<1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	3353	3.8	6	1	1	3	5	7	8	11
B. *Operated*	314	4.5	14	<1	1	3	6	9	12	19
1. SINGLE DX	3962	3.2	4	<1	<1	3	4	6	7	9
2. MULTIPLE DX	3667	3.9	7	1	1	3	5	7	8	13
A. NOT OPERATED	6944	3.5	5	<1	1	3	5	6	7	10
B. OPERATED	685	3.4	10	<1	<1	2	4	7	10	15
TOTAL 0-19 YRS	2407	3.6	5	<1	1	3	5	6	7	11
20-34	5084	3.5	5	<1	1	3	4	6	8	11
35-49	138	3.9	7	1	1	3	5	7	9	15
50-64										
65+										
GRAND TOTAL	**7629**	**3.5**	**5**	**<1**	**1**	**3**	**5**	**6**	**8**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	4.1	23	<1	1	3	5	8	12	33
20-34	2002	4.6	15	1	1	3	6	9	11	19
35-49	246	5.2	17	1	2	4	7	9	14	23
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.1	29	<1	<1	3	4	8	15	27
20-34	188	3.9	23	<1	<1	2	5	9	11	30
35-49	20	4.6	27	<1	<1	3	5	10	17	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	801	4.2	18	1	1	3	5	8	11	23
20-34	4111	4.3	14	1	1	3	5	8	11	19
35-49	382	5.4	20	1	1	4	7	11	13	24
50-64										
65+										
B. *Operated*										
0-19 YRS	99	4.0	12	<1	1	3	5	8	11	19
20-34	521	5.6	45	<1	1	4	7	11	16	31
35-49	47	6.0	37	<1	<1	4	7	13	20	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2574	4.6	16	1	1	3	6	9	12	20
B. *Operated*	234	4.0	24	<1	<1	3	5	8	11	30
2. MULTIPLE DX										
A. *Not Operated*	5294	4.4	15	1	1	3	5	8	11	20
B. *Operated*	667	5.4	39	<1	1	4	7	11	15	29
1. SINGLE DX	2808	4.5	17	<1	1	3	6	9	12	22
2. MULTIPLE DX	5961	4.5	18	1	1	3	6	9	12	21
A. NOT OPERATED	7868	4.4	16	1	1	3	6	9	11	20
B. OPERATED	901	5.0	36	<1	<1	3	6	10	15	30
TOTAL 0-19 YRS	1252	4.2	19	<1	1	3	5	8	12	24
20-34	6822	4.5	17	1	1	3	6	9	11	20
35-49	695	5.3	20	1	1	4	7	10	14	24
50-64										
65+										
GRAND TOTAL	**8769**	**4.5**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2677	2.4	8	<1	<1	1	3	5	6	13
20-34	10496	2.5	10	<1	<1	1	3	5	7	15
35-49	538	3.0	11	<1	<1	2	4	7	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	610	2.7	9	<1	<1	2	3	5	7	15
20-34	5064	2.7	6	<1	<1	2	3	5	7	12
35-49	322	2.7	4	<1	<1	2	3	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1031	3.0	9	<1	<1	2	4	6	7	15
20-34	4479	3.4	16	<1	<1	2	4	7	9	18
35-49	264	3.8	17	<1	<1	3	5	7	12	22
50-64										
65+										
B. *Operated*										
0-19 YRS	293	3.7	12	<1	<1	3	5	8	10	16
20-34	1961	3.7	19	<1	<1	3	5	8	10	20
35-49	172	4.1	27	<1	<1	2	5	8	13	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13711	2.5	10	<1	<1	1	3	5	7	15
B. *Operated*	5996	2.7	7	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	5774	3.4	15	<1	<1	2	4	7	9	18
B. *Operated*	2426	3.8	19	<1	<1	3	5	8	10	20
1. SINGLE DX	19707	2.6	9	<1	<1	2	3	5	7	14
2. MULTIPLE DX	8200	3.5	16	<1	<1	2	4	7	10	19
A. NOT OPERATED	19485	2.8	11	<1	<1	2	3	5	8	16
B. OPERATED	8422	3.0	10	<1	<1	2	4	6	8	15
TOTAL 0-19 YRS	4611	2.7	9	<1	<1	2	3	5	7	15
20-34	22000	2.9	11	<1	<1	2	3	6	8	16
35-49	1296	3.2	13	<1	<1	2	4	7	10	20
50-64										
65+										
GRAND TOTAL	**27907**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	399	2.9	1	2	2	3	3	4	5	7
20-34	1747	3.3	5	2	2	3	4	4	5	10
35-49	128	3.5	2	2	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	148	4.7	34	2	2	3	5	7	9	22
20-34	910	4.7	18	2	2	4	5	7	10	22
35-49	64	5.1	11	2	2	4	6	8	11	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	453	3.5	7	2	2	3	4	5	6	13
20-34	1825	3.7	15	2	2	3	4	5	7	19
35-49	137	4.9	25	2	2	3	5	9	13	31
50-64										
65+										
B. *Operated*										
0-19 YRS	502	6.3	64	2	2	4	6	12	21	46
20-34	3929	6.4	51	2	3	4	7	11	18	40
35-49	436	7.3	46	2	3	5	8	14	23	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2274	3.3	4	2	2	3	4	4	5	9
B. *Operated*	1122	4.8	20	2	2	4	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	2415	3.8	14	2	2	3	4	5	7	19
B. *Operated*	4867	6.5	52	2	3	4	7	11	19	4[illegible]
1. SINGLE DX	3396	3.7	10	2	2	3	4	6	7	15
2. MULTIPLE DX	7282	5.6	41	2	2	4	6	9	15	38
A. NOT OPERATED	4689	3.5	9	2	2	3	4	5	6	15
B. OPERATED	5989	6.2	47	2	2	4	6	11	17	39
TOTAL 0-19 YRS	1502	4.4	29	2	2	3	4	6	10	33
20-34	8411	5.0	32	2	2	4	5	8	12	34
35-49	765	6.0	34	2	2	4	6	11	17	36
50-64										
65+										
GRAND TOTAL	**10678**	**5.0**	**32**	**2**	**2**	**4**	**5**	**8**	**12**	**34**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38451	2.8	1	1	2	3	3	4	4	5
20-34	214744	2.9	1	1	2	3	3	4	4	6
35-49	9587	3.0	2	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	7134	2.8	1	1	2	3	3	4	4	6
20-34	40150	3.0	1	1	2	3	4	4	5	6
35-49	1815	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1471	3.2	3	2	2	3	4	5	6	9
20-34	6792	3.2	2	1	2	3	4	5	5	8
35-49	384	3.3	3	1	2	3	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	855	3.4	2	2	2	3	4	5	6	9
20-34	28497	3.6	2	2	2	4	4	5	6	7
35-49	3228	3.8	2	2	2	4	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262782	2.9	1	1	2	3	3	4	4	6
B. *Operated*	49099	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	8647	3.2	3	1	2	3	4	5	6	8
B. *Operated*	32580	3.6	2	2	2	4	4	5	6	7
1. SINGLE DX	311881	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX	41227	3.6	2	2	2	3	4	5	6	7
A. NOT OPERATED	271429	2.9	1	1	2	3	3	4	4	6
B. OPERATED	81679	3.2	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	47911	2.9	1	1	2	3	3	4	4	6
20-34	290183	3.0	1	1	2	3	4	4	5	6
35-49	15014	3.2	2	1	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**353108**	**3.0**	**1**	**1**	**2**	**3**	**4**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.2	5	1	1	3	3	7	8	9
20-34	203	3.5	7	1	2	3	4	5	6	13
35-49	22	4.4	29	1	1	3	4	7	16	27
50-64										
65+										
B. *Operated*										
0-19 YRS	69	5.9	13	3	3	5	7	9	10	27
20-34	887	8.3	86	3	4	6	7	14	27	51
35-49	91	7.9	58	3	3	6	8	15	23	46
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.8	19	2	2	3	5	13	16	16
20-34	150	4.4	21	1	2	3	5	8	10	30
35-49	6	4.5	20	<1	<1	3	5	12	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	104	6.8	34	2	3	5	7	11	18	35
20-34	1609	8.8	77	3	4	6	8	17	27	50
35-49	273	9.2	78	3	4	7	9	17	31	48
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	3.6	9	1	2	3	4	6	7	16
B. *Operated*	1047	8.1	79	3	3	6	7	13	26	51
2. MULTIPLE DX										
A. *Not Operated*	176	4.4	20	1	2	3	5	9	12	29
B. *Operated*	1986	8.7	75	3	4	6	8	17	26	49
1. SINGLE DX	1291	7.3	69	2	3	5	7	11	22	48
2. MULTIPLE DX	2162	8.4	72	3	3	6	8	16	26	48
A. NOT OPERATED	420	3.9	14	1	2	3	4	6	9	27
B. OPERATED	3033	8.5	77	3	4	6	8	15	26	50
TOTAL 0-19 YRS	212	6.0	24	2	2	5	6	10	16	27
20-34	2849	8.0	74	2	3	6	8	14	25	50
35-49	392	8.6	71	3	3	6	8	16	27	47
50-64										
65+										
GRAND TOTAL	**3453**	**8.0**	**71**	**2**	**3**	**6**	**8**	**14**	**25**	**48**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	2.8	2	1	1	3	3	4	5	8
20-34	909	2.9	2	1	1	3	4	4	5	9
35-49	53	2.9	2	1	1	3	3	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	185	4.4	4	2	2	4	5	7	7	13
20-34	962	4.6	5	2	2	4	6	7	8	11
35-49	62	5.2	13	2	2	5	6	7	9	26
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	3.1	5	1	1	3	4	5	7	13
20-34	651	3.3	5	1	1	3	4	5	7	11
35-49	39	3.3	5	1	1	3	4	5	6	15
50-64										
65+										
B. *Operated*										
0-19 YRS	374	5.0	17	2	2	4	6	8	10	19
20-34	2387	5.3	14	2	2	5	6	8	10	19
35-49	219	6.0	20	2	3	5	7	9	11	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1120	2.9	2	1	1	3	4	4	5	8
B. *Operated*	1209	4.6	5	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	851	3.3	5	1	1	3	4	5	7	11
B. *Operated*	2980	5.3	15	2	2	5	6	8	10	20
1. SINGLE DX	2329	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX	3831	4.9	14	2	2	4	6	8	10	18
A. NOT OPERATED	1971	3.1	3	1	1	3	4	5	6	10
B. OPERATED	4189	5.1	12	2	2	5	6	8	9	17
TOTAL 0-19 YRS	878	4.2	10	1	2	4	5	7	8	15
20-34	4909	4.5	10	1	2	4	5	7	9	15
35-49	373	5.1	16	2	2	5	6	8	9	23
50-64										
65+										
GRAND TOTAL	**6160**	**4.5**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.7	1	1	1	3	3	4	5	5
20-34	218	2.9	2	1	1	3	4	4	5	7
35-49	5	3.2	2	1	1	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	382	2.8	1	1	1	3	3	4	5	6
20-34	2407	3.0	3	1	1	3	4	4	5	6
35-49	110	3.2	3	1	1	3	4	5	5	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	2	2	2	3	5	6	6	6
20-34	75	3.1	2	1	2	3	4	4	5	11
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	192	3.4	6	1	2	3	4	5	6	14
20-34	1590	3.7	4	1	2	3	4	5	7	12
35-49	127	3.8	6	1	2	3	4	6	7	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.8	2	1	1	3	4	4	5	7
B. *Operated*	2899	3.0	3	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	86	3.1	2	1	2	3	4	4	5	10
B. *Operated*	1909	3.7	4	1	2	3	4	5	7	12
1. SINGLE DX	3157	3.0	3	1	1	3	4	4	5	7
2. MULTIPLE DX	1995	3.6	4	1	2	3	4	5	7	12
A. NOT OPERATED	344	2.9	2	1	1	3	4	4	5	7
B. OPERATED	4808	3.2	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	616	3.0	3	1	1	3	4	4	5	8
20-34	4290	3.2	3	1	2	3	4	5	6	9
35-49	246	3.5	4	1	2	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**5152**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	2.9	1	1	2	3	3	4	5	5
20-34	898	2.9	1	1	2	3	4	4	5	6
35-49	36	3.2	2	1	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	97	3.2	5	1	1	3	4	5	6	14
20-34	514	3.1	3	1	1	3	4	5	5	7
35-49	30	3.4	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	3.3	2	2	2	3	4	5	5	8
20-34	408	3.3	2	2	2	3	4	5	6	8
35-49	18	3.6	5	1	2	3	4	6	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	115	3.7	2	2	2	3	4	5	8	9
20-34	742	3.8	5	2	2	3	4	6	7	12
35-49	56	4.4	3	1	2	4	5	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1109	2.9	1	1	2	3	4	4	5	6
B. *Operated*	641	3.2	3	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	518	3.3	2	2	2	3	4	5	6	8
B. *Operated*	913	3.9	5	2	2	3	4	6	7	11
1. SINGLE DX	1750	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX	1431	3.7	4	2	2	3	4	5	6	10
A. NOT OPERATED	1627	3.1	2	1	2	3	4	4	5	6
B. OPERATED	1554	3.6	4	1	2	3	4	5	6	10
TOTAL 0-19 YRS	479	3.2	2	1	2	3	4	5	5	8
20-34	2562	3.3	3	1	2	3	4	5	6	8
35-49	140	3.8	3	1	2	3	5	6	7	9
50-64										
65+										
GRAND TOTAL	**3181**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.1	11	2	2	3	4	6	7	25
20-34	577	3.6	3	2	2	3	4	5	6	9
35-49	31	3.5	3	1	1	3	4	6	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	43	4.0	3	2	2	4	5	6	7	8
20-34	378	5.2	27	2	3	4	6	7	9	27
35-49	27	4.9	8	2	2	4	6	9	12	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.0	20	1	1	3	4	7	10	31
20-34	530	4.3	23	2	2	4	5	6	8	16
35-49	39	4.7	8	2	3	4	6	8	12	15
50-64										
65+										
B. *Operated*										
0-19 YRS	282	5.6	17	2	2	5	6	9	13	23
20-34	2996	5.9	26	2	3	5	7	9	11	30
35-49	221	6.0	29	2	3	5	7	8	11	39
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	664	3.6	3	2	2	3	4	5	6	10
B. *Operated*	448	5.1	24	2	3	4	6	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	648	4.3	22	1	2	4	5	6	8	16
B. *Operated*	3499	5.9	25	2	3	5	7	9	12	30
1. SINGLE DX	1112	4.2	12	2	2	4	5	6	7	13
2. MULTIPLE DX	4147	5.6	25	2	3	5	6	8	11	29
A. NOT OPERATED	1312	4.0	13	2	2	3	4	6	7	14
B. OPERATED	3947	5.8	25	2	3	5	6	8	11	30
TOTAL 0-19 YRS	460	5.0	16	2	2	4	6	8	11	24
20-34	4481	5.4	23	2	3	4	6	8	10	28
35-49	318	5.5	23	2	3	5	6	8	11	32
50-64										
65+										
GRAND TOTAL	**5259**	**5.3**	**23**	**2**	**3**	**4**	**6**	**8**	**11**	**28**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	2.7	1	1	1	3	3	4	4	6
20-34	1131	3.0	1	1	2	3	4	4	5	6
35-49	67	3.0	1	1	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1177	4.8	3	2	3	5	6	7	7	9
20-34	7945	4.8	3	2	3	5	6	7	7	9
35-49	320	4.8	4	2	2	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.1	5	1	2	3	3	5	6	13
20-34	415	3.3	5	1	2	3	4	5	6	9
35-49	33	3.2	12	1	1	2	3	5	6	21
50-64										
65+										
B. *Operated*										
0-19 YRS	1178	5.6	9	2	3	5	7	8	10	17
20-34	8937	5.4	7	2	3	5	6	7	9	14
35-49	803	5.8	10	2	3	5	7	8	10	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1333	2.9	1	1	2	3	4	4	5	6
B. *Operated*	9442	4.8	3	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	515	3.3	5	1	2	3	4	5	6	12
B. *Operated*	10918	5.4	7	2	3	5	6	8	9	14
1. SINGLE DX	10775	4.6	3	2	3	5	6	7	7	9
2. MULTIPLE DX	11433	5.3	8	2	3	5	6	8	9	14
A. NOT OPERATED	1848	3.0	3	1	2	3	4	4	5	7
B. OPERATED	20360	5.2	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	2557	5.0	6	2	3	5	6	7	9	13
20-34	18428	5.0	5	2	3	5	6	7	8	12
35-49	1223	5.3	9	2	3	5	6	8	9	17
50-64										
65+										
GRAND TOTAL	**22208**	**5.0**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	2.8	1	1	2	3	3	4	4	5
20-34	1869	2.9	1	1	2	3	4	4	5	6
35-49	92	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	885	3.7	2	2	2	3	5	6	6	8
20-34	5850	4.0	4	2	2	4	5	6	7	8
35-49	311	4.4	4	2	2	4	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	2.9	2	1	1	3	4	4	4	8
20-34	984	3.2	5	1	2	3	4	5	5	8
35-49	48	3.4	3	1	1	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1890	4.5	5	2	2	4	6	7	9	13
20-34	12547	4.6	5	2	2	4	6	7	8	12
35-49	1034	5.3	8	2	3	5	6	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2227	2.9	1	1	2	3	4	4	5	6
B. *Operated*	7046	3.9	4	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1152	3.2	4	1	2	3	4	5	5	8
B. *Operated*	15471	4.7	6	2	2	4	6	7	8	12
1. SINGLE DX	9273	3.7	3	2	2	3	5	6	7	8
2. MULTIPLE DX	16623	4.6	6	2	2	4	6	7	8	12
A. NOT OPERATED	3379	3.0	2	1	2	3	4	4	5	6
B. OPERATED	22517	4.4	5	2	2	4	5	7	8	11
TOTAL 0-19 YRS	3161	4.1	4	2	2	4	5	6	7	11
20-34	21250	4.2	5	2	2	4	5	7	7	10
35-49	1485	4.9	7	2	2	4	6	7	8	13
50-64										
65+										
GRAND TOTAL	**25896**	**4.3**	**5**	**2**	**2**	**4**	**5**	**7**	**7**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.4	2	1	2	3	4	5	6	8
20-34	244	3.7	3	2	2	3	4	6	7	9
35-49	17	3.2	2	1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2633	5.7	5	4	4	5	6	7	8	10
20-34	11727	5.6	3	4	4	6	6	7	8	9
35-49	402	5.8	2	4	4	6	7	8	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.6	8	2	2	4	5	7	12	13
20-34	148	4.2	3	2	2	4	5	7	8	9
35-49	6	4.3	3	3	3	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3824	6.3	6	4	4	6	7	9	10	14
20-34	18616	6.0	5	4	4	6	7	8	9	13
35-49	1047	6.3	5	4	4	6	7	8	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.6	3	1	2	3	4	6	7	9
B. *Operated*	14762	5.6	3	4	4	6	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	179	4.3	4	2	2	4	5	7	8	11
B. *Operated*	23487	6.1	5	4	4	6	7	8	9	14
1. SINGLE DX	15066	5.6	3	3	4	5	6	7	8	9
2. MULTIPLE DX	23666	6.1	5	4	4	6	7	8	9	14
A. NOT OPERATED	483	3.9	3	2	2	3	5	6	8	10
B. OPERATED	38249	5.9	4	4	4	6	7	8	9	13
TOTAL 0-19 YRS	6525	6.0	6	4	4	6	7	8	10	14
20-34	30735	5.8	4	4	4	6	7	8	8	12
35-49	1472	6.1	4	4	4	6	7	8	9	14
50-64										
65+										
GRAND TOTAL	**38732**	**5.9**	**4**	**4**	**4**	**6**	**7**	**8**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	491	3.2	1	1	2	3	4	4	5	6
20-34	2518	3.2	1	1	2	3	4	4	5	6
35-49	115	2.9	1	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	702	4.1	3	2	2	4	5	6	7	9
20-34	4212	4.2	3	2	2	4	5	6	7	8
35-49	212	4.7	3	2	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	3.4	3	2	2	3	4	5	6	8
20-34	1348	3.3	2	1	2	3	4	5	5	7
35-49	56	3.5	4	1	1	3	4	6	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1483	4.7	8	2	2	4	6	7	9	14
20-34	8986	4.6	6	2	2	4	6	7	8	11
35-49	612	5.2	7	2	3	5	6	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3124	3.2	1	1	2	3	4	4	5	6
B. *Operated*	5126	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1646	3.3	2	1	2	3	4	5	5	8
B. *Operated*	11081	4.6	6	2	2	4	6	7	8	12
1. SINGLE DX	8250	3.8	3	2	2	4	5	6	7	8
2. MULTIPLE DX	12727	4.5	6	2	2	4	5	7	8	12
A. NOT OPERATED	4770	3.2	2	1	2	3	4	5	5	7
B. OPERATED	16207	4.5	5	2	2	4	6	7	8	11
TOTAL 0-19 YRS	2918	4.2	6	2	2	4	5	7	8	13
20-34	17064	4.2	4	2	2	4	5	6	7	10
35-49	995	4.7	6	2	2	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**20977**	**4.2**	**5**	**2**	**2**	**4**	**5**	**7**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	2	1	2	3	3	5	5	7
20-34	463	3.3	4	1	2	3	4	5	5	9
35-49	56	3.4	1	2	2	3	4	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	202	4.5	4	2	2	4	6	7	8	12
20-34	1661	4.7	5	2	3	5	6	7	8	10
35-49	133	5.3	15	2	3	5	7	8	8	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.2	2	1	2	3	4	5	6	8
20-34	249	3.6	4	1	2	3	4	6	7	10
35-49	21	3.5	2	2	2	3	4	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	376	5.8	16	2	3	5	7	8	11	19
20-34	3438	5.7	18	2	3	5	6	8	10	17
35-49	346	6.2	11	3	3	6	7	10	12	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	3.2	3	1	2	3	4	5	5	7
B. *Operated*	1996	4.7	6	2	2	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	311	3.5	4	1	2	3	4	5	7	10
B. *Operated*	4160	5.7	17	2	3	5	7	8	10	19
1. SINGLE DX	2573	4.4	6	2	2	4	6	7	8	10
2. MULTIPLE DX	4471	5.6	17	2	3	5	6	8	10	18
A. NOT OPERATED	888	3.3	3	1	2	3	4	5	6	9
B. OPERATED	6156	5.4	14	2	3	5	6	8	9	15
TOTAL 0-19 YRS	677	5.0	11	2	2	5	6	8	9	15
20-34	5811	5.1	13	2	3	5	6	7	8	15
35-49	556	5.6	12	2	3	5	7	8	10	20
50-64										
65+										
GRAND TOTAL	**7044**	**5.2**	**13**	**2**	**3**	**5**	**6**	**8**	**9**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.9	3	1	1	2	4	6	7	8
20-34	274	3.4	3	1	2	3	4	6	7	8
35-49	24	3.5	4	1	1	3	4	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1662	5.5	2	4	4	5	6	7	8	9
20-34	25786	5.8	2	4	4	6	7	7	8	9
35-49	1243	6.1	2	4	4	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	1	2	2	3	4	5	5	5
20-34	106	4.4	6	2	2	4	6	7	8	14
35-49	11	4.5	8	1	2	4	6	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1142	6.0	4	4	4	6	7	8	9	13
20-34	26907	6.1	6	4	4	6	7	8	9	13
35-49	2549	6.6	9	4	4	6	7	8	10	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.4	3	1	1	3	4	6	7	8
B. *Operated*	28691	5.8	2	4	4	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	124	4.3	6	1	2	4	6	7	8	14
B. *Operated*	30598	6.1	6	4	4	6	7	8	9	14
1. SINGLE DX	29010	5.7	2	4	4	6	7	7	8	9
2. MULTIPLE DX	30722	6.1	6	4	4	6	7	8	9	14
A. NOT OPERATED	443	3.6	4	1	2	3	5	6	7	9
B. OPERATED	59289	5.9	4	4	4	6	7	8	8	11
TOTAL 0-19 YRS	2832	5.7	3	4	4	6	6	7	8	11
20-34	53073	5.9	4	4	4	6	7	8	8	11
35-49	3827	6.4	7	4	4	6	7	8	9	15
50-64										
65+										
GRAND TOTAL	**59732**	**5.9**	**4**	**4**	**4**	**6**	**7**	**8**	**8**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	924	3.3	1	2	2	3	4	4	5	7
20-34	5872	3.4	2	2	2	3	4	5	5	8
35-49	290	3.4	2	1	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	690	3.6	2	2	2	3	4	5	7	9
20-34	4570	3.8	3	2	2	3	4	6	7	9
35-49	222	4.0	3	2	2	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	534	3.7	4	2	2	3	4	6	7	12
20-34	2933	3.7	5	2	2	3	4	6	7	12
35-49	171	3.9	7	2	2	3	4	6	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1851	4.7	10	2	2	4	6	7	9	15
20-34	12670	4.7	7	2	3	4	6	7	8	13
35-49	1019	5.0	6	2	3	5	6	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7086	3.3	2	2	2	3	4	5	5	8
B. *Operated*	5482	3.8	3	2	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	3638	3.7	5	2	2	3	4	6	7	12
B. *Operated*	15540	4.7	8	2	2	4	6	7	8	13
1. SINGLE DX	12568	3.5	3	2	2	3	4	5	6	8
2. MULTIPLE DX	19178	4.5	7	2	2	4	5	7	8	13
A. NOT OPERATED	10724	3.5	3	2	2	3	4	5	6	9
B. OPERATED	21022	4.5	7	2	2	4	5	7	8	12
TOTAL 0-19 YRS	3999	4.1	6	2	2	4	5	6	8	12
20-34	26045	4.1	6	2	2	4	5	6	7	12
35-49	1702	4.5	6	2	2	4	5	7	8	12
50-64										
65+										
GRAND TOTAL	**31746**	**4.1**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2736	2.9	2	2	2	3	3	4	4	5
20-34	18838	2.9	1	1	2	3	3	4	5	6
35-49	898	2.9	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1342	3.1	1	2	2	3	4	4	5	6
20-34	8439	3.1	1	2	2	3	4	4	5	7
35-49	411	3.3	2	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	643	3.0	1	1	2	3	4	4	5	7
20-34	3884	3.2	2	1	2	3	4	5	5	7
35-49	199	3.3	4	1	2	3	4	5	6	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1279	3.4	3	2	2	3	4	5	6	9
20-34	11299	3.6	3	2	2	3	4	5	6	8
35-49	901	3.9	5	2	2	4	4	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22472	2.9	1	1	2	3	3	4	5	6
B. *Operated*	10192	3.1	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4726	3.1	2	1	2	3	4	5	5	7
B. *Operated*	13479	3.6	3	2	2	3	4	5	6	8
1. SINGLE DX	32664	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	18205	3.5	3	2	2	3	4	5	6	8
A. NOT OPERATED	27198	3.0	1	1	2	3	4	4	5	6
B. OPERATED	23671	3.4	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	6000	3.1	2	2	2	3	4	4	5	7
20-34	42460	3.2	2	1	2	3	4	4	5	7
35-49	2409	3.4	3	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**50869**	**3.2**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	2.7	2	1	1	3	3	4	4	6
20-34	2764	2.7	1	1	1	3	3	4	4	6
35-49	164	2.9	1	1	1	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	4536	2.8	1	1	2	3	3	4	4	5
20-34	31133	2.8	1	1	1	3	3	4	4	6
35-49	2110	2.8	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	3.0	1	1	2	3	3	4	5	7
20-34	719	2.8	2	1	1	3	3	4	5	7
35-49	33	2.8	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1761	3.1	3	2	2	3	4	4	5	8
20-34	14882	3.3	3	1	2	3	4	5	5	8
35-49	1453	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3389	2.7	1	1	1	3	3	4	4	6
B. *Operated*	37779	2.8	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	854	2.8	2	1	1	3	3	4	5	7
B. *Operated*	18096	3.3	3	1	2	3	4	5	5	8
1. SINGLE DX	41168	2.8	1	1	1	3	3	4	4	6
2. MULTIPLE DX	18950	3.2	3	1	2	3	4	5	5	8
A. NOT OPERATED	4243	2.7	2	1	1	3	3	4	4	6
B. OPERATED	55875	2.9	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	6860	2.8	2	1	2	3	3	4	4	6
20-34	49498	2.9	2	1	2	3	3	4	5	6
35-49	3760	3.1	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**60118**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	3.0	1	1	2	3	4	4	5	8
20-34	1391	3.0	2	1	2	3	4	4	5	6
35-49	51	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4737	3.0	2	2	2	3	3	4	4	6
20-34	18750	3.2	1	2	2	3	4	4	5	6
35-49	452	3.2	1	1	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	3.2	3	1	2	3	3	5	6	10
20-34	351	3.3	5	1	2	3	4	5	5	9
35-49	11	2.8	1	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2964	3.3	2	2	2	3	4	5	5	8
20-34	10795	3.5	3	2	2	3	4	5	6	8
35-49	411	4.2	27	2	2	4	4	6	7	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1799	3.0	2	1	2	3	4	4	5	6
B. *Operated*	23939	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	468	3.3	5	1	2	3	4	5	5	9
B. *Operated*	14170	3.5	4	2	2	3	4	5	6	8
1. SINGLE DX	25738	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX	14638	3.5	4	2	2	3	4	5	6	8
A. NOT OPERATED	2267	3.0	2	1	2	3	4	4	5	7
B. OPERATED	38109	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	8164	3.1	2	2	2	3	4	4	5	7
20-34	31287	3.3	2	2	2	3	4	5	5	7
35-49	925	3.6	13	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**40376**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	3.0	3	1	2	3	3	4	5	6
20-34	1200	2.9	1	1	2	3	3	4	5	6
35-49	28	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1788	3.0	1	2	2	3	3	4	4	6
20-34	7396	3.1	1	1	2	3	4	4	5	6
35-49	245	3.3	2	1	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	3.0	2	1	2	3	3	4	5	11
20-34	355	3.2	2	1	2	3	4	5	6	8
35-49	15	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1209	3.4	5	2	2	3	4	5	6	8
20-34	5604	3.6	4	2	2	3	4	5	6	9
35-49	282	3.9	3	2	2	4	4	6	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1552	2.9	2	1	2	3	3	4	5	6
B. *Operated*	9429	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	452	3.1	2	1	2	3	4	5	5	10
B. *Operated*	7095	3.6	4	2	2	3	4	5	6	9
1. SINGLE DX	10981	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX	7547	3.5	4	2	2	3	4	5	6	9
A. NOT OPERATED	2004	3.0	2	1	2	3	4	4	5	7
B. OPERATED	16524	3.3	3	2	2	3	4	5	5	7
TOTAL 0-19 YRS	3403	3.1	3	2	2	3	4	4	5	7
20-34	14555	3.3	3	2	2	3	4	5	5	7
35-49	570	3.5	3	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**18528**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4918	3.2	4	1	2	3	4	5	6	10
20-34	21621	3.2	3	1	2	3	4	5	6	9
35-49	1179	3.3	5	1	2	3	4	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	13763	3.4	3	2	2	3	4	5	6	9
20-34	66631	3.5	3	2	2	3	4	5	6	9
35-49	2993	3.8	4	2	2	3	4	6	7	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2729	3.5	7	1	2	3	4	6	7	14
20-34	11217	3.5	7	1	2	3	4	5	7	13
35-49	788	3.8	12	1	2	3	4	6	8	17
50-64										
65+										
B. *Operated*										
0-19 YRS	11624	4.6	11	2	2	4	5	8	10	18
20-34	64090	4.6	11	2	2	4	5	7	9	18
35-49	5431	5.2	17	2	3	4	6	8	11	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27718	3.2	3	1	2	3	4	5	6	9
B. *Operated*	83387	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	14734	3.5	7	1	2	3	4	5	7	14
B. *Operated*	81145	4.6	12	2	2	4	5	7	9	18
1. SINGLE DX	111105	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX	95879	4.5	11	2	2	4	5	7	9	17
A. NOT OPERATED	42452	3.3	5	1	2	3	4	5	6	11
B. OPERATED	164532	4.1	8	2	2	3	5	6	8	14
TOTAL 0-19 YRS	33034	3.8	6	2	2	3	4	6	8	13
20-34	163559	3.9	7	2	2	3	4	6	7	13
35-49	10391	4.5	12	2	2	4	5	7	9	18
50-64										
65+										
GRAND TOTAL	**206984**	**3.9**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.2	7	2	2	4	5	6	7	13
20-34	519	4.0	5	2	2	3	5	6	8	12
35-49	21	4.2	5	1	2	4	5	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.9	9	1	2	4	6	9	11	13
20-34	52	5.9	19	2	2	5	7	11	16	23
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.6	18	2	2	4	5	6	8	31
20-34	255	4.7	10	1	2	4	5	8	11	17
35-49	18	5.8	9	2	2	6	7	11	12	13
50-64										
65+										
B. *Operated*										
0-19 YRS	24	5.1	9	1	2	5	7	9	12	13
20-34	92	5.9	21	1	1	5	7	11	17	23
35-49	6	16.5	227	2	3	10	27	40	42	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	716	4.0	5	2	2	4	5	6	8	12
B. *Operated*	73	5.5	16	2	2	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	346	4.7	12	2	2	4	6	8	11	17
B. *Operated*	122	6.2	32	1	2	5	7	12	17	31
1. SINGLE DX	789	4.2	7	2	2	4	5	7	8	13
2. MULTIPLE DX	468	5.1	18	1	2	4	6	9	12	22
A. NOT OPERATED	1062	4.3	8	2	2	4	5	7	9	15
B. OPERATED	195	6.0	26	1	2	5	7	11	16	26
TOTAL 0-19 YRS	292	4.4	10	2	2	4	5	7	8	14
20-34	918	4.5	9	1	2	4	5	8	10	17
35-49	47	6.3	46	2	2	5	7	11	15	42
50-64										
65+										
GRAND TOTAL	**1257**	**4.5**	**11**	**2**	**2**	**4**	**5**	**7**	**10**	**17**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	1.7	1	<1	<1	1	2	3	3	5
20-34	467	1.8	1	<1	1	1	2	3	4	7
35-49	26	2.1	2	<1	<1	2	3	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	254	1.8	1	1	1	2	2	3	4	6
20-34	1637	1.8	2	<1	1	1	2	3	4	6
35-49	94	2.0	6	<1	1	1	2	3	4	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.4	2	1	1	2	3	4	5	7
20-34	228	2.4	2	1	1	2	3	4	5	7
35-49	9	2.3	4	<1	<1	2	3	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	127	2.9	15	1	1	2	3	5	7	17
20-34	808	2.9	8	<1	1	2	3	6	8	12
35-49	55	3.6	8	1	1	3	5	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	591	1.8	1	<1	1	1	2	3	4	6
B. *Operated*	1985	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	277	2.4	2	1	1	2	3	4	5	7
B. *Operated*	990	2.9	9	<1	1	2	3	6	8	12
1. SINGLE DX	2576	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	1267	2.8	7	1	1	2	3	5	7	11
A. NOT OPERATED	868	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	2975	2.2	5	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	519	2.1	5	<1	1	2	2	4	5	8
20-34	3140	2.2	4	<1	1	2	3	4	5	9
35-49	184	2.5	6	<1	1	2	3	5	8	15
50-64										
65+										
GRAND TOTAL	**3843**	**2.2**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	4.2	10	1	1	3	5	9	12	14
20-34	436	4.7	25	1	1	3	6	10	11	20
35-49	25	5.8	25	2	2	4	6	14	17	23
50-64										
65+										
B. *Operated*										
0-19 YRS	129	3.5	10	1	1	3	4	7	10	19
20-34	654	3.4	9	<1	1	3	4	7	10	15
35-49	40	4.0	10	<1	1	3	5	10	11	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.4	5	<1	1	3	4	7	8	10
20-34	289	4.8	15	1	1	4	6	10	12	19
35-49	16	6.9	34	1	1	6	9	13	20	23
50-64										
65+										
B. *Operated*										
0-19 YRS	74	4.8	25	1	2	3	5	8	17	25
20-34	467	4.9	36	1	1	3	5	10	15	35
35-49	45	5.2	24	1	2	3	6	14	18	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	4.6	23	1	1	3	6	10	11	20
B. *Operated*	823	3.4	9	<1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	354	4.7	15	1	1	4	6	10	12	19
B. *Operated*	586	4.9	33	1	1	3	5	11	16	28
1. SINGLE DX	1377	3.9	15	1	1	3	4	8	10	18
2. MULTIPLE DX	940	4.8	26	1	1	3	5	10	14	25
A. NOT OPERATED	908	4.7	20	1	1	3	6	10	12	19
B. OPERATED	1409	4.0	20	1	1	3	4	8	12	22
TOTAL 0-19 YRS	345	4.0	13	1	1	3	4	8	11	20
20-34	1846	4.3	21	1	1	3	5	9	11	21
35-49	126	5.2	21	1	1	3	6	13	14	23
50-64										
65+										
GRAND TOTAL	**2317**	**4.3**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3028	4.3	7	2	2	4	5	7	9	13
20-34	2658	4.7	8	2	2	4	6	8	10	15
35-49	1798	5.4	12	2	2	5	7	9	12	19
50-64	1561	6.4	19	2	3	5	8	11	15	24
65+	1347	7.5	26	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	1557	4.7	13	1	1	4	6	9	11	18
20-34	1775	5.7	28	1	2	4	7	10	15	27
35-49	1008	6.4	34	1	2	5	8	12	17	30
50-64	789	8.0	64	2	2	6	10	15	22	37
65+	612	9.8	70	2	3	7	13	21	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2551	4.9	10	2	2	4	6	8	11	17
20-34	3120	6.2	26	2	2	5	7	11	14	25
35-49	3316	7.4	36	2	3	6	9	13	17	30
50-64	4899	8.9	45	3	3	7	11	16	21	35
65+	7795	10.9	71	3	4	9	13	20	26	49
B. *Operated*										
0-19 YRS	1041	7.0	46	2	2	5	8	13	19	36
20-34	1895	9.6	84	2	2	7	11	20	28	48
35-49	1725	12.1	145	2	3	8	15	25	35	69
50-64	2433	15.0	196	3	4	11	19	32	44	81
65+	2817	17.9	230	4	5	14	22	38	52	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10392	5.3	13	2	2	4	7	9	12	19
B. *Operated*	5741	6.3	37	1	2	5	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*	21681	8.5	51	2	3	7	11	16	21	38
B. *Operated*	9911	13.4	173	2	3	9	17	29	41	76
1. SINGLE DX	16133	5.7	22	2	2	4	7	10	14	24
2. MULTIPLE DX	31592	10.1	94	2	3	7	12	20	28	56
A. NOT OPERATED	32073	7.5	41	2	3	6	9	14	19	32
B. OPERATED	15652	10.8	135	2	2	7	13	24	34	65
TOTAL 0-19 YRS	8177	4.9	15	1	2	4	6	9	11	19
20-34	9448	6.3	36	2	2	5	7	12	16	33
35-49	7847	7.8	60	2	2	6	9	15	21	41
50-64	9682	10.0	90	2	3	7	12	19	26	54
65+	12571	12.1	112	3	4	9	15	23	32	64
GRAND TOTAL	**47725**	**8.6**	**74**	**2**	**2**	**6**	**10**	**17**	**24**	**48**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1021	4.1	5	1	2	4	5	7	9	12
20-34	597	4.5	11	1	2	4	5	7	10	19
35-49	295	5.3	21	1	2	4	6	9	12	25
50-64	236	5.9	16	2	2	5	7	10	14	22
65+	210	7.9	37	2	2	6	10	16	21	32
B. *Operated*										
0-19 YRS	835	3.9	13	<1	1	3	5	8	11	18
20-34	835	4.8	26	<1	1	3	6	9	13	23
35-49	506	5.2	27	<1	1	4	7	11	15	28
50-64	394	6.1	54	<1	1	4	7	12	20	45
65+	293	7.0	103	1	1	4	8	14	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1122	4.9	16	2	2	4	6	9	11	20
20-34	701	5.8	25	2	2	5	7	10	14	30
35-49	548	7.2	37	2	3	6	8	13	18	33
50-64	827	9.1	60	2	3	7	11	16	23	40
65+	1188	10.2	63	3	4	8	13	19	24	46
B. *Operated*										
0-19 YRS	502	5.8	25	1	1	4	8	11	15	25
20-34	669	7.6	66	1	2	5	9	15	23	52
35-49	661	9.5	102	1	2	7	12	19	27	50
50-64	871	12.1	149	2	2	8	16	26	36	68
65+	935	14.9	182	2	3	11	19	32	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2359	4.9	14	1	2	4	6	9	11	21
B. *Operated*	2863	5.0	35	<1	1	3	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	4386	7.6	46	2	2	6	9	15	19	35
B. *Operated*	3638	10.6	127	1	2	7	13	23	33	61
1. SINGLE DX	5222	5.0	25	1	1	4	6	9	13	25
2. MULTIPLE DX	8024	9.0	85	2	2	6	11	18	26	51
A. NOT OPERATED	6745	6.6	36	2	2	5	8	13	17	31
B. OPERATED	6501	8.2	94	1	1	5	10	18	26	52
TOTAL 0-19 YRS	3480	4.6	14	1	1	4	6	8	11	18
20-34	2802	5.7	33	1	2	4	7	11	15	32
35-49	2010	7.2	57	1	2	5	8	14	20	40
50-64	2328	9.4	94	2	2	7	11	19	28	49
65+	2626	11.3	116	2	3	8	14	23	32	64
GRAND TOTAL	**13246**	**7.4**	**65**	**1**	**2**	**5**	**9**	**15**	**22**	**43**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	4	1	1	2	4	5	7	9
20-34	106	3.7	7	1	1	3	5	7	8	14
35-49	20	4.0	6	<1	<1	3	5	8	9	10
50-64	8	4.8	11	1	1	4	7	10	10	10
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	4196	3.8	5	1	2	3	5	6	7	10
20-34	7573	3.9	5	1	2	4	5	6	7	11
35-49	1027	3.9	5	1	2	3	5	6	8	11
50-64	245	4.5	14	1	2	4	5	8	9	18
65+	58	4.9	10	2	2	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.0	7	<1	<1	1	1	4	7	15
20-34	67	3.3	11	<1	<1	2	5	8	10	15
35-49	19	3.9	16	<1	1	2	5	9	14	17
50-64	8	9.9	86	1	1	6	18	24	24	24
65+	8	5.5	3	3	3	5	6	8	9	9
B. *Operated*										
0-19 YRS	490	5.2	16	2	2	4	6	9	12	19
20-34	1140	5.0	10	2	2	4	6	8	11	17
35-49	348	5.4	14	2	2	4	6	9	12	22
50-64	150	7.8	57	2	2	5	9	18	21	56
65+	55	8.7	72	2	3	6	11	17	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	3.5	6	1	1	3	5	7	8	10
B. *Operated*	13099	3.9	5	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	137	3.5	17	<1	<1	2	5	8	13	23
B. *Operated*	2183	5.4	18	2	2	4	6	9	12	22
1. SINGLE DX	13299	3.9	6	1	2	4	5	6	7	11
2. MULTIPLE DX	2320	5.3	18	1	2	4	6	9	12	22
A. NOT OPERATED	337	3.5	10	<1	1	3	5	7	9	17
B. OPERATED	15282	4.1	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	4784	3.9	7	1	2	4	5	6	8	12
20-34	8886	4.0	6	1	2	4	5	6	8	12
35-49	1414	4.2	8	1	2	4	5	7	9	16
50-64	411	5.8	33	2	2	4	6	11	17	37
65+	124	6.5	40	2	2	5	8	12	17	37
GRAND TOTAL	**15619**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.8	3	<1	<1	1	2	3	6	7
20-34	16	2.7	6	<1	<1	2	4	7	8	9
35-49	14	1.9	1	<1	1	2	3	3	3	3
50-64	8	3.8	21	<1	<1	2	5	12	14	14
65+	9	4.0	8	<1	<1	3	7	8	8	8
B. *Operated*										
0-19 YRS	923	1.6	1	<1	<1	1	2	2	3	6
20-34	1374	1.8	2	<1	<1	2	2	3	4	6
35-49	1008	1.9	2	<1	<1	2	2	3	4	8
50-64	889	2.1	5	<1	<1	2	2	4	5	11
65+	411	2.3	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	2	<1	<1	1	2	3	5	8
20-34	28	3.5	9	<1	<1	3	5	8	10	12
35-49	30	3.1	6	1	1	3	4	6	10	10
50-64	33	3.4	9	<1	<1	2	5	7	10	13
65+	27	6.4	13	2	2	6	8	10	12	19
B. *Operated*										
0-19 YRS	144	2.1	2	<1	<1	2	2	4	6	7
20-34	461	3.2	11	<1	<1	2	4	6	8	15
35-49	516	3.6	11	<1	<1	2	4	7	10	18
50-64	558	4.2	23	<1	<1	3	5	8	13	24
65+	378	5.5	51	<1	1	3	6	12	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.6	6	<1	<1	2	3	7	8	13
B. *Operated*	4605	1.9	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	145	3.6	10	<1	1	2	5	8	10	13
B. *Operated*	2057	3.9	22	<1	<1	2	4	8	11	23
1. SINGLE DX	4666	1.9	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX	2202	3.9	21	<1	<1	2	5	8	11	23
A. NOT OPERATED	206	3.3	9	<1	<1	2	5	7	10	13
B. OPERATED	6662	2.5	10	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	1108	1.7	2	<1	<1	1	2	3	3	7
20-34	1879	2.2	4	<1	<1	2	2	4	5	10
35-49	1568	2.5	6	<1	<1	2	3	5	7	12
50-64	1488	2.9	13	<1	<1	2	3	6	9	18
65+	825	3.9	30	<1	<1	2	4	8	12	25
GRAND TOTAL	**6868**	**2.5**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1757	4.1	16	1	1	3	5	8	11	22
20-34	1179	6.2	47	1	1	4	7	15	22	32
35-49	806	7.8	65	1	1	5	10	18	24	38
50-64	791	8.7	75	1	2	6	11	21	26	40
65+	985	11.2	111	2	3	8	14	22	31	58
B. *Operated*										
0-19 YRS	3561	2.7	12	<1	<1	2	3	5	7	16
20-34	4371	4.3	46	<1	1	2	4	8	14	38
35-49	2994	4.9	53	<1	1	3	5	10	16	41
50-64	2902	5.2	56	<1	1	3	5	12	19	40
65+	2126	9.1	146	<1	1	4	12	24	33	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1820	4.9	20	1	1	4	6	10	13	25
20-34	1705	8.1	86	1	2	5	9	18	27	49
35-49	1806	9.2	76	1	2	6	11	20	28	47
50-64	2826	10.6	90	2	3	8	13	22	29	54
65+	6495	13.8	156	3	4	10	17	29	40	86
B. *Operated*										
0-19 YRS	1456	5.7	78	<1	1	2	6	14	22	50
20-34	3314	10.3	216	1	2	4	12	29	46	94
35-49	3452	10.2	185	1	2	5	12	28	42	85
50-64	4713	11.9	219	1	2	6	16	32	47	99
65+	6052	19.6	344	2	2	14	28	49	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5518	7.0	61	1	1	4	8	17	23	37
B. *Operated*	15954	4.8	58	<1	1	2	4	10	18	40
2. MULTIPLE DX										
A. *Not Operated*	14652	10.8	118	2	2	7	14	23	32	65
B. *Operated*	18987	13.3	262	1	2	6	18	36	53	99+
1. SINGLE DX	21472	5.4	60	<1	1	3	5	12	20	39
2. MULTIPLE DX	33639	12.2	201	1	2	7	16	30	45	90
A. NOT OPERATED	20170	9.8	105	1	2	7	12	22	30	57
B. OPERATED	34941	9.4	187	1	1	4	11	27	41	83
TOTAL 0-19 YRS	8594	4.0	27	<1	1	2	4	8	12	28
20-34	10569	7.0	113	<1	1	3	7	17	28	65
35-49	9058	8.0	114	1	1	4	9	20	31	60
50-64	11232	9.6	142	1	2	5	12	24	34	73
65+	15658	15.3	239	2	2	10	20	36	52	98
GRAND TOTAL	**55111**	**9.6**	**187**	**1**	**1**	**5**	**12**	**24**	**36**	**76**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	8.1	81	2	2	6	9	14	19	49
20-34	281	7.2	35	2	2	6	9	13	18	32
35-49	223	8.3	64	1	2	6	10	16	20	47
50-64	215	6.8	38	<1	1	5	8	14	18	38
65+	98	9.4	54	2	3	7	11	18	27	38
B. *Operated*										
0-19 YRS	60	10.5	196	1	2	6	12	21	32	82
20-34	142	8.9	95	2	2	6	12	16	23	52
35-49	134	8.9	81	1	2	7	11	16	24	53
50-64	119	10.0	82	2	2	7	14	21	26	48
65+	67	11.6	101	1	2	9	15	26	33	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	9.3	91	2	3	6	10	21	29	51
20-34	644	9.3	81	2	3	6	11	19	28	48
35-49	655	9.5	78	2	3	7	11	18	25	47
50-64	790	10.5	101	2	3	8	12	19	27	57
65+	667	12.0	95	3	3	9	15	24	33	51
B. *Operated*										
0-19 YRS	81	13.9	160	1	2	9	19	31	39	59
20-34	380	16.1	303	1	2	10	21	37	62	89
35-49	432	14.9	159	2	3	11	20	32	41	70
50-64	485	16.3	215	3	4	11	21	33	48	86
65+	377	19.6	265	3	5	16	25	38	57	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	933	7.7	51	1	2	6	9	15	19	36
B. *Operated*	522	9.7	101	2	2	7	13	20	28	51
2. MULTIPLE DX										
A. *Not Operated*	2919	10.3	90	2	3	7	12	20	28	52
B. *Operated*	1755	16.5	231	2	3	12	22	35	48	84
1. SINGLE DX	1455	8.4	70	1	2	6	10	16	22	45
2. MULTIPLE DX	4674	12.6	152	2	3	9	15	27	37	69
A. NOT OPERATED	3852	9.6	82	2	3	7	12	19	27	48
B. OPERATED	2277	14.9	210	2	3	10	20	32	44	81
TOTAL 0-19 YRS	420	10.0	120	2	2	7	11	22	31	58
20-34	1447	10.6	143	2	2	7	13	23	33	70
35-49	1444	10.9	107	2	3	8	13	23	32	55
50-64	1609	11.7	136	2	3	8	14	24	34	68
65+	1209	14.1	159	3	4	10	17	29	38	68
GRAND TOTAL	**6129**	**11.6**	**136**	**2**	**3**	**8**	**14**	**25**	**34**	**64**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	5.9	18	1	2	5	7	11	15	22
20-34	327	7.4	52	2	2	6	9	14	18	24
35-49	521	8.1	36	1	2	7	11	17	19	28
50-64	965	8.7	42	1	2	7	12	17	21	31
65+	646	9.9	52	3	3	8	12	19	23	36
B. *Operated*										
0-19 YRS	103	7.1	51	<1	1	4	10	18	21	33
20-34	266	10.0	106	2	2	6	13	20	37	61
35-49	655	8.4	60	2	2	6	11	17	23	38
50-64	1495	10.6	74	2	2	8	16	21	26	41
65+	890	13.5	94	2	3	12	18	26	31	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	8.1	49	2	2	6	10	17	23	33
20-34	352	8.0	33	2	3	7	10	17	20	32
35-49	837	9.0	41	2	3	7	11	18	21	31
50-64	2553	10.1	61	2	3	8	13	19	23	40
65+	3468	11.3	76	3	4	9	14	21	27	52
B. *Operated*										
0-19 YRS	75	12.3	150	2	2	9	17	24	40	66
20-34	282	11.3	150	2	2	8	13	25	37	69
35-49	741	11.5	134	2	3	8	15	24	34	69
50-64	2138	13.0	143	2	3	10	17	27	38	68
65+	1871	16.7	198	3	4	13	21	35	50	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2911	8.3	42	2	2	7	11	17	20	30
B. *Operated*	3409	10.8	82	2	2	8	15	22	27	44
2. MULTIPLE DX										
A. *Not Operated*	7471	10.3	65	3	3	8	13	20	24	43
B. *Operated*	5107	14.0	167	2	3	10	18	29	43	76
1. SINGLE DX	6320	9.6	65	2	2	7	13	19	24	38
2. MULTIPLE DX	12578	11.8	110	2	3	9	15	23	32	60
A. NOT OPERATED	10382	9.8	60	2	3	8	12	19	23	40
B. OPERATED	8516	12.7	135	2	3	10	17	26	36	64
TOTAL 0-19 YRS	891	7.2	45	1	2	5	9	15	20	33
20-34	1227	9.0	83	2	2	6	11	18	24	47
35-49	2754	9.4	71	2	3	7	12	19	24	44
50-64	7151	10.9	88	2	3	8	14	21	28	50
65+	6875	12.9	116	3	4	10	17	25	34	62
GRAND TOTAL	**18898**	**11.1**	**96**	**2**	**3**	**8**	**14**	**22**	**29**	**54**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	6.8	41	1	2	4	9	17	20	28
20-34	57	5.4	14	1	2	5	7	10	13	20
35-49	179	6.1	31	1	2	5	8	11	14	32
50-64	540	6.1	23	1	2	5	8	12	15	23
65+	1084	7.3	30	1	2	6	10	14	18	28
B. *Operated*										
0-19 YRS	94	6.6	51	1	2	4	8	17	23	30
20-34	902	4.9	23	1	1	3	6	11	14	23
35-49	1769	6.3	36	1	2	4	9	14	17	27
50-64	6022	10.3	50	2	2	10	15	19	23	31
65+	8153	15.3	58	3	6	15	19	24	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.3	30	1	1	5	8	15	19	24
20-34	117	6.6	57	1	2	5	7	12	17	44
35-49	716	6.9	23	2	2	6	9	12	16	23
50-64	2540	7.5	33	2	2	6	9	14	17	29
65+	8244	9.2	64	2	3	7	11	17	22	45
B. *Operated*										
0-19 YRS	78	6.5	55	1	1	3	9	16	21	39
20-34	685	6.1	43	1	2	4	7	14	18	33
35-49	1485	8.0	58	1	2	5	11	18	24	35
50-64	5490	11.9	83	2	2	11	16	23	28	44
65+	10195	18.2	124	3	6	16	23	31	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1886	6.8	28	1	2	6	9	13	17	27
B. *Operated*	16940	12.0	64	2	2	12	17	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	11642	8.7	55	2	3	7	11	16	21	41
B. *Operated*	17933	14.9	118	2	3	14	19	28	34	57
1. SINGLE DX	18826	11.4	62	2	2	11	16	21	25	36
2. MULTIPLE DX	29575	12.5	103	2	3	10	17	24	31	52
A. NOT OPERATED	13528	8.4	52	2	3	7	11	16	20	40
B. OPERATED	34873	13.5	94	2	3	13	18	24	30	48
TOTAL 0-19 YRS	223	6.6	48	1	2	4	9	17	22	31
20-34	1761	5.5	33	1	2	4	7	12	16	28
35-49	4149	7.0	42	1	2	5	9	15	19	32
50-64	14592	10.3	61	2	2	9	15	19	24	37
65+	27676	14.2	98	3	4	13	18	25	32	52
GRAND TOTAL	**48401**	**12.1**	**87**	**2**	**3**	**11**	**17**	**23**	**28**	**46**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	499	7.2	34	1	2	5	10	15	19	29
20-34	431	7.0	29	2	2	5	9	14	18	28
35-49	301	6.2	20	1	2	5	8	11	13	26
50-64	312	6.8	28	2	2	5	9	13	18	26
65+	411	7.0	33	1	2	5	9	14	18	29
B. *Operated*										
0-19 YRS	349	11.1	79	2	2	9	16	24	29	37
20-34	884	6.0	41	1	2	4	7	12	17	36
35-49	829	6.1	30	2	2	5	8	12	16	26
50-64	952	8.9	72	2	2	6	12	18	24	46
65+	639	14.2	90	3	3	14	18	24	31	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	9.4	74	2	3	7	13	20	24	35
20-34	438	8.0	61	2	2	6	9	16	23	42
35-49	511	7.5	36	2	2	6	9	14	18	34
50-64	921	8.4	50	2	3	7	10	16	21	40
65+	1937	9.8	71	2	3	7	12	19	26	46
B. *Operated*										
0-19 YRS	260	15.1	123	2	3	14	22	30	34	42
20-34	568	9.5	105	2	2	6	12	23	31	51
35-49	613	9.4	87	1	2	6	12	20	28	54
50-64	968	12.9	176	2	2	9	17	27	40	77
65+	979	18.9	221	3	4	16	25	38	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1954	6.9	30	1	2	5	9	14	18	28
B. *Operated*	3653	8.7	68	2	2	6	12	18	24	42
2. MULTIPLE DX										
A. *Not Operated*	4136	9.0	62	2	3	7	11	17	24	41
B. *Operated*	3388	13.6	171	2	2	10	18	30	40	70
1. SINGLE DX	5607	8.1	55	2	2	6	11	17	22	37
2. MULTIPLE DX	7524	11.1	116	2	3	8	14	24	32	57
A. NOT OPERATED	6090	8.3	53	2	2	6	10	16	22	38
B. OPERATED	7041	11.1	124	2	2	7	15	24	33	57
TOTAL 0-19 YRS	1437	10.1	78	2	2	7	14	22	28	38
20-34	2321	7.4	60	1	2	5	9	16	22	41
35-49	2254	7.3	47	2	2	5	9	14	20	36
50-64	3153	9.8	98	2	2	7	12	20	27	51
65+	3966	12.4	125	2	3	9	16	25	34	60
GRAND TOTAL	**13131**	**9.8**	**92**	**2**	**2**	**7**	**13**	**21**	**28**	**50**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.4	3	<1	1	2	3	5	6	8
20-34	210	2.4	4	<1	<1	2	3	5	7	10
35-49	86	3.4	13	<1	1	2	4	8	12	18
50-64	52	4.0	14	<1	<1	3	6	10	12	16
65+	30	5.7	28	1	1	4	7	14	15	24
B. *Operated*										
0-19 YRS	5072	3.1	4	1	1	3	4	5	7	9
20-34	10370	3.4	5	1	1	3	4	6	7	10
35-49	4779	3.5	5	1	1	3	5	6	8	11
50-64	2326	4.0	7	1	1	3	5	7	9	14
65+	520	5.2	22	1	2	4	6	9	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.7	9	<1	<1	1	4	6	8	16
20-34	237	2.8	9	<1	<1	1	3	6	9	12
35-49	135	4.3	36	<1	<1	3	5	10	13	27
50-64	133	4.6	28	<1	1	2	5	10	16	26
65+	102	7.3	31	1	2	7	9	14	17	29
B. *Operated*										
0-19 YRS	2699	3.5	6	1	1	3	5	6	8	12
20-34	6593	3.9	10	1	1	3	5	7	9	15
35-49	4009	4.2	12	1	1	3	5	8	10	18
50-64	3375	4.7	16	1	2	4	6	9	12	20
65+	1162	5.8	30	1	2	4	7	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	2.9	8	<1	<1	2	4	6	9	14
B. *Operated*	23067	3.5	6	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	713	4.0	23	<1	<1	2	5	10	13	22
B. *Operated*	17838	4.2	12	1	1	3	5	8	10	17
1. SINGLE DX	23589	3.4	6	1	1	3	4	6	7	12
2. MULTIPLE DX	18551	4.2	13	1	1	3	5	8	10	18
A. NOT OPERATED	1235	3.6	17	<1	<1	2	4	8	11	19
B. OPERATED	40905	3.8	9	1	1	3	5	7	8	15
TOTAL 0-19 YRS	8021	3.2	5	1	1	3	4	6	7	10
20-34	17410	3.6	7	1	1	3	5	6	8	12
35-49	9009	3.8	9	1	1	3	5	7	9	15
50-64	5886	4.4	13	1	2	4	5	8	11	18
65+	1814	5.7	28	1	2	4	7	11	16	25
GRAND TOTAL	**42140**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	767	3.8	7	1	1	3	5	7	9	13
20-34	584	3.8	14	<1	1	3	5	8	11	18
35-49	344	4.8	19	1	1	4	6	10	13	24
50-64	320	5.0	18	1	1	4	7	10	13	21
65+	409	6.6	31	1	1	5	8	13	19	28
B. *Operated*										
0-19 YRS	5316	3.6	5	1	1	3	4	6	7	11
20-34	7911	3.8	8	1	1	3	5	6	8	14
35-49	2469	4.0	11	1	1	3	5	7	10	18
50-64	1299	5.2	29	1	2	4	6	11	15	29
65+	623	8.2	80	1	1	5	11	18	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	614	4.2	15	1	1	3	5	8	11	18
20-34	651	5.6	35	<1	1	4	7	11	16	31
35-49	633	6.3	42	1	1	5	8	12	17	29
50-64	795	6.8	33	1	2	5	9	14	18	30
65+	1418	8.8	56	2	2	7	11	17	22	36
B. *Operated*										
0-19 YRS	1869	4.4	17	1	2	3	5	8	10	22
20-34	3413	4.8	28	1	2	4	6	8	12	24
35-49	1755	6.0	45	1	2	4	7	12	18	34
50-64	1439	7.4	70	1	2	4	9	16	23	46
65+	987	12.5	151	2	2	9	17	27	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2424	4.5	17	1	1	3	6	9	12	22
B. *Operated*	17618	4.0	12	1	1	3	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	4111	6.8	42	1	1	5	9	14	19	32
B. *Operated*	9463	6.2	54	1	2	4	7	13	19	38
1. SINGLE DX	20042	4.1	13	1	1	3	5	7	10	18
2. MULTIPLE DX	13574	6.4	51	1	2	4	7	13	19	36
A. NOT OPERATED	6535	6.0	34	1	1	4	8	12	16	29
B. OPERATED	27081	4.8	28	1	2	4	5	9	13	27
TOTAL 0-19 YRS	8566	3.8	9	1	1	3	5	6	8	15
20-34	12559	4.2	15	1	1	3	5	7	9	19
35-49	5201	5.0	28	1	2	4	6	10	14	27
50-64	3853	6.4	45	1	2	4	8	14	18	33
65+	3437	9.5	89	1	2	7	12	20	26	51
GRAND TOTAL	**33616**	**5.0**	**29**	**1**	**2**	**4**	**6**	**9**	**14**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.7	49	2	3	8	11	21	26	26
20-34	52	6.8	32	1	2	5	8	14	23	24
35-49	34	6.6	15	2	3	6	9	12	13	20
50-64	28	8.2	21	2	3	7	10	16	18	21
65+	9	9.2	130	2	2	5	8	27	39	39
B. *Operated*										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	13	10.4	37	1	2	11	15	17	18	18
35-49	11	9.4	28	2	2	10	13	16	19	19
50-64	12	8.3	34	2	3	6	11	16	22	23
65+	4	17.8	26	13	13	16	21	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	47	7.2	40	1	2	5	10	17	19	32
35-49	89	7.0	32	2	2	6	9	12	17	35
50-64	84	8.8	63	2	3	7	11	17	21	49
65+	93	11.0	70	3	3	9	15	21	23	85
B. *Operated*										
0-19 YRS	4	8.5	33	<1	<1	10	13	13	13	13
20-34	8	14.3	315	3	3	9	13	44	57	57
35-49	34	15.1	115	3	3	14	19	27	39	51
50-64	42	21.4	256	4	7	17	28	47	57	70
65+	25	14.5	104	4	7	11	18	25	37	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	7.4	33	2	2	6	9	13	20	28
B. *Operated*	42	10.2	36	2	2	10	14	18	21	25
2. MULTIPLE DX										
A. *Not Operated*	315	8.7	55	2	3	7	11	17	21	47
B. *Operated*	113	17.0	183	3	5	13	20	36	51	64
1. SINGLE DX	174	8.1	35	2	2	7	10	16	20	26
2. MULTIPLE DX	428	10.9	102	2	3	8	14	21	29	61
A. NOT OPERATED	447	8.3	48	2	2	7	10	17	21	39
B. OPERATED	155	15.2	152	2	3	12	18	28	44	60
TOTAL 0-19 YRS	17	9.1	33	1	2	8	12	13	22	26
20-34	120	7.9	55	1	2	6	10	17	21	39
35-49	168	8.7	55	2	2	7	11	17	20	40
50-64	166	11.9	132	2	3	9	14	23	31	63
65+	131	11.8	80	3	3	10	15	22	26	71
GRAND TOTAL	**602**	**10.1**	**84**	**2**	**3**	**8**	**13**	**20**	**25**	**56**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.2	21	1	1	3	7	11	16	18
20-34	161	6.1	13	1	2	6	8	11	13	17
35-49	565	6.2	15	2	2	5	8	11	13	19
50-64	1068	6.8	19	2	2	6	9	13	15	21
65+	1085	7.4	26	2	3	6	10	13	16	27
B. *Operated*										
0-19 YRS	15	5.1	12	1	1	4	8	10	11	11
20-34	285	6.9	34	1	2	5	9	14	18	33
35-49	1202	7.7	36	2	2	7	10	15	18	28
50-64	1672	8.1	41	2	2	7	11	15	19	32
65+	598	10.6	91	2	2	8	14	22	27	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	10.9	388	1	2	6	7	29	67	73
20-34	242	7.5	53	2	3	6	9	14	18	26
35-49	1655	7.3	27	2	3	6	9	13	15	25
50-64	4560	7.8	29	2	3	7	10	14	17	27
65+	7650	9.4	52	3	3	8	12	17	22	36
B. *Operated*										
0-19 YRS	25	10.6	153	2	2	8	10	17	31	66
20-34	269	9.8	103	1	2	8	12	18	23	50
35-49	1250	9.9	72	2	2	8	13	19	24	49
50-64	2624	11.2	83	2	3	9	14	22	28	47
65+	2076	14.9	154	3	4	12	19	29	41	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2896	6.9	21	2	2	6	9	13	15	23
B. *Operated*	3772	8.3	48	2	2	7	11	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	14119	8.6	42	2	3	7	11	16	20	32
B. *Operated*	6244	12.1	110	2	3	10	15	24	32	57
1. SINGLE DX	6668	7.7	37	2	2	6	10	15	18	29
2. MULTIPLE DX	20363	9.7	66	2	3	8	12	18	24	43
A. NOT OPERATED	17015	8.3	39	2	3	7	10	15	19	31
B. OPERATED	10016	10.7	90	2	2	8	14	21	27	50
TOTAL 0-19 YRS	69	8.1	132	1	1	6	9	12	18	72
20-34	957	7.7	57	1	2	6	10	15	19	41
35-49	4672	7.9	41	2	2	7	10	15	18	31
50-64	9924	8.6	47	2	3	7	11	16	21	35
65+	11409	10.3	75	2	3	8	13	20	26	46
GRAND TOTAL	**27031**	**9.2**	**59**	**2**	**3**	**7**	**11**	**17**	**22**	**40**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	7.6	26	1	2	7	10	14	16	24
20-34	3581	7.6	24	2	2	7	10	14	16	23
35-49	5145	8.0	27	2	2	7	10	14	17	26
50-64	3202	8.3	26	2	3	7	11	15	18	26
65+	920	9.5	37	2	3	8	12	17	20	30
B. *Operated*										
0-19 YRS	548	7.8	25	1	2	7	10	15	18	23
20-34	12094	8.7	37	1	2	8	11	16	20	28
35-49	17592	9.2	37	2	2	8	12	17	21	29
50-64	8707	10.1	47	2	2	9	13	19	23	32
65+	1677	12.1	64	2	3	11	16	21	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	8.7	42	2	3	8	11	15	19	36
20-34	1564	8.7	33	2	3	7	11	16	19	29
35-49	3287	9.2	41	2	3	8	11	17	20	34
50-64	3770	9.6	37	2	3	8	12	17	21	31
65+	3125	10.7	47	3	4	9	14	19	24	34
B. *Operated*										
0-19 YRS	104	10.4	59	2	2	9	14	22	25	39
20-34	3174	11.3	67	2	3	10	15	21	27	40
35-49	6564	12.1	75	2	3	10	15	23	29	44
50-64	5996	13.3	89	2	4	11	17	25	30	45
65+	2590	16.4	130	3	5	14	21	31	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13034	8.1	27	2	3	7	10	14	17	25
B. *Operated*	40618	9.4	41	2	2	8	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	11812	9.6	41	2	3	8	12	17	21	32
B. *Operated*	18428	13.0	88	2	3	11	17	24	31	46
1. SINGLE DX	53652	9.0	38	2	2	8	12	17	20	30
2. MULTIPLE DX	30240	11.7	72	2	3	10	15	22	28	42
A. NOT OPERATED	24846	8.8	34	2	3	8	11	16	19	29
B. OPERATED	59046	10.5	58	2	2	9	14	20	24	37
TOTAL 0-19 YRS	904	8.1	31	1	2	7	10	15	18	27
20-34	20413	8.9	40	2	2	8	11	16	20	31
35-49	32588	9.6	45	2	3	8	12	18	22	34
50-64	21675	10.6	57	2	3	9	14	20	25	37
65+	8312	12.6	83	2	4	11	16	24	29	47
GRAND TOTAL	**83892**	**10.0**	**52**	**2**	**3**	**9**	**13**	**18**	**23**	**36**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	6.1	16	1	2	5	9	12	14	15
20-34	924	7.4	21	2	2	7	10	13	16	23
35-49	1669	7.7	21	2	3	7	10	14	16	24
50-64	1031	8.1	26	2	3	7	10	14	17	26
65+	351	8.2	26	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	61	7.2	27	1	2	6	10	15	19	91
20-34	1926	8.0	35	1	2	7	10	15	18	29
35-49	4029	8.5	33	2	2	8	11	15	19	28
50-64	2307	8.8	37	2	2	8	12	16	20	29
65+	303	10.3	61	2	2	9	13	20	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.1	25	2	3	7	11	16	18	22
20-34	519	8.2	29	2	3	7	10	15	19	24
35-49	1523	8.5	34	2	3	7	11	14	18	31
50-64	1853	8.8	32	2	3	8	11	16	19	28
65+	1399	9.6	43	2	3	8	12	17	22	33
B. *Operated*										
0-19 YRS	13	9.2	55	1	2	7	12	20	25	26
20-34	584	10.4	58	2	2	9	14	20	25	37
35-49	1959	10.5	63	2	3	9	14	19	24	41
50-64	1912	10.8	66	2	3	9	14	20	26	41
65+	565	15.4	154	3	4	12	20	30	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4023	7.8	23	2	3	7	10	14	16	24
B. *Operated*	8626	8.6	36	2	2	8	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	5323	8.9	36	2	3	8	11	16	20	30
B. *Operated*	5033	11.2	76	2	3	9	14	21	27	44
1. SINGLE DX	12649	8.3	32	2	2	7	11	15	18	28
2. MULTIPLE DX	10356	10.0	57	2	3	8	13	18	23	38
A. NOT OPERATED	9346	8.4	30	2	3	7	11	15	18	27
B. OPERATED	13659	9.5	52	2	2	8	12	18	22	35
TOTAL 0-19 YRS	151	7.2	26	1	2	6	10	15	18	26
20-34	3953	8.3	35	1	2	7	11	16	19	30
35-49	9180	8.8	38	2	3	8	11	16	20	30
50-64	7103	9.3	43	2	3	8	12	17	21	32
65+	2618	10.7	73	2	3	9	13	20	26	43
GRAND TOTAL	**23005**	**9.1**	**44**	**2**	**3**	**8**	**12**	**17**	**21**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	6.2	9	2	2	6	8	11	11	14
20-34	1112	7.1	20	2	3	6	9	12	15	23
35-49	1214	8.0	29	2	2	7	10	13	17	32
50-64	550	7.7	30	2	2	7	10	13	16	35
65+	138	7.4	24	1	2	7	9	13	15	26
B. *Operated*										
0-19 YRS	30	5.4	13	2	2	5	7	10	14	15
20-34	702	6.5	27	1	2	5	9	14	16	24
35-49	738	7.6	42	1	2	6	10	16	20	30
50-64	238	8.7	43	2	2	7	11	17	22	35
65+	21	9.9	59	1	2	9	13	23	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.0	15	1	2	5	8	11	15	19
20-34	838	7.8	23	2	3	7	10	14	17	24
35-49	1218	8.6	29	2	3	8	11	16	19	27
50-64	951	8.9	35	2	3	8	11	15	19	26
65+	474	9.9	36	3	3	9	13	17	22	31
B. *Operated*										
0-19 YRS	20	7.9	26	2	2	7	12	15	16	17
20-34	435	10.4	61	2	2	9	14	20	25	34
35-49	572	10.8	52	2	3	10	15	20	24	34
50-64	353	12.0	67	2	3	11	16	23	28	40
65+	65	13.4	69	4	5	12	17	22	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3079	7.6	26	2	2	7	9	13	16	28
B. *Operated*	1729	7.3	36	1	2	6	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	3542	8.6	31	2	3	8	11	15	19	28
B. *Operated*	1445	11.1	59	2	3	10	15	21	26	36
1. SINGLE DX	4808	7.5	29	1	2	7	10	14	17	28
2. MULTIPLE DX	4987	9.3	40	2	3	8	12	17	21	32
A. NOT OPERATED	6621	8.1	29	2	3	7	10	14	18	28
B. OPERATED	3174	9.0	50	2	2	7	13	18	22	33
TOTAL 0-19 YRS	176	6.2	14	2	2	6	8	11	14	17
20-34	3087	7.6	29	2	2	7	10	14	18	27
35-49	3742	8.6	36	2	2	7	11	16	19	31
50-64	2092	9.1	42	2	2	8	12	17	21	34
65+	698	9.7	39	2	3	8	12	17	22	32
GRAND TOTAL	**9795**	**8.4**	**36**	**2**	**2**	**7**	**11**	**16**	**19**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.6	37	<1	1	4	7	9	19	29
20-34	403	7.6	21	2	3	7	9	13	17	23
35-49	575	7.6	25	2	3	7	10	13	17	26
50-64	472	8.0	23	2	3	7	10	13	16	26
65+	287	8.4	36	2	2	7	11	16	21	27
B. *Operated*										
0-19 YRS	14	6.3	20	1	1	6	9	12	14	15
20-34	294	6.1	28	1	1	4	9	13	17	25
35-49	387	7.5	46	1	1	5	11	16	20	34
50-64	209	6.7	40	1	1	5	9	15	18	30
65+	68	9.1	47	1	2	8	14	19	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	7.1	23	1	2	6	10	13	16	20
20-34	332	7.9	25	2	3	7	9	14	17	26
35-49	641	8.5	26	3	3	7	11	15	17	28
50-64	924	9.5	41	3	4	8	12	16	20	34
65+	1087	10.4	42	3	4	9	13	19	24	32
B. *Operated*										
0-19 YRS	5	5.6	19	2	2	5	7	13	13	13
20-34	178	10.5	83	2	2	8	14	21	29	51
35-49	299	10.4	52	2	2	9	15	20	25	33
50-64	265	11.7	76	2	3	11	17	23	26	51
65+	219	15.7	90	3	5	14	20	29	36	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1757	7.8	26	2	3	7	10	14	17	26
B. *Operated*	972	7.0	39	1	1	5	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	3008	9.4	37	3	4	8	12	16	21	31
B. *Operated*	966	12.0	77	2	3	10	17	23	29	40
1. SINGLE DX	2729	7.5	31	1	2	6	10	14	18	27
2. MULTIPLE DX	3974	10.0	48	2	3	8	13	18	24	36
A. NOT OPERATED	4765	8.8	33	2	3	8	11	16	19	30
B. OPERATED	1938	9.5	64	1	2	7	13	20	25	37
TOTAL 0-19 YRS	63	6.3	26	1	1	5	9	13	15	28
20-34	1207	7.7	35	1	2	7	10	15	18	29
35-49	1902	8.3	35	2	2	7	11	16	19	30
50-64	1870	9.1	43	2	3	8	12	17	21	34
65+	1661	10.7	52	3	4	9	14	20	25	36
GRAND TOTAL	**6703**	**9.0**	**42**	**2**	**3**	**8**	**12**	**17**	**21**	**32**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	648	4.9	15	1	1	4	6	10	12	19
20-34	5261	6.7	22	1	2	6	9	12	15	24
35-49	6595	7.3	25	2	2	6	9	13	17	25
50-64	3845	7.8	31	2	2	7	10	14	18	27
65+	1538	8.2	33	2	2	7	11	16	20	26
B. *Operated*										
0-19 YRS	343	5.1	20	1	2	3	7	11	14	23
20-34	4415	6.1	29	1	2	4	8	13	16	26
35-49	5478	7.0	34	1	2	5	10	15	18	27
50-64	3411	8.1	44	1	2	7	11	16	21	33
65+	1207	10.3	69	1	2	9	14	20	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	507	5.3	24	1	1	4	7	11	15	23
20-34	4717	7.5	32	1	2	6	10	14	18	28
35-49	7394	8.4	35	2	3	7	11	16	19	29
50-64	6770	8.7	38	2	3	7	11	16	20	32
65+	6159	9.6	53	2	3	8	12	18	23	36
B. *Operated*										
0-19 YRS	189	6.5	24	1	2	5	9	14	17	21
20-34	3120	8.5	53	1	2	7	11	18	22	35
35-49	4944	9.7	71	2	2	8	13	19	25	40
50-64	4469	11.3	90	2	2	9	15	22	28	46
65+	2675	15.1	133	2	3	12	20	30	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17887	7.2	26	1	2	6	9	13	17	25
B. *Operated*	14854	7.2	39	1	2	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	25547	8.6	40	2	3	7	11	16	20	32
B. *Operated*	15397	10.8	98	2	2	9	14	22	28	47
1. SINGLE DX	32741	7.2	32	1	2	6	10	14	18	27
2. MULTIPLE DX	40944	9.4	59	2	2	8	12	18	23	39
A. NOT OPERATED	43434	8.0	35	2	2	7	10	15	19	29
B. OPERATED	30251	9.1	67	1	2	7	12	19	24	40
TOTAL 0-19 YRS	1687	5.3	20	1	1	4	7	11	14	21
20-34	17513	7.1	33	1	2	6	9	14	18	27
35-49	24411	8.1	40	2	2	7	10	16	20	31
50-64	18495	9.0	52	2	2	7	12	17	22	35
65+	11579	10.8	76	2	3	9	14	21	27	44
GRAND TOTAL	**73685**	**8.4**	**48**	**2**	**2**	**7**	**11**	**17**	**21**	**34**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	702	4.0	8	1	1	3	5	8	9	14
20-34	551	4.5	10	1	2	4	6	8	10	17
35-49	650	4.8	12	1	2	4	6	9	11	18
50-64	674	4.9	10	1	2	4	6	9	11	15
65+	435	5.7	17	1	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	1572	2.7	4	<1	1	2	3	4	6	11
20-34	3905	3.0	5	<1	1	2	4	5	7	11
35-49	5220	3.2	7	<1	1	3	4	5	7	13
50-64	5231	3.2	7	<1	1	3	4	6	7	14
65+	1451	3.6	12	<1	1	3	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	4.4	14	1	1	3	6	8	11	18
20-34	473	5.6	20	1	2	4	7	11	14	21
35-49	901	6.1	18	2	2	5	8	11	14	21
50-64	1439	6.7	26	1	2	5	9	12	16	26
65+	1555	8.2	33	2	3	7	11	15	19	29
B. *Operated*										
0-19 YRS	497	3.5	12	1	1	3	4	6	8	19
20-34	1836	4.1	22	1	1	3	5	7	10	19
35-49	2791	4.6	20	1	2	3	5	9	12	22
50-64	3546	5.1	25	1	2	4	6	10	14	26
65+	1533	6.8	58	1	2	4	8	15	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3012	4.7	11	1	2	4	6	9	11	17
B. *Operated*	17379	3.1	7	<1	1	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	4657	6.8	27	1	2	5	9	13	16	26
B. *Operated*	10203	5.0	28	1	2	3	5	10	14	26
1. SINGLE DX	20391	3.4	8	<1	1	3	4	6	8	14
2. MULTIPLE DX	14860	5.5	28	1	2	4	7	11	15	26
A. NOT OPERATED	7669	6.0	22	1	2	5	8	12	14	23
B. OPERATED	27582	3.8	15	<1	1	3	4	7	10	20
TOTAL 0-19 YRS	3060	3.3	8	<1	1	3	4	6	8	14
20-34	6765	3.6	12	<1	1	3	4	6	9	16
35-49	9562	4.0	13	1	1	3	5	7	10	18
50-64	10890	4.4	17	<1	1	3	5	9	12	21
65+	4974	6.2	37	1	2	4	8	13	17	30
GRAND TOTAL	**35251**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	22	2.2	2	<1	<1	2	3	4	5	5
35-49	20	2.4	4	<1	<1	2	3	5	7	9
50-64	22	3.6	9	<1	<1	3	6	8	10	11
65+	22	2.0	5	<1	<1	1	2	4	7	11
B. *Operated*										
0-19 YRS	1310	3.6	3	1	2	3	4	6	6	11
20-34	3140	3.6	3	1	2	3	4	6	7	10
35-49	2869	3.9	4	1	2	4	5	6	7	10
50-64	3644	4.1	5	1	2	4	5	7	8	11
65+	1831	4.4	7	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
20-34	88	1.8	5	<1	<1	1	2	3	4	15
35-49	79	2.5	7	<1	<1	1	3	6	8	14
50-64	132	2.8	9	<1	<1	1	3	6	8	16
65+	115	3.7	18	<1	<1	2	5	10	14	48
B. *Operated*										
0-19 YRS	1050	3.9	2	2	2	4	5	6	7	9
20-34	4216	4.0	5	2	2	4	5	6	7	12
35-49	4853	4.4	5	2	2	4	5	7	8	12
50-64	8345	4.9	7	2	2	4	6	8	9	14
65+	4704	5.8	22	2	3	5	7	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.4	5	<1	<1	2	3	5	7	11
B. *Operated*	12794	3.9	5	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	434	2.7	10	<1	<1	1	3	6	10	18
B. *Operated*	23168	4.8	10	2	2	4	6	8	9	15
1. SINGLE DX	12890	3.9	5	1	2	4	5	6	7	11
2. MULTIPLE DX	23602	4.7	10	2	2	4	6	8	9	15
A. NOT OPERATED	530	2.7	9	<1	<1	1	3	6	9	17
B. OPERATED	35962	4.5	8	2	2	4	5	7	9	14
TOTAL 0-19 YRS	2390	3.7	3	1	2	3	5	6	7	10
20-34	7466	3.8	4	1	2	4	5	6	7	11
35-49	7821	4.2	5	2	2	4	5	7	8	12
50-64	12143	4.6	7	2	2	4	6	7	9	13
65+	6672	5.3	18	2	2	5	6	9	11	22
GRAND TOTAL	**36492**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

311: Gangion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.6	1	<1	<1	1	2	3	4	5
20-34	62	1.8	2	<1	<1	1	2	3	5	10
35-49	34	1.9	6	<1	<1	1	2	3	7	14
50-64	26	3.2	8	<1	<1	2	5	6	10	12
65+	9	3.3	8	<1	<1	2	5	8	9	9
B. *Operated*										
0-19 YRS	2783	1.9	5	<1	<1	2	2	3	4	5
20-34	5386	2.0	1	<1	<1	2	2	3	4	6
35-49	2773	2.2	4	<1	<1	2	3	4	5	8
50-64	1937	2.6	3	<1	<1	2	3	5	6	9
65+	661	3.1	8	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	1.3		<1	<1	1	2	2	3	4
20-34	56	1.8	4	<1	<1	1	2	4	6	12
35-49	64	2.7	6	<1	<1	2	3	6	8	11
50-64	61	5.0	12	<1	1	5	8	9	12	14
65+	51	7.0	20	2	2	6	9	14	16	22
B. *Operated*										
0-19 YRS	327	2.4	3	<1	1	2	3	4	5	8
20-34	1018	2.7	4	<1	1	2	3	5	6	11
35-49	1067	3.3	7	<1	1	2	4	6	8	13
50-64	1081	4.3	20	1	1	3	5	9	11	23
65+	589	5.5	52	1	1	3	6	11	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.1	4	<1	<1	1	2	4	6	12
B. *Operated*	13540	2.2	3	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	276	3.6	13	<1	<1	2	5	8	11	15
B. *Operated*	4082	3.7	17	<1	1	3	4	7	10	20
1. SINGLE DX	13710	2.2	3	<1	<1	2	2	4	4	8
2. MULTIPLE DX	4358	3.7	17	<1	1	3	4	7	10	20
A. NOT OPERATED	446	3.0	10	<1	<1	1	4	8	10	14
B. OPERATED	17622	2.5	7	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	3193	2.0	4	<1	<1	2	2	3	4	6
20-34	6522	2.1	2	<1	<1	2	2	3	4	7
35-49	3938	2.5	5	<1	<1	2	3	4	6	10
50-64	3105	3.2	10	<1	1	2	4	6	8	16
65+	1310	4.4	30	<1	1	3	5	9	13	25
GRAND TOTAL	**18068**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	399	15.2	100	2	4	14	21	28	32	45
20-34	186	10.2	88	1	2	7	13	23	29	42
35-49	153	9.6	60	1	2	8	13	20	24	41
50-64	151	13.1	151	2	3	9	17	28	42	55
65+	112	14.3	119	2	4	12	20	28	39	48
B. *Operated*										
0-19 YRS	429	15.2	133	2	3	13	22	30	39	47
20-34	550	14.5	183	2	2	10	21	33	39	59
35-49	425	13.0	163	1	2	8	17	31	39	56
50-64	403	15.0	172	2	3	11	22	37	43	58
65+	278	15.7	200	2	3	11	21	37	46	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	17.9	142	2	3	16	25	31	40	59
20-34	179	14.9	152	2	3	11	21	32	43	55
35-49	224	15.6	188	3	4	11	21	35	44	62
50-64	405	15.5	185	3	4	13	22	34	43	59
65+	419	16.6	169	3	4	13	21	36	44	64
B. *Operated*										
0-19 YRS	299	21.3	225	2	4	20	29	43	49	75
20-34	556	21.0	289	2	3	17	31	46	54	99
35-49	612	21.6	304	3	5	17	29	47	59	99+
50-64	1035	22.8	308	3	5	18	32	49	62	97
65+	987	24.4	305	4	6	21	34	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1001	13.0	106	2	3	10	18	27	32	47
B. *Operated*	2085	14.6	169	2	3	10	21	33	41	59
2. MULTIPLE DX										
A. *Not Operated*	1443	16.4	171	3	4	13	22	34	43	60
B. *Operated*	3489	22.6	298	3	5	18	32	48	60	99+
1. SINGLE DX	3086	14.1	149	2	3	10	20	31	39	56
2. MULTIPLE DX	4932	20.8	268	3	4	16	29	45	56	95
A. NOT OPERATED	2444	15.0	147	2	3	12	21	31	41	57
B. OPERATED	5574	19.6	265	2	3	15	28	43	54	91
TOTAL 0-19 YRS	1343	17.0	151	2	3	15	24	32	42	57
20-34	1471	16.5	221	2	3	12	24	38	46	77
35-49	1414	16.8	237	2	3	12	23	39	49	93
50-64	1994	19.2	258	3	4	15	27	43	53	79
65+	1796	20.6	263	3	5	16	29	45	57	99
GRAND TOTAL	**8018**	**18.2**	**233**	**2**	**3**	**14**	**26**	**41**	**50**	**80**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	341	5.6	35	1	1	4	7	11	17	30
20-34	600	3.8	10	1	1	3	5	8	9	17
35-49	738	4.3	11	1	1	3	5	8	11	16
50-64	632	5.6	19	1	2	4	7	11	15	21
65+	1116	8.7	48	2	2	7	11	16	20	36
B. *Operated*										
0-19 YRS	4172	4.6	20	1	1	3	5	8	12	23
20-34	4736	4.7	22	1	2	4	6	9	11	24
35-49	2368	6.0	35	1	2	4	7	12	16	29
50-64	1785	7.9	54	2	2	5	11	17	20	33
65+	1244	12.2	94	2	2	11	17	24	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	347	5.5	46	<1	1	3	6	12	18	34
20-34	909	5.0	19	1	1	4	6	10	12	24
35-49	1620	5.8	27	1	2	4	7	11	14	27
50-64	2750	7.7	46	2	2	6	10	15	20	36
65+	9785	11.5	78	3	4	9	14	21	28	48
B. *Operated*										
0-19 YRS	1300	5.6	44	1	2	4	6	11	16	34
20-34	2612	6.3	57	1	2	4	7	13	19	41
35-49	1968	8.8	97	2	2	5	11	18	26	50
50-64	2568	12.7	152	2	3	10	17	27	38	77
65+	3549	18.7	185	3	5	16	24	36	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3627	6.0	31	1	1	4	8	12	16	26
B. *Operated*	14305	5.9	39	1	2	4	7	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	15411	9.7	69	2	3	8	13	19	25	43
B. *Operated*	11997	11.7	146	2	2	8	16	26	36	68
1. SINGLE DX	17932	5.9	37	1	2	4	7	13	17	30
2. MULTIPLE DX	27408	10.5	104	2	2	8	14	22	30	57
A. NOT OPERATED	19038	9.0	64	2	2	7	12	18	23	41
B. OPERATED	26302	8.6	96	1	2	5	11	20	27	52
TOTAL 0-19 YRS	6360	4.9	28	1	1	3	6	9	14	28
20-34	8857	5.2	32	1	2	4	6	10	14	30
35-49	6694	6.6	51	1	2	4	8	13	18	36
50-64	7735	9.3	87	2	2	6	12	19	26	52
65+	15694	12.9	111	3	3	10	17	25	33	60
GRAND TOTAL	**45340**	**8.7**	**82**	**1**	**2**	**6**	**11**	**19**	**26**	**47**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.6	20	<1	<1	2	4	8	9	23
20-34	17	2.6	8	<1	<1	2	3	6	10	12
35-49	16	4.3	11	<1	1	3	7	10	10	10
50-64	11	4.4	50	<1	<1	2	4	14	24	25
65+	13	6.0	47	1	1	2	7	17	23	24
B. *Operated*										
0-19 YRS	937	3.9	10	1	1	3	5	7	9	13
20-34	941	3.4	6	<1	1	3	4	7	9	12
35-49	558	3.4	6	<1	1	3	4	7	8	12
50-64	448	4.4	15	1	1	3	5	9	11	21
65+	131	6.5	35	1	2	4	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.0	22	<1	<1	1	3	7	18	21
20-34	46	5.3	70	<1	1	3	6	11	24	46
35-49	39	6.6	58	1	1	4	9	13	23	39
50-64	59	7.4	70	<1	1	4	9	21	29	94
65+	84	14.0	246	1	3	10	17	29	55	99+
B. *Operated*										
0-19 YRS	642	5.2	36	1	2	4	6	9	13	31
20-34	1036	5.0	38	1	2	3	5	9	13	33
35-49	742	4.9	23	2	2	4	5	9	12	32
50-64	804	6.5	57	2	2	5	7	12	16	49
65+	385	10.3	100	2	2	7	14	22	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.0	23	<1	<1	2	5	9	12	25
B. *Operated*	3015	3.8	10	1	1	3	5	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	270	8.3	131	<1	1	4	10	20	30	93
B. *Operated*	3609	5.9	48	1	2	4	6	11	16	40
1. SINGLE DX	3102	3.8	11	1	1	3	5	7	10	17
2. MULTIPLE DX	3879	6.1	54	1	2	4	7	12	18	44
A. NOT OPERATED	357	7.2	108	<1	1	3	9	18	27	73
B. OPERATED	6624	4.9	32	1	2	3	6	9	13	29
TOTAL 0-19 YRS	1651	4.4	21	1	1	3	5	8	10	21
20-34	2040	4.2	25	1	1	3	5	8	11	25
35-49	1355	4.3	18	1	2	3	5	8	11	22
50-64	1322	5.8	44	1	2	4	7	11	15	33
65+	613	9.9	109	2	2	7	13	21	29	56
GRAND TOTAL	**6981**	**5.1**	**36**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	7.6	127	<1	1	5	7	13	34	55
20-34	182	6.0	18	1	2	5	8	11	15	22
35-49	279	6.9	25	1	2	6	9	13	17	27
50-64	189	6.8	23	1	2	6	9	12	16	23
65+	94	7.8	33	2	2	6	11	16	18	31
B. *Operated*										
0-19 YRS	8	5.8	25	1	2	4	7	14	17	17
20-34	155	7.1	43	1	2	5	9	14	20	36
35-49	216	6.3	26	1	2	5	8	13	17	26
50-64	137	7.8	45	1	2	6	11	16	20	33
65+	56	8.3	48	2	2	6	13	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.2	11	<1	1	5	7	10	11	11
20-34	146	8.0	49	2	3	6	9	15	20	41
35-49	280	7.3	29	1	2	6	10	13	18	29
50-64	431	7.8	26	2	2	7	10	15	17	26
65+	465	9.4	53	2	3	7	12	17	23	37
B. *Operated*										
0-19 YRS	6	11.0	167	1	1	6	16	33	35	35
20-34	95	8.5	48	1	2	7	12	17	22	34
35-49	217	10.4	50	2	3	9	13	20	24	42
50-64	215	11.1	76	2	3	9	14	24	28	47
65+	103	14.0	168	3	4	11	18	24	27	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	6.8	27	1	2	6	9	12	16	25
B. *Operated*	572	7.0	38	1	2	5	9	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	1333	8.3	39	2	2	7	11	15	20	34
B. *Operated*	636	10.9	81	2	3	9	14	22	26	48
1. SINGLE DX	1340	6.9	32	1	2	5	9	14	17	28
2. MULTIPLE DX	1969	9.1	54	2	3	7	11	17	22	37
A. NOT OPERATED	2101	7.7	35	2	2	6	10	15	18	32
B. OPERATED	1208	9.1	64	2	2	7	12	18	24	38
TOTAL 0-19 YRS	49	7.2	87	1	1	5	7	14	25	55
20-34	578	7.2	38	1	2	5	9	14	19	34
35-49	992	7.6	34	1	2	6	10	15	19	30
50-64	972	8.3	42	2	2	7	11	16	21	33
65+	718	9.8	69	2	3	8	12	19	24	39
GRAND TOTAL	**3309**	**8.2**	**46**	**2**	**2**	**7**	**11**	**16**	**21**	**35**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	716	3.5	8	1	1	3	5	7	9	12
20-34	1801	4.9	12	1	1	4	7	9	11	17
35-49	1789	5.5	18	1	2	4	7	10	13	21
50-64	1181	5.2	15	1	2	4	7	10	13	18
65+	670	5.9	17	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	2588	4.5	24	1	1	3	5	11	15	23
20-34	3803	4.2	24	1	1	3	5	9	13	24
35-49	2714	4.3	20	1	1	3	5	9	13	22
50-64	2896	3.8	14	1	1	3	4	8	11	19
65+	1601	4.2	32	1	1	3	4	8	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	682	4.3	14	1	1	3	6	8	11	20
20-34	2585	6.2	24	1	2	5	8	12	15	23
35-49	3517	6.8	27	2	2	6	9	13	16	26
50-64	3370	6.9	26	2	2	6	9	13	16	25
65+	3410	8.1	41	2	2	7	10	16	20	31
B. *Operated*										
0-19 YRS	1719	4.5	31	1	1	3	4	10	16	31
20-34	3638	4.9	30	1	1	3	6	10	15	29
35-49	2996	6.3	48	1	2	4	8	13	18	36
50-64	3182	7.0	57	1	2	4	9	16	22	37
65+	1986	8.9	94	2	2	5	12	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6157	5.1	15	1	1	4	7	10	12	18
B. *Operated*	13602	4.2	22	1	1	3	5	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	13564	6.9	30	1	2	6	9	13	17	27
B. *Operated*	13521	6.3	52	1	2	4	8	14	20	37
1. SINGLE DX	19759	4.5	20	1	1	3	5	9	13	22
2. MULTIPLE DX	27085	6.6	41	1	2	5	8	14	18	33
A. NOT OPERATED	19721	6.3	26	1	2	5	8	12	16	25
B. OPERATED	27123	5.2	38	1	1	3	6	12	16	31
TOTAL 0-19 YRS	5705	4.4	23	1	1	3	5	10	14	24
20-34	11827	5.0	25	1	1	3	6	10	14	24
35-49	11016	5.9	31	1	2	4	8	12	15	27
50-64	10629	5.9	33	1	2	4	8	12	16	28
65+	7667	7.3	54	1	2	5	9	15	20	37
GRAND TOTAL	**46844**	**5.7**	**33**	**1**	**2**	**4**	**7**	**12**	**16**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	6	1	1	5	6	8	8	8
20-34	103	6.4	13	2	3	6	8	11	13	20
35-49	103	6.3	11	2	3	6	8	10	12	18
50-64	38	6.3	13	2	2	6	8	11	14	15
65+	13	6.8	16	2	3	5	9	13	14	14
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	37	5.8	11	1	2	5	8	10	12	14
35-49	37	7.1	15	2	2	6	10	13	14	15
50-64	11	4.4	5	1	2	4	6	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.2	10	2	2	4	7	10	12	14
20-34	256	6.4	16	2	3	6	8	11	13	21
35-49	322	6.8	15	2	3	6	9	11	14	19
50-64	197	7.4	18	3	3	6	9	13	16	21
65+	69	8.1	38	2	3	7	10	14	16	41
B. *Operated*										
0-19 YRS	4	7.3	21	2	2	7	10	13	13	13
20-34	66	8.1	32	2	3	6	11	15	19	30
35-49	88	9.9	37	3	3	9	13	19	23	28
50-64	43	9.7	123	2	3	8	11	16	23	71
65+	12	11.3	88	2	3	8	16	24	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	6.3	12	2	2	6	8	11	13	18
B. *Operated*	87	6.1	13	1	2	5	8	11	13	15
2. MULTIPLE DX										
A. *Not Operated*	872	6.9	18	2	3	6	9	12	14	21
B. *Operated*	213	9.3	55	2	3	8	12	17	22	33
1. SINGLE DX	353	6.3	12	2	2	6	8	11	13	16
2. MULTIPLE DX	1085	7.3	26	2	3	6	9	13	16	25
A. NOT OPERATED	1138	6.7	16	2	3	6	8	12	14	21
B. OPERATED	300	8.4	45	2	3	7	11	15	19	31
TOTAL 0-19 YRS	42	5.3	10	1	2	5	8	9	12	14
20-34	462	6.6	17	2	3	6	8	12	14	24
35-49	550	7.2	19	2	3	6	9	13	16	23
50-64	289	7.5	33	2	3	6	9	13	16	24
65+	95	8.3	42	2	3	7	10	15	17	41
GRAND TOTAL	**1438**	**7.1**	**23**	**2**	**3**	**6**	**9**	**12**	**15**	**24**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	3.2	12	<1	1	2	4	7	10	22
20-34	22	4.4	9	2	2	3	5	10	11	12
35-49	13	5.8	15	2	2	5	7	13	13	13
50-64	12	4.4	6	1	2	4	6	7	10	10
65+	9	4.0	12	1	1	3	5	10	12	12
B. *Operated*										
0-19 YRS	211	7.8	41	1	2	6	11	15	19	40
20-34	70	9.9	40	1	2	9	14	20	22	23
35-49	41	9.3	33	3	3	9	12	16	23	24
50-64	24	14.3	90	2	3	13	22	25	32	39
65+	7	11.7	54	2	3	11	13	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	442	5.4	51	1	1	3	7	11	17	29
20-34	62	8.5	154	1	2	5	9	15	22	76
35-49	25	6.8	38	2	2	5	8	17	22	27
50-64	27	8.0	39	1	3	5	10	17	22	25
65+	41	7.6	50	<1	1	5	13	18	27	99+
B. *Operated*										
0-19 YRS	374	12.7	202	2	2	8	15	31	44	81
20-34	74	16.7	237	3	4	12	21	40	62	93
35-49	61	13.4	211	1	2	9	16	31	41	82
50-64	26	15.5	195	2	2	14	21	60	99+	99+
65+	25	19.1	274	5	5	12	22	40	60	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	3.5	12	<1	1	2	4	8	11	20
B. *Operated*	353	8.9	46	2	2	8	12	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	597	6.0	62	1	1	4	7	13	18	38
B. *Operated*	560	13.7	212	2	3	9	17	33	47	89
1. SINGLE DX	607	6.6	39	1	1	4	10	15	20	33
2. MULTIPLE DX	1157	9.7	149	1	1	6	12	22	35	78
A. NOT OPERATED	851	5.3	48	1	1	3	6	12	17	32
B. OPERATED	913	11.8	153	2	2	9	14	26	39	79
TOTAL 0-19 YRS	1225	7.7	102	1	1	4	9	17	26	65
20-34	228	11.2	147	2	2	9	14	22	38	73
35-49	140	10.3	117	2	2	8	13	22	29	50
50-64	89	11.4	108	2	2	10	17	24	38	99+
65+	82	11.0	143	1	2	8	13	24	38	90
GRAND TOTAL	**1764**	**8.7**	**113**	**1**	**1**	**5**	**11**	**19**	**29**	**69**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	546	1.3	2	<1	<1	1	1	2	2	7
20-34	7	4.4	3	1	2	5	6	6	6	6
35-49	6	4.0	5	<1	<1	4	5	7	7	7
50-64	8	3.0	3	<1	<1	3	4	6	6	6
65+	3	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	2125	2.2	2	<1	1	2	2	3	5	9
20-34	639	2.7	3	1	1	2	3	5	6	9
35-49	379	2.8	3	1	1	3	3	4	6	10
50-64	533	2.9	3	1	2	3	3	4	6	10
65+	534	3.0	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	1.9	15	<1	<1	1	1	3	5	10
20-34	19	2.9	5	<1	<1	2	5	7	8	8
35-49	8	3.8	8	1	1	3	7	7	7	7
50-64	17	3.6	11	1	1	3	4	9	11	12
65+	23	4.4	37	<1	1	2	4	12	18	27
B. *Operated*										
0-19 YRS	624	2.8	9	<1	1	2	3	5	7	11
20-34	227	3.4	6	1	1	3	4	7	8	13
35-49	198	3.4	6	1	1	3	4	6	8	13
50-64	511	3.2	5	2	2	3	4	5	6	12
65+	747	3.3	6	2	2	3	4	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	1.4	2	<1	<1	1	1	2	3	7
B. *Operated*	4210	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	229	2.4	16	<1	<1	1	2	5	7	16
B. *Operated*	2307	3.2	7	1	2	3	4	5	7	13
1. SINGLE DX	4780	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	2536	3.1	8	1	1	2	3	5	7	13
A. NOT OPERATED	799	1.7	6	<1	<1	1	1	3	5	11
B. OPERATED	6517	2.8	4	1	1	2	3	4	6	10
TOTAL 0-19 YRS	3457	2.1	4	<1	<1	2	2	3	5	9
20-34	892	2.9	4	1	1	2	3	5	7	9
35-49	591	3.1	4	1	1	3	3	5	7	12
50-64	1069	3.1	4	1	2	3	3	5	6	12
65+	1307	3.2	5	2	2	3	4	5	6	13
GRAND TOTAL	**7316**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.3	10	<1	1	2	4	7	9	12
20-34	71	3.3	5	1	1	2	4	7	9	9
35-49	58	4.4	14	<1	1	3	6	10	13	17
50-64	33	4.8	9	1	2	4	6	9	12	12
65+	22	4.5	13	1	1	4	6	9	13	17
B. *Operated*										
0-19 YRS	1626	4.6	22	1	1	2	7	10	12	20
20-34	476	6.0	34	1	2	4	9	12	16	24
35-49	310	6.6	35	1	2	4	10	14	17	27
50-64	210	6.5	44	1	2	3	10	14	17	35
65+	64	5.8	27	1	2	3	9	13	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	750	5.3	42	1	1	4	6	10	15	34
20-34	288	6.2	47	1	2	4	7	11	18	41
35-49	196	7.2	81	1	2	5	9	14	17	48
50-64	179	8.0	54	2	2	6	11	16	21	34
65+	273	7.7	34	2	2	6	9	15	19	30
B. *Operated*										
0-19 YRS	2007	7.2	90	1	1	3	9	15	24	60
20-34	478	9.2	127	2	2	5	11	20	31	58
35-49	384	9.1	99	2	2	7	12	22	30	72
50-64	388	9.5	109	2	2	7	12	21	26	52
65+	252	12.8	159	2	2	10	17	28	34	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	3.7	10	<1	1	3	5	8	10	14
B. *Operated*	2686	5.3	28	1	1	3	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	1686	6.4	49	1	1	4	8	13	17	35
B. *Operated*	3509	8.4	105	1	2	5	11	18	27	58
1. SINGLE DX	3043	5.1	26	1	1	3	8	11	13	23
2. MULTIPLE DX	5195	7.7	88	1	2	5	10	16	25	51
A. NOT OPERATED	2043	5.9	43	1	1	4	7	12	16	33
B. OPERATED	6195	7.0	74	1	1	4	9	15	22	46
TOTAL 0-19 YRS	4556	5.8	56	1	1	3	8	12	17	42
20-34	1313	7.0	72	1	2	4	9	14	21	48
35-49	948	7.6	71	1	2	5	10	16	23	49
50-64	810	8.2	78	2	2	5	11	17	24	37
65+	611	9.5	92	2	2	7	12	19	27	43
GRAND TOTAL	**8238**	**6.7**	**66**	**1**	**1**	**4**	**9**	**14**	**20**	**43**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.7	17	<1	<1	1	2	5	12	20
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1401	4.1	5	1	2	4	5	7	8	10
20-34	58	3.3	3	1	2	3	4	6	7	8
35-49	21	3.6	6	1	1	3	4	8	9	9
50-64	6	4.5	11	1	1	3	8	9	9	9
65+	4	5.8	11	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.4	16	<1	<1	1	2	6	8	24
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	828	4.5	15	1	2	4	5	7	9	21
20-34	73	4.3	32	1	2	3	5	6	8	40
35-49	14	2.9	2	1	1	3	4	5	5	5
50-64	3	11.0	84	3	3	9	18	21	21	21
65+	3	4.3	10	2	2	3	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.7	17	<1	<1	1	2	5	12	20
B. *Operated*	1490	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	105	2.4	16	<1	<1	1	2	6	8	24
B. *Operated*	921	4.5	17	1	2	4	5	7	9	22
1. SINGLE DX	1511	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX	1026	4.3	17	1	1	4	5	7	9	22
A. NOT OPERATED	126	2.4	16	<1	<1	1	2	6	8	23
B. OPERATED	2411	4.3	9	1	2	4	5	7	8	13
TOTAL 0-19 YRS	2352	4.2	9	1	2	4	5	7	8	13
20-34	133	3.8	19	1	2	3	4	6	7	21
35-49	35	3.3	4	1	1	3	4	5	9	9
50-64	9	6.7	38	1	1	4	9	16	21	21
65+	8	4.6	10	<1	1	4	7	9	10	10
GRAND TOTAL	**2537**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.1	6	1	1	2	4	6	7	13
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1217	4.1	5	2	2	4	5	6	8	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.5	9	1	2	4	6	8	11	17
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	276	5.9	11	3	3	5	7	10	13	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.1	6	1	1	2	4	6	7	13
B. *Operated*	1217	4.1	5	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	72	4.5	9	1	2	4	6	8	11	17
B. *Operated*	276	5.9	11	3	3	5	7	10	13	18
1. SINGLE DX	1320	4.0	5	2	2	4	5	6	8	11
2. MULTIPLE DX	348	5.6	11	2	3	5	7	10	12	18
A. NOT OPERATED	175	3.7	8	1	1	3	5	7	10	14
B. OPERATED	1493	4.4	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	1668	4.3	7	2	2	4	5	7	9	14
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1668**	**4.3**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	399	2.5	7	<1	<1	2	3	5	7	13
20-34	50	3.9	19	1	1	3	5	7	11	28
35-49	28	4.9	26	1	1	3	5	12	17	22
50-64	30	4.5	36	<1	<1	3	5	8	11	33
65+	31	3.3	7	<1	<1	2	5	7	8	11
B. *Operated*										
0-19 YRS	1021	4.3	24	<1	<1	3	5	9	14	23
20-34	339	4.6	15	1	1	3	6	10	13	18
35-49	125	5.8	52	1	1	4	8	12	15	42
50-64	114	5.1	16	1	1	4	8	11	13	17
65+	86	7.8	57	1	2	5	10	18	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	5.5	63	<1	1	4	7	11	16	45
20-34	63	5.5	15	1	2	4	7	10	13	22
35-49	82	4.5	12	1	1	4	6	9	13	16
50-64	129	6.3	28	1	2	5	8	11	20	27
65+	230	6.8	28	1	2	5	8	13	19	26
B. *Operated*										
0-19 YRS	752	8.4	118	1	2	5	10	18	29	64
20-34	340	7.5	36	1	2	6	10	15	19	28
35-49	212	9.3	91	2	2	7	11	17	21	62
50-64	256	11.0	88	2	2	9	15	21	29	42
65+	268	14.9	156	2	3	12	19	30	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	538	2.9	11	<1	<1	2	4	6	8	17
B. *Operated*	1685	4.7	26	<1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	808	5.9	39	1	1	4	7	12	16	30
B. *Operated*	1828	9.7	106	1	2	7	12	20	29	57
1. SINGLE DX	2223	4.3	23	<1	1	3	5	9	13	23
2. MULTIPLE DX	2636	8.5	89	1	2	6	10	18	25	51
A. NOT OPERATED	1346	4.7	30	<1	1	3	6	10	13	26
B. OPERATED	3513	7.3	74	1	1	5	9	16	21	45
TOTAL 0-19 YRS	2476	5.4	59	<1	1	3	6	11	17	41
20-34	792	5.9	26	1	1	4	8	12	16	25
35-49	447	7.2	66	1	2	5	9	14	19	44
50-64	529	8.2	62	1	2	6	11	17	22	39
65+	615	10.3	103	1	2	7	13	22	29	51
GRAND TOTAL	4859	6.6	63	<1	1	4	8	14	20	40

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	1.6	1	<1	<1	1	2	3	4	6
20-34	7	3.0	5	<1	<1	2	4	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2893	2.8	2	1	1	3	3	5	6	8
20-34	305	3.4	4	1	1	3	4	6	7	9
35-49	63	3.3	2	1	2	3	4	5	7	8
50-64	18	3.9	5	2	2	3	5	7	9	10
65+	4	5.0	8	1	1	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	1.5	2	<1	<1	1	1	2	4	9
20-34	8	2.0	2	1	1	2	3	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2545	3.1	4	1	1	3	4	5	6	10
20-34	288	4.2	8	1	2	4	5	7	9	14
35-49	96	4.0	4	1	2	3	5	8	8	11
50-64	37	4.4	11	1	2	3	5	8	10	19
65+	15	5.7	15	2	2	6	7	10	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	3283	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	135	1.7	3	<1	<1	1	1	4	5	9
B. *Operated*	2981	3.3	4	1	1	3	4	6	7	10
1. SINGLE DX	3335	2.9	3	1	1	3	3	5	6	8
2. MULTIPLE DX	3116	3.2	4	1	1	3	4	6	7	10
A. NOT OPERATED	187	1.7	3	<1	<1	1	2	4	5	9
B. OPERATED	6264	3.1	3	1	1	3	4	5	6	9
TOTAL 0-19 YRS	5604	2.9	3	1	1	3	4	5	6	9
20-34	608	3.8	6	1	2	3	5	6	8	12
35-49	161	3.7	4	1	2	3	4	6	8	10
50-64	58	4.3	9	2	2	3	5	8	10	18
65+	20	5.4	13	1	2	5	7	9	13	17
GRAND TOTAL	6451	3.0	3	1	1	3	4	5	6	9

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.4	3	<1	1	2	3	5	6	9
20-34	63	3.1	12	<1	1	2	4	6	9	22
35-49	39	3.9	13	<1	<1	3	5	8	9	21
50-64	45	4.1	11	1	1	3	5	6	10	19
65+	34	5.2	20	1	1	3	10	12	15	16
B. *Operated*										
0-19 YRS	2093	4.9	17	<1	1	4	8	10	12	17
20-34	941	4.3	16	<1	1	3	6	8	10	16
35-49	297	5.1	18	1	1	4	7	9	13	22
50-64	153	5.0	17	<1	1	4	8	10	13	21
65+	100	6.1	28	1	2	4	9	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	194	3.4	41	<1	<1	2	3	7	10	36
20-34	163	4.4	11	1	1	3	5	9	11	18
35-49	179	5.5	15	1	2	4	7	10	14	20
50-64	177	6.1	25	1	2	5	8	12	16	26
65+	180	8.1	48	2	3	6	9	17	21	40
B. *Operated*										
0-19 YRS	1531	5.4	28	1	1	4	8	12	15	24
20-34	1221	5.6	20	1	1	5	7	10	14	22
35-49	602	7.3	42	1	2	6	9	14	20	33
50-64	527	8.2	51	1	2	6	11	17	22	35
65+	374	10.1	92	1	2	7	14	21	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	3.4	11	<1	1	2	4	7	10	18
B. *Operated*	3584	4.8	17	<1	1	3	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	893	5.5	31	1	1	4	7	11	15	28
B. *Operated*	4255	6.5	38	1	1	5	8	13	18	31
1. SINGLE DX	3863	4.7	17	<1	1	3	7	10	12	18
2. MULTIPLE DX	5148	6.3	37	1	1	5	8	13	17	30
A. NOT OPERATED	1172	5.0	27	<1	1	4	6	10	14	25
B. OPERATED	7839	5.7	29	<1	1	4	8	12	15	26
TOTAL 0-19 YRS	3916	5.0	23	<1	1	3	7	11	13	20
20-34	2388	4.9	18	1	1	4	6	9	12	20
35-49	1117	6.3	31	1	2	5	8	13	16	26
50-64	902	7.0	40	1	2	5	9	15	20	30
65+	688	8.7	70	1	2	6	11	18	25	51
GRAND TOTAL	9011	5.6	29	<1	1	4	8	12	15	26

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	1.7	3	<1	<1	1	2	4	5	12
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	1320	3.6	5	1	2	3	4	6	7	13
20-34	135	5.7	11	2	3	5	7	10	13	17
35-49	51	4.6	6	1	2	4	6	8	9	12
50-64	37	4.5	4	2	2	5	5	7	9	10
65+	13	5.2	6	<1	2	5	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	1.4	1	<1	<1	1	1	2	4	7
20-34	6	5.1	54	1	1	1	9	17	17	17
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	3	9.0	13	6	6	8	12	13	13	13
B. *Operated*										
0-19 YRS	713	4.5	7	2	2	4	5	7	9	16
20-34	292	4.9	6	2	3	4	6	7	9	17
35-49	196	5.1	7	2	3	4	6	8	10	15
50-64	252	5.6	27	2	3	5	6	8	13	24
65+	105	6.1	24	2	3	5	7	10	11	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	1.8	3	<1	<1	1	2	4	5	12
B. *Operated*	1556	3.9	6	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	91	2.0	9	<1	<1	1	1	5	7	17
B. *Operated*	1558	4.9	11	2	2	4	6	8	10	17
1. SINGLE DX	1613	3.8	6	1	1	3	5	6	8	13
2. MULTIPLE DX	1649	4.8	12	1	2	4	6	8	10	17
A. NOT OPERATED	148	1.9	7	<1	<1	1	1	4	6	17
B. OPERATED	3114	4.4	9	1	2	4	5	7	9	15
TOTAL 0-19 YRS	2159	3.8	6	1	1	3	5	6	8	13
20-34	437	5.2	9	2	3	4	6	8	11	17
35-49	250	5.0	7	2	2	4	6	8	10	14
50-64	295	5.4	24	2	2	5	6	8	12	24
65+	121	6.1	22	2	3	5	7	10	11	27
GRAND TOTAL	3262	4.3	9	1	2	4	5	7	9	15

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	707	3.3	23	<1	<1	2	3	7	10	26
20-34	198	4.8	13	1	1	4	7	10	12	18
35-49	175	6.6	32	1	2	5	8	13	20	28
50-64	155	7.2	26	1	2	6	10	13	18	23
65+	75	8.4	52	2	2	6	10	19	24	35
B. *Operated*										
0-19 YRS	4780	4.3	19	1	1	3	5	9	12	21
20-34	2233	4.1	17	<1	1	3	5	9	11	20
35-49	1200	5.0	26	1	1	3	6	11	14	24
50-64	685	6.5	35	1	2	4	9	14	19	28
65+	222	7.6	54	1	2	5	10	17	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	821	4.7	29	<1	1	3	6	11	15	29
20-34	402	6.4	28	1	1	5	8	13	16	27
35-49	388	7.0	23	1	2	6	9	13	16	24
50-64	443	8.2	33	2	3	7	11	15	20	30
65+	424	9.3	59	2	3	8	12	18	22	30
B. *Operated*										
0-19 YRS	1757	6.5	59	1	2	4	7	14	20	44
20-34	1157	6.0	39	1	1	4	8	13	18	34
35-49	976	8.2	65	1	2	6	11	18	22	40
50-64	917	9.6	71	2	2	7	13	19	25	44
65+	426	13.1	171	2	2	10	16	30	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1310	4.7	28	<1	1	3	6	10	14	27
B. *Operated*	9120	4.6	22	1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	2478	6.7	37	1	1	5	9	14	18	29
B. *Operated*	5243	7.8	71	1	2	5	10	17	23	44
1. SINGLE DX	10430	4.6	23	1	1	3	5	10	14	24
2. MULTIPLE DX	7721	7.5	60	1	2	5	10	16	22	40
A. NOT OPERATED	3788	6.0	34	<1	1	4	8	13	17	28
B. OPERATED	14363	5.8	42	1	1	3	7	13	17	33
TOTAL 0-19 YRS	8075	4.8	30	1	1	3	6	10	15	29
20-34	3990	4.9	25	<1	1	3	6	10	14	26
35-49	2739	6.5	42	1	1	4	9	14	18	31
50-64	2200	8.2	51	1	2	6	11	17	22	36
65+	1147	10.3	104	2	2	8	13	22	29	55
GRAND TOTAL	18151	5.8	41	1	1	4	7	13	17	32

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6533	3.8	23	1	1	2	4	7	13	27
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	132	6.3	79	<1	1	3	6	14	27	43
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3756	9.3	125	1	2	5	12	23	33	60
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	355	16.3	369	1	2	10	22	51	95	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6533	3.8	23	1	1	2	4	7	13	27
B. *Operated*	132	6.3	79	<1	1	3	6	14	27	43
2. MULTIPLE DX										
A. *Not Operated*	3756	9.3	125	1	2	5	12	23	33	60
B. *Operated*	355	16.3	369	1	2	10	22	51	95	99+
1. SINGLE DX	6665	3.8	24	1	1	2	4	7	13	27
2. MULTIPLE DX	4111	9.9	150	1	2	5	13	25	36	81
A. NOT OPERATED	10289	5.8	67	1	1	2	5	14	23	42
B. OPERATED	487	13.6	310	1	2	7	18	42	66	99+
TOTAL 0-19 YRS	10776	6.1	81	1	1	3	6	15	24	48
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	10776	6.1	81	1	1	3	6	15	24	48

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6888	3.1	7	1	1	2	4	6	7	12
20-34	3139	3.8	10	1	1	3	5	7	9	16
35-49	1588	4.2	12	1	1	3	5	8	10	18
50-64	1216	4.7	18	1	1	4	6	9	11	20
65+	915	5.0	19	1	2	4	6	9	13	23
B. *Operated*										
0-19 YRS	87	5.8	59	2	2	3	7	10	13	49
20-34	123	6.2	35	1	2	5	9	12	15	31
35-49	75	5.4	15	2	2	4	7	12	14	19
50-64	77	6.5	22	2	2	5	8	11	15	28
65+	41	7.4	40	2	3	6	8	17	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8210	3.8	13	1	1	3	5	7	9	18
20-34	3571	5.5	27	1	1	4	7	11	14	26
35-49	3326	6.0	25	1	2	5	8	12	15	25
50-64	4213	6.8	35	1	2	5	8	13	17	30
65+	4934	8.5	66	2	3	6	10	16	22	42
B. *Operated*										
0-19 YRS	212	8.9	96	1	2	6	11	19	28	59
20-34	324	9.5	125	1	2	7	11	17	26	63
35-49	363	11.5	122	2	3	9	14	22	31	62
50-64	393	13.1	134	3	3	10	17	27	34	77
65+	436	16.4	201	4	5	13	21	34	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13746	3.6	11	1	1	3	4	7	9	16
B. *Operated*	403	6.1	34	2	2	4	7	11	15	31
2. MULTIPLE DX										
A. *Not Operated*	24254	5.8	34	1	2	4	7	12	15	29
B. *Operated*	1728	12.4	149	2	3	9	15	26	38	83
1. SINGLE DX	14149	3.7	12	1	1	3	5	7	9	16
2. MULTIPLE DX	25982	6.3	45	1	2	4	8	13	17	34
A. NOT OPERATED	38000	5.0	27	1	1	4	6	10	13	26
B. OPERATED	2131	11.2	134	2	2	8	14	24	33	71
TOTAL 0-19 YRS	15397	3.5	12	1	1	3	4	6	9	16
20-34	7157	5.0	26	1	1	4	6	10	13	24
35-49	5352	5.9	31	1	2	4	7	12	15	27
50-64	5899	6.8	42	1	2	5	8	13	18	33
65+	6326	8.5	74	2	2	6	10	17	24	50
GRAND TOTAL	40131	5.4	34	1	1	4	6	11	15	29

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2282	3.1	4	1	1	3	4	5	7	11
20-34	605	4.7	10	1	2	4	6	9	11	16
35-49	317	5.0	11	1	2	4	6	8	10	19
50-64	348	5.5	14	2	2	4	7	10	13	19
65+	464	6.5	37	2	2	5	8	11	16	27
B. *Operated*										
0-19 YRS	48	6.4	27	1	2	5	8	13	15	28
20-34	77	10.1	43	3	4	8	12	18	26	32
35-49	50	13.0	171	3	3	9	16	28	50	63
50-64	63	13.0	73	3	4	11	16	26	29	43
65+	47	11.9	57	2	3	11	16	21	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3376	3.6	7	1	1	3	4	6	8	13
20-34	1181	5.3	16	1	2	4	7	10	13	20
35-49	923	6.3	19	2	2	5	8	12	14	20
50-64	1649	6.8	25	2	3	5	8	12	16	25
65+	3062	8.4	47	2	3	7	10	15	20	36
B. *Operated*										
0-19 YRS	138	8.3	51	2	2	6	11	18	26	42
20-34	211	11.6	151	3	3	9	14	21	26	94
35-49	207	13.5	123	3	4	11	16	27	30	65
50-64	369	12.9	85	2	4	11	17	24	33	44
65+	518	17.4	216	3	5	13	21	40	54	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4016	4.1	12	1	1	3	5	8	10	17
B. *Operated*	285	10.9	76	2	3	9	14	22	27	48
2. MULTIPLE DX										
A. *Not Operated*	10191	6.0	28	1	2	4	7	12	15	27
B. *Operated*	1443	14.0	152	3	4	11	17	28	39	67
1. SINGLE DX	4301	4.6	19	1	1	3	5	9	12	22
2. MULTIPLE DX	11634	7.0	50	2	2	5	8	14	19	37
A. NOT OPERATED	14207	5.5	24	1	2	4	7	11	14	24
B. OPERATED	1728	13.5	141	3	3	10	16	27	37	65
TOTAL 0-19 YRS	5844	3.5	8	1	1	3	4	6	8	14
20-34	2074	6.0	34	1	2	4	7	11	15	26
35-49	1497	7.2	45	2	2	5	9	13	18	32
50-64	2429	7.7	40	2	3	6	10	15	20	33
65+	4091	9.3	77	2	3	7	11	18	25	53
GRAND TOTAL	15935	6.3	43	1	2	4	8	13	17	34

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1402	3.0	4	1	1	3	4	6	7	10
20-34	2734	3.9	8	1	1	3	5	7	9	14
35-49	1480	4.4	10	1	1	4	6	8	10	17
50-64	660	4.5	13	1	1	4	6	9	11	17
65+	267	4.3	11	1	2	3	5	8	11	18
B. *Operated*										
0-19 YRS	47	4.1	11	1	1	3	5	8	12	15
20-34	271	4.6	10	1	2	4	6	9	11	16
35-49	224	5.5	17	2	2	4	7	11	14	19
50-64	134	5.2	13	1	2	4	7	11	13	14
65+	59	6.3	35	1	2	4	8	14	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1331	3.9	8	1	1	3	5	7	9	15
20-34	3439	5.0	15	1	2	4	6	9	12	21
35-49	2746	5.8	18	1	2	5	7	11	14	21
50-64	1950	6.1	22	2	2	5	8	11	15	24
65+	1451	6.7	30	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	53	5.4	9	1	2	5	7	9	11	15
20-34	371	7.5	29	2	2	6	10	15	18	31
35-49	398	8.5	41	2	2	7	11	17	22	29
50-64	348	8.1	32	2	2	7	11	16	20	26
65+	243	10.0	60	2	3	8	12	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6543	3.9	9	1	1	3	5	7	9	15
B. *Operated*	735	5.1	15	1	2	4	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	10917	5.5	19	1	2	4	7	10	13	22
B. *Operated*	1413	8.3	39	2	2	7	11	15	21	31
1. SINGLE DX	7278	4.0	9	1	1	3	5	8	10	15
2. MULTIPLE DX	12330	5.8	22	1	2	4	7	11	14	24
A. NOT OPERATED	17460	4.9	16	1	2	4	6	9	12	20
B. OPERATED	2148	7.2	33	2	2	6	9	14	18	28
TOTAL 0-19 YRS	2833	3.5	6	1	1	3	4	6	8	13
20-34	6815	4.7	14	1	2	4	6	9	11	19
35-49	4848	5.6	19	1	2	4	7	11	14	23
50-64	3092	6.0	22	1	2	5	8	11	15	24
65+	2020	6.8	33	2	2	5	9	13	16	29
GRAND TOTAL	19608	5.1	18	1	2	4	6	10	13	22

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	2.4	5	<1	1	2	3	4	6	8
20-34	271	3.6	4	1	1	3	5	6	7	10
35-49	408	3.7	4	1	1	4	5	6	8	10
50-64	727	3.9	5	1	1	4	5	7	8	11
65+	778	3.7	6	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	183	2.0	3	<1	<1	1	2	5	6	9
20-34	221	4.6	6	1	2	4	6	8	10	12
35-49	301	4.9	7	1	2	5	6	8	9	14
50-64	526	5.1	7	1	2	5	6	8	10	15
65+	456	5.2	13	1	2	4	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	249	3.2	8	<1	1	2	4	6	9	17
20-34	198	4.1	10	1	1	3	5	7	9	16
35-49	484	4.3	7	1	1	4	6	8	9	12
50-64	1321	4.8	10	1	2	4	6	8	10	17
65+	2308	5.4	23	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	88	3.1	6	<1	<1	2	4	7	9	11
20-34	146	4.8	9	1	2	4	6	8	10	14
35-49	274	6.1	13	2	2	5	8	10	13	19
50-64	718	6.5	20	2	3	5	8	12	15	23
65+	989	7.4	37	2	2	6	9	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2343	3.7	5	1	1	3	5	6	8	11
B. *Operated*	1687	4.7	9	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	4560	4.9	17	1	1	4	6	9	11	20
B. *Operated*	2215	6.6	26	2	2	5	8	12	16	28
1. SINGLE DX	4030	4.1	7	1	1	4	5	7	9	12
2. MULTIPLE DX	6775	5.5	20	1	2	4	7	10	13	23
A. NOT OPERATED	6903	4.5	13	1	1	4	6	8	10	18
B. OPERATED	3902	5.8	20	1	2	5	7	10	14	24
TOTAL 0-19 YRS	679	2.7	6	<1	<1	2	3	5	7	11
20-34	836	4.2	7	1	1	4	5	7	9	13
35-49	1467	4.6	8	1	2	4	6	8	9	14
50-64	3292	5.0	12	1	2	4	6	9	11	17
65+	4531	5.5	24	1	2	4	7	10	14	25
GRAND TOTAL	10805	4.9	16	1	1	4	6	9	11	20

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	59th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	242	3.6	17	1	1	3	5	7	8	11
20-34	207	3.4	5	1	1	3	5	6	7	11
35-49	134	3.4	5	<1	1	3	5	7	7	11
50-64	141	3.8	10	1	1	3	4	8	10	16
65+	129	4.1	11	1	1	3	5	8	12	17
B. *Operated*										
0-19 YRS	979	2.2	5	<1	<1	2	2	4	5	12
20-34	1009	2.9	6	<1	1	2	3	5	7	16
35-49	513	2.8	6	<1	1	2	3	5	8	11
50-64	463	3.6	29	1	1	2	4	6	9	19
65+	256	3.8	13	<1	1	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	3.9	7	1	1	3	5	7	8	17
20-34	411	4.6	15	1	1	4	6	8	11	18
35-49	388	4.8	29	1	1	3	5	9	12	23
50-64	600	5.9	50	1	1	4	7	12	16	33
65+	1001	8.1	64	1	2	5	10	18	23	41
B. *Operated*										
0-19 YRS	242	4.8	27	1	1	3	6	11	16	27
20-34	436	5.2	25	1	2	3	7	11	14	28
35-49	389	6.6	57	1	2	4	9	14	18	39
50-64	543	7.7	94	1	2	4	9	17	26	53
65+	448	10.8	183	1	2	6	13	26	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	853	3.7	10	1	1	3	5	7	9	14
B. *Operated*	3220	2.9	10	<1	1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	2691	6.1	45	1	2	4	7	13	18	35
B. *Operated*	2058	7.3	88	1	2	4	9	16	25	54
1. SINGLE DX	4073	3.0	10	<1	1	2	3	6	8	15
2. MULTIPLE DX	4749	6.6	64	1	2	4	8	14	21	42
A. NOT OPERATED	3544	5.5	38	1	1	4	6	11	16	32
B. OPERATED	5278	4.6	45	<1	1	2	5	10	15	34
TOTAL 0-19 YRS	1754	3.1	11	<1	1	2	3	6	8	16
20-34	2063	3.8	13	<1	1	3	4	8	10	18
35-49	1424	4.4	28	1	1	3	5	9	12	26
50-64	1747	5.7	57	1	1	3	6	11	17	37
65+	1834	7.9	88	1	2	5	10	18	25	49
GRAND TOTAL	8822	5.0	42	1	1	3	5	10	15	33

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	10.9	37	3	4	10	16	20	20	20
20-34	10	4.0	5	1	1	4	6	7	7	7
35-49	9	10.2	60	2	3	8	12	23	28	28
50-64	25	13.7	167	3	5	11	14	27	40	66
65+	57	9.0	67	1	2	7	11	18	32	35
B. *Operated*										
0-19 YRS	83	6.8	95	1	1	4	8	14	23	59
20-34	158	6.8	55	1	1	4	9	17	21	43
35-49	116	11.2	181	1	2	6	14	26	35	74
50-64	232	17.4	255	2	2	13	24	39	52	70
65+	569	18.5	216	3	5	14	24	38	49	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.7	34	<1	<1	6	13	16	17	17
20-34	15	6.6	27	<1	1	4	12	14	15	15
35-49	42	13.4	109	3	4	10	15	27	41	46
50-64	130	13.1	155	2	3	10	16	24	29	73
65+	543	13.2	152	3	4	10	16	27	38	74
B. *Operated*										
0-19 YRS	67	9.4	142	1	1	4	13	29	39	92
20-34	164	12.2	155	2	2	8	18	29	43	99+
35-49	292	20.3	309	2	3	15	28	46	56	87
50-64	1132	23.9	318	4	6	19	32	50	63	99
65+	3363	25.7	337	6	8	21	34	55	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	9.9	87	1	2	8	12	20	30	48
B. *Operated*	1158	15.1	212	2	2	11	20	34	45	74
2. MULTIPLE DX										
A. *Not Operated*	740	13.0	146	2	4	10	16	25	37	72
B. *Operated*	5018	24.3	332	4	6	20	32	52	69	99+
1. SINGLE DX	1266	14.7	203	2	2	11	19	33	43	73
2. MULTIPLE DX	5758	22.9	323	3	6	18	30	49	66	99+
A. NOT OPERATED	848	12.6	140	2	3	9	15	25	35	69
B. OPERATED	6176	22.6	322	3	5	18	30	49	65	99+
TOTAL 0-19 YRS	167	8.0	108	1	1	4	10	21	28	72
20-34	347	9.3	107	1	2	5	12	23	29	65
35-49	459	17.2	270	2	2	12	24	40	51	86
50-64	1519	21.8	305	3	5	17	30	48	59	92
65+	4532	23.1	318	4	7	18	30	49	67	99+
GRAND TOTAL	7024	21.4	311	2	4	17	29	47	63	99+

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	386	3.0	5	1	1	2	4	5	6	11
20-34	2653	3.2	5	1	1	3	4	6	7	10
35-49	7208	3.4	5	1	1	3	4	6	7	11
50-64	5982	3.6	6	1	1	3	5	7	8	12
65+	2320	3.9	11	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	16	3.6	4	1	2	3	5	7	7	7
20-34	308	3.7	11	1	2	2	4	7	9	18
35-49	1855	3.2	6	1	2	2	3	6	8	13
50-64	2012	3.2	11	1	2	2	3	6	8	14
65+	382	3.9	22	1	2	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	3.5	5	1	1	3	5	6	8	11
20-34	4152	4.1	10	1	1	3	5	7	9	15
35-49	13883	4.4	10	1	2	4	6	8	10	16
50-64	18498	4.7	12	1	2	4	6	8	11	17
65+	12742	5.5	19	2	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	36	5.9	39	1	1	4	8	12	19	32
20-34	481	5.8	20	2	2	4	8	12	14	22
35-49	2748	5.5	25	2	2	4	7	11	15	24
50-64	4379	5.6	27	2	2	4	8	12	16	25
65+	1504	8.3	65	2	2	6	11	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18549	3.5	6	1	1	3	4	6	8	12
B. *Operated*	4573	3.3	10	1	2	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	49729	4.8	13	1	2	4	6	9	11	18
B. *Operated*	9148	6.0	33	2	2	4	8	13	17	27
1. SINGLE DX	23122	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	58877	5.0	16	1	2	4	6	9	12	20
A. NOT OPERATED	68278	4.4	11	1	2	4	6	8	10	16
B. OPERATED	13721	5.1	27	1	2	3	7	11	15	24
TOTAL 0-19 YRS	892	3.3	7	1	1	3	4	6	8	12
20-34	7594	3.9	10	1	1	3	5	7	9	15
35-49	25694	4.2	10	1	2	3	5	8	10	16
50-64	30871	4.6	13	1	2	4	6	8	11	18
65+	16948	5.5	23	1	2	4	7	10	14	23
GRAND TOTAL	81999	4.5	14	1	2	4	6	8	11	18

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1188	3.3	13	1	1	2	4	7	9	15
20-34	222	3.0	5	<1	1	2	4	6	7	10
35-49	247	3.4	8	<1	1	3	4	7	8	13
50-64	274	4.1	11	1	1	3	5	8	11	16
65+	352	5.3	36	1	1	4	7	10	14	29
B. *Operated*										
0-19 YRS	91	4.8	68	1	1	2	5	9	11	54
20-34	169	3.9	12	<1	1	3	5	8	12	15
35-49	312	4.1	12	1	1	3	6	9	10	21
50-64	541	4.1	11	1	1	3	5	9	10	17
65+	437	4.8	19	1	1	3	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1246	4.4	22	1	1	3	5	9	12	21
20-34	572	4.0	18	1	1	3	5	8	10	23
35-49	842	5.3	21	1	2	4	7	10	13	24
50-64	1959	6.9	41	1	2	5	9	14	17	32
65+	3297	7.9	51	2	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	113	9.5	171	1	1	5	10	20	37	68
20-34	255	6.4	33	1	2	5	8	14	16	23
35-49	562	6.8	49	1	2	5	8	14	19	33
50-64	1409	7.6	60	1	2	5	9	15	21	43
65+	1514	9.5	95	2	2	7	12	20	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2283	3.7	16	1	1	3	4	7	9	18
B. *Operated*	1550	4.3	17	1	1	3	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	7916	6.6	41	1	2	5	8	13	18	31
B. *Operated*	3853	8.2	75	1	2	6	10	17	23	45
1. SINGLE DX	3833	3.9	16	1	1	3	5	8	10	19
2. MULTIPLE DX	11769	7.1	52	1	2	5	9	15	20	36
A. NOT OPERATED	10199	5.9	36	1	1	4	7	12	16	29
B. OPERATED	5403	7.1	61	1	2	5	9	15	21	42
TOTAL 0-19 YRS	2638	4.1	27	1	1	3	5	8	11	23
20-34	1218	4.3	19	1	1	3	5	9	12	21
35-49	1963	5.3	27	1	1	4	7	10	14	25
50-64	4183	6.6	43	1	2	5	8	13	17	32
65+	5600	7.9	61	1	2	6	10	16	21	41
GRAND TOTAL	15602	6.3	45	1	1	4	8	13	18	33

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	363	2.3	2	1	1	2	3	4	5	8
20-34	1392	2.3	4	<1	1	2	3	4	5	8
35-49	1390	2.3	4	<1	1	2	3	4	6	10
50-64	944	2.6	3	1	1	2	3	5	6	9
65+	633	3.8	12	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	742	1.8	3	<1	<1	1	2	3	4	10
20-34	345	4.5	11	1	1	4	6	8	11	17
35-49	353	5.4	15	1	2	5	7	10	12	21
50-64	350	5.8	17	1	2	5	8	11	13	20
65+	393	7.5	31	1	2	6	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	3.5	22	1	1	3	4	6	7	11
20-34	1081	3.4	10	1	1	3	4	7	8	14
35-49	1208	3.9	10	1	1	3	5	7	9	17
50-64	1474	4.5	18	1	1	3	5	9	11	23
65+	2656	7.0	45	1	2	5	9	14	19	32
B. *Operated*										
0-19 YRS	751	2.6	11	<1	<1	2	3	5	8	17
20-34	524	6.3	29	1	2	5	8	12	15	26
35-49	711	7.2	37	1	2	6	9	14	18	32
50-64	1159	8.6	37	2	3	8	11	15	19	32
65+	2691	11.6	80	2	3	9	15	22	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4722	2.6	5	1	1	2	3	5	6	10
B. *Operated*	2183	4.5	18	<1	1	3	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	6736	5.2	29	1	1	4	6	10	14	27
B. *Operated*	5836	8.8	62	1	2	7	12	18	23	40
1. SINGLE DX	6905	3.2	10	1	1	2	4	7	9	15
2. MULTIPLE DX	12572	6.9	47	1	1	5	9	14	19	34
A. NOT OPERATED	11458	4.1	20	1	1	3	5	8	11	23
B. OPERATED	8019	7.7	54	1	1	6	10	16	21	36
TOTAL 0-19 YRS	2173	2.4	8	<1	1	2	3	5	6	13
20-34	3342	3.5	13	1	1	2	4	7	9	18
35-49	3662	4.1	17	1	1	3	5	8	11	21
50-64	3927	5.4	25	1	1	4	7	11	14	25
65+	6373	8.6	63	1	2	6	11	18	23	40
GRAND TOTAL	19477	5.6	37	1	1	4	7	12	17	30

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9335	2.6	3	1	1	2	3	5	6	9
20-34	9560	3.2	7	1	1	3	4	6	8	12
35-49	4879	3.7	8	1	1	3	5	7	8	14
50-64	3312	4.0	9	1	1	3	5	8	9	14
65+	2360	4.4	11	1	1	4	6	8	10	17
B. *Operated*										
0-19 YRS	1116	4.0	7	1	2	3	5	7	9	13
20-34	1820	4.6	12	1	1	4	6	8	12	18
35-49	828	5.3	19	1	1	4	7	10	13	22
50-64	475	6.1	23	1	2	5	8	12	15	25
65+	252	7.1	28	1	2	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5484	3.1	6	1	1	3	4	6	7	12
20-34	9128	4.1	12	1	1	3	5	8	10	17
35-49	6645	5.0	16	1	2	4	6	9	12	20
50-64	7184	5.5	18	1	2	4	7	10	13	20
65+	9266	6.3	26	2	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	802	5.2	13	1	2	4	6	9	12	20
20-34	2355	6.7	31	1	2	5	8	13	16	27
35-49	1585	8.6	49	2	2	7	11	16	20	34
50-64	1412	9.4	49	2	3	8	12	18	23	35
65+	1323	11.6	84	3	4	9	15	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29446	3.3	7	1	1	3	4	6	8	12
B. *Operated*	4491	4.9	15	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	37709	4.9	17	1	1	4	6	9	12	20
B. *Operated*	7477	8.2	50	2	2	6	10	16	21	35
1. SINGLE DX	33937	3.5	8	1	1	3	4	7	8	14
2. MULTIPLE DX	45186	5.5	24	1	2	4	7	11	14	24
A. NOT OPERATED	67155	4.2	13	1	1	3	5	8	10	18
B. OPERATED	11968	7.0	39	1	2	5	9	14	18	31
TOTAL 0-19 YRS	16737	3.0	5	1	1	2	4	5	7	11
20-34	22863	4.0	13	1	1	3	5	8	10	17
35-49	13937	5.0	19	1	1	4	6	9	12	21
50-64	12383	5.6	21	1	2	4	7	11	14	23
65+	13203	6.5	33	1	2	5	8	12	16	29
GRAND TOTAL	79123	4.6	16	1	1	3	6	9	12	21

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	866	3.0	6	1	1	2	4	6	7	12
20-34	546	3.4	12	1	1	3	4	7	8	14
35-49	412	3.7	12	1	1	3	5	7	9	19
50-64	433	3.9	13	1	1	3	5	8	10	17
65+	544	4.7	20	1	1	3	6	10	13	24
B. *Operated*										
0-19 YRS	66	4.1	13	1	1	3	5	9	10	20
20-34	206	5.3	34	1	1	4	6	10	15	32
35-49	195	5.2	23	1	1	3	7	12	14	25
50-64	222	5.1	26	1	1	3	7	11	16	29
65+	185	6.5	34	1	1	5	9	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1869	3.5	12	1	1	3	4	6	8	15
20-34	1344	4.4	17	1	1	3	5	8	11	21
35-49	1420	5.8	30	1	1	4	7	12	16	25
50-64	2265	6.4	34	1	2	5	8	13	16	31
65+	4596	7.3	39	2	2	6	9	14	19	32
B. *Operated*										
0-19 YRS	155	7.3	48	1	1	5	9	14	20	35
20-34	552	7.5	51	1	2	6	9	14	20	36
35-49	611	9.0	74	1	2	7	11	18	22	40
50-64	798	10.1	88	1	2	8	13	21	28	50
65+	1033	12.7	140	2	3	10	16	26	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2801	3.6	12	1	1	3	4	7	9	16
B. *Operated*	874	5.4	28	1	1	4	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	11494	6.0	32	1	2	4	7	12	16	29
B. *Operated*	3149	10.1	98	1	2	8	13	21	28	52
1. SINGLE DX	3675	4.1	16	1	1	3	5	8	11	20
2. MULTIPLE DX	14643	6.9	49	1	2	5	8	14	19	36
A. NOT OPERATED	14295	5.5	29	1	1	4	7	11	15	27
B. OPERATED	4023	9.1	87	1	2	7	11	19	26	47
TOTAL 0-19 YRS	2956	3.6	13	1	1	3	4	7	9	17
20-34	2648	4.9	26	1	1	3	6	9	13	25
35-49	2638	6.2	40	1	1	4	8	13	17	30
50-64	3718	6.8	46	1	2	5	9	14	19	36
65+	6356	7.9	59	1	2	6	10	16	22	39
GRAND TOTAL	18318	6.3	44	1	1	4	8	13	18	34

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6185	4.0	24	1	1	3	5	7	10	25
20-34	4668	4.4	30	<1	1	3	5	8	12	26
35-49	3731	5.2	41	1	1	4	6	9	15	31
50-64	4339	5.4	42	1	1	4	6	11	15	32
65+	4863	6.1	45	1	2	4	7	12	18	35
B. *Operated*										
0-19 YRS	562	3.3	18	<1	1	2	3	7	10	16
20-34	1302	3.8	25	1	1	2	4	8	11	25
35-49	1182	4.1	23	<1	1	2	5	9	13	24
50-64	1307	4.7	31	1	1	3	6	10	16	28
65+	851	6.4	62	1	1	3	8	14	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6519	5.2	27	1	1	4	6	10	14	26
20-34	5728	4.7	17	1	1	4	6	9	11	21
35-49	6963	5.4	21	1	2	4	7	10	13	24
50-64	13414	6.4	34	1	2	5	8	12	16	29
65+	29409	7.6	47	2	2	6	9	15	20	35
B. *Operated*										
0-19 YRS	558	6.9	79	1	1	4	8	15	24	56
20-34	1339	5.9	51	1	1	4	7	12	17	43
35-49	1633	6.9	71	1	1	4	9	14	20	49
50-64	2870	9.4	112	1	2	6	12	21	30	74
65+	4302	12.7	155	2	3	9	16	27	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23786	5.0	36	1	1	3	6	9	14	31
B. *Operated*	5204	4.5	32	1	1	2	5	10	14	29
2. MULTIPLE DX										
A. *Not Operated*	62033	6.6	38	1	2	5	8	13	17	31
B. *Operated*	10702	9.8	120	1	2	7	12	21	31	69
1. SINGLE DX	28990	4.9	36	1	1	3	6	10	14	30
2. MULTIPLE DX	72735	7.1	51	1	2	5	9	14	19	38
A. NOT OPERATED	85819	6.1	38	1	2	4	7	12	17	31
B. OPERATED	15906	8.0	98	1	2	5	10	18	26	58
TOTAL 0-19 YRS	13824	4.6	28	1	1	3	5	9	13	27
20-34	13037	4.6	26	1	1	3	6	9	12	26
35-49	13509	5.4	33	1	1	4	7	10	14	28
50-64	21930	6.5	47	1	2	5	8	13	18	35
65+	39425	8.0	62	2	2	6	10	16	22	43
GRAND TOTAL	101725	6.4	48	1	2	4	8	13	18	36

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1646	2.4	4	1	1	2	3	5	6	11
20-34	219	4.4	16	1	1	3	5	10	13	22
35-49	67	5.1	15	1	1	4	7	10	12	18
50-64	39	6.3	75	1	1	3	8	15	18	50
65+	32	6.3	28	1	1	5	8	14	19	22
B. *Operated*										
0-19 YRS	258	6.2	56	1	2	5	7	10	13	35
20-34	131	8.7	57	2	3	7	10	14	24	45
35-49	39	8.8	49	2	3	7	12	17	23	34
50-64	25	11.0	95	2	4	9	12	19	26	52
65+	11	19.2	291	1	3	12	34	46	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1184	4.0	20	1	1	3	5	8	11	24
20-34	358	6.4	40	1	1	5	9	14	16	26
35-49	163	7.2	43	1	2	5	9	16	23	37
50-64	168	8.6	84	1	2	6	11	21	29	64
65+	152	12.0	143	2	2	8	16	25	32	64
B. *Operated*										
0-19 YRS	466	13.4	231	1	2	8	18	36	59	99+
20-34	454	16.4	346	2	3	10	20	52	86	99+
35-49	182	16.2	236	2	3	11	20	43	52	99+
50-64	127	17.1	250	2	3	12	25	44	69	99+
65+	88	25.4	542	2	3	16	39	69	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2003	2.8	9	1	1	2	3	6	8	15
B. *Operated*	464	7.7	68	2	2	6	9	13	20	45
2. MULTIPLE DX										
A. *Not Operated*	2025	5.7	45	1	1	4	7	12	18	33
B. *Operated*	1317	16.0	301	2	3	10	21	44	74	99+
1. SINGLE DX	2467	3.7	23	1	1	2	4	8	11	22
2. MULTIPLE DX	3342	9.7	172	1	1	5	11	25	42	99+
A. NOT OPERATED	4028	4.3	29	1	1	2	5	9	13	26
B. OPERATED	1781	13.8	254	2	2	8	17	38	59	99+
TOTAL 0-19 YRS	3554	4.6	55	1	1	2	5	9	15	46
20-34	1162	10.2	183	1	1	6	12	24	44	99+
35-49	451	10.6	138	1	2	7	13	26	39	98
50-64	359	11.5	159	1	2	8	14	30	43	99+
65+	283	15.8	305	1	2	9	21	42	56	93
GRAND TOTAL	**5809**	**7.2**	**117**	**1**	**1**	**4**	**8**	**16**	**29**	**81**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	769	3.0	6	1	1	2	4	6	7	13
20-34	262	4.3	12	1	1	3	6	9	11	13
35-49	86	3.9	7	1	1	3	5	8	10	12
50-64	52	5.2	19	1	1	4	6	12	16	20
65+	27	7.7	31	1	1	7	12	15	16	23
B. *Operated*										
0-19 YRS	106	8.1	79	2	2	6	9	13	25	51
20-34	78	7.4	106	2	2	6	8	15	35	99+
35-49	37	6.2	20	1	2	5	8	13	16	18
50-64	22	8.3	30	1	2	7	13	16	17	17
65+	14	12.2	60	4	5	9	17	23	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	770	5.1	32	1	1	3	6	11	15	32
20-34	531	7.0	47	1	2	5	9	14	20	36
35-49	230	7.6	68	1	2	5	10	14	23	38
50-64	173	9.3	65	1	3	7	12	21	24	40
65+	169	11.6	100	2	3	8	16	25	31	50
B. *Operated*										
0-19 YRS	301	13.3	228	1	2	8	16	33	52	99+
20-34	391	15.5	252	2	3	10	20	45	58	99+
35-49	148	15.1	257	2	3	11	20	47	86	99+
50-64	102	18.5	304	2	3	14	26	43	55	98
65+	69	23.6	411	3	4	19	35	51	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1196	3.6	9	1	1	3	4	7	10	15
B. *Operated*	257	7.8	74	2	2	6	9	16	23	76
2. MULTIPLE DX										
A. *Not Operated*	1873	6.9	53	1	1	5	9	15	21	37
B. *Operated*	1011	15.7	267	2	3	10	21	42	61	99+
1. SINGLE DX	1453	4.3	23	1	1	3	5	9	12	22
2. MULTIPLE DX	2884	10.0	146	1	2	6	12	24	37	84
A. NOT OPERATED	3069	5.6	39	1	1	4	7	12	17	31
B. OPERATED	1268	14.1	238	2	2	9	18	37	54	99+
TOTAL 0-19 YRS	1946	5.7	67	1	1	3	6	12	19	48
20-34	1262	9.1	126	1	2	6	11	21	35	82
35-49	501	9.1	126	1	2	6	11	21	33	99+
50-64	349	11.3	148	1	2	7	15	25	33	64
65+	279	14.2	197	2	3	10	19	31	43	74
GRAND TOTAL	**4337**	**8.1**	**112**	**1**	**1**	**5**	**10**	**18**	**29**	**70**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	2.1	3	<1	1	2	3	4	5	10
20-34	321	2.3	3	<1	<1	2	3	5	6	9
35-49	127	2.5	4	<1	<1	2	3	5	7	10
50-64	59	2.2	2	1	1	2	3	4	5	8
65+	57	5.2	28	<1	1	3	7	9	18	26
B. *Operated*										
0-19 YRS	4324	2.2	3	<1	<1	2	3	4	5	8
20-34	5252	2.8	5	<1	1	2	3	5	7	11
35-49	1425	3.3	8	1	1	2	4	6	8	14
50-64	489	3.8	10	1	1	3	5	7	10	16
65+	243	5.2	26	1	1	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	2.7	8	<1	1	2	3	5	7	11
20-34	818	3.1	9	<1	1	2	4	6	8	15
35-49	345	3.8	11	<1	1	3	5	8	10	17
50-64	256	5.0	49	1	1	4	6	10	13	29
65+	578	7.5	62	1	2	5	9	15	21	36
B. *Operated*										
0-19 YRS	2997	4.2	21	1	1	3	5	8	11	21
20-34	5321	5.1	31	1	1	4	6	10	13	30
35-49	1816	6.2	40	1	2	4	8	12	16	31
50-64	937	7.2	59	1	2	5	9	14	21	47
65+	673	11.0	143	2	2	7	14	24	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	789	2.5	5	<1	<1	2	3	5	7	11
B. *Operated*	11733	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	2403	4.4	30	<1	1	3	5	9	12	25
B. *Operated*	11744	5.6	41	1	1	4	7	11	15	33
1. SINGLE DX	12522	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	14147	5.4	39	1	1	4	6	11	15	32
A. NOT OPERATED	3192	3.9	24	<1	1	3	5	8	11	22
B. OPERATED	23477	4.2	25	1	1	3	5	8	12	25
TOTAL 0-19 YRS	7952	3.0	11	<1	1	2	3	6	8	14
20-34	11712	3.9	18	1	1	3	5	7	10	19
35-49	3713	4.7	26	1	1	3	6	10	13	25
50-64	1741	5.7	44	1	1	4	7	12	16	34
65+	1551	8.6	96	1	2	6	10	18	26	56
GRAND TOTAL	26669	4.1	25	1	1	3	5	8	12	25

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	999	5.2	21	1	1	4	7	10	13	23
20-34	1927	5.9	22	1	2	5	7	11	14	23
35-49	960	6.5	24	1	2	5	8	12	15	23
50-64	1172	8.1	35	2	3	7	10	15	19	28
65+	1941	10.4	41	3	4	9	13	18	22	31
B. *Operated*										
0-19 YRS	142	13.8	118	3	4	11	19	29	37	57
20-34	330	14.0	140	2	3	12	19	28	38	63
35-49	117	13.4	131	3	4	11	16	23	35	62
50-64	89	14.5	168	2	3	12	19	25	35	69
65+	73	19.1	185	4	6	17	22	37	50	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	813	6.3	35	1	2	5	7	12	17	30
20-34	1729	7.3	38	1	2	6	9	14	18	32
35-49	1099	8.5	49	2	2	7	10	16	21	34
50-64	1918	10.8	68	3	3	9	14	20	26	42
65+	8122	13.1	81	3	5	11	16	24	30	51
B. *Operated*										
0-19 YRS	325	14.0	167	2	3	10	18	30	43	99+
20-34	802	16.6	239	3	4	12	21	37	49	81
35-49	393	17.9	245	3	4	13	24	43	51	99+
50-64	399	18.9	209	4	5	15	25	40	48	86
65+	858	23.0	259	5	8	19	30	45	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6999	7.5	34	1	2	5	10	14	18	28
B. *Operated*	751	14.4	144	2	4	12	19	28	38	62
2. MULTIPLE DX										
A. *Not Operated*	13681	11.2	75	2	3	9	14	21	27	46
B. *Operated*	2777	18.8	242	3	5	14	25	40	53	97
1. SINGLE DX	7750	8.1	48	1	2	6	10	16	20	34
2. MULTIPLE DX	16458	12.5	111	2	3	10	16	25	33	59
A. NOT OPERATED	20680	10.0	64	2	3	8	13	19	25	42
B. OPERATED	3528	17.9	225	3	4	14	23	38	49	91
TOTAL 0-19 YRS	2279	7.4	64	1	2	5	9	15	22	42
20-34	4788	8.7	88	1	2	6	10	18	25	51
35-49	2569	9.4	89	2	2	7	11	18	27	51
50-64	3578	10.9	86	2	3	8	14	21	28	49
65+	10994	13.4	98	3	5	11	17	25	32	57
GRAND TOTAL	24208	11.1	95	2	3	9	14	22	29	53

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	7.5	71	1	1	5	9	18	23	44
20-34	65	11.0	234	1	1	6	9	35	44	83
35-49	39	6.5	23	1	1	5	10	14	17	99+
50-64	35	10.1	56	2	3	8	13	21	26	32
65+	53	9.9	32	4	4	8	12	16	22	32
B. *Operated*										
0-19 YRS	31	29.0	457	8	10	22	45	71	84	99+
20-34	72	21.3	270	4	5	16	31	50	59	99+
35-49	23	18.0	152	3	5	14	32	35	36	36
50-64	17	24.7	429	5	8	19	28	49	76	90
65+	9	31.8	795	<1	4	26	44	76	94	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	16.7	611	<1	1	9	13	61	81	88
20-34	79	11.0	203	1	2	7	13	29	55	99+
35-49	52	13.2	217	2	3	9	14	24	48	85
50-64	62	12.1	86	3	4	10	15	20	33	51
65+	216	14.0	119	4	5	11	16	24	43	85
B. *Operated*										
0-19 YRS	109	38.1	586	9	11	36	58	95	99+	99+
20-34	179	39.9	744	6	10	39	77	99+	99+	99+
35-49	64	37.6	613	5	8	38	70	99+	99+	99+
50-64	44	39.8	629	8	14	40	74	99+	99+	99+
65+	53	32.0	515	6	9	27	49	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	9.3	99	1	2	7	11	19	28	62
B. *Operated*	152	23.4	345	4	6	18	33	51	73	99+
2. MULTIPLE DX										
A. *Not Operated*	434	13.2	169	2	3	10	15	25	46	96
B. *Operated*	449	38.2	649	7	10	37	68	99+	99+	99+
1. SINGLE DX	381	14.9	244	1	2	10	19	35	50	98
2. MULTIPLE DX	883	25.9	569	3	5	18	44	83	99+	99+
A. NOT OPERATED	663	11.9	149	2	3	9	14	23	39	88
B. OPERATED	601	34.5	613	5	9	31	59	97	99+	99+
TOTAL 0-19 YRS	202	28.4	616	2	3	21	46	76	96	99+
20-34	395	26.0	638	2	3	18	50	88	99+	99+
35-49	178	21.1	469	2	3	13	35	73	99+	99+
50-64	158	20.7	420	3	4	14	28	58	91	99+
65+	331	16.7	239	4	5	12	20	41	57	99+
GRAND TOTAL	1264	22.6	496	2	4	15	35	73	99	99+

346: Fracture of ribs, sternum, larynx, and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.6	5	1	1	2	3	5	7	13
20-34	317	3.2	6	1	1	2	4	6	8	11
35-49	396	3.6	6	1	1	3	5	7	8	13
50-64	535	4.2	9	1	1	3	6	8	10	15
65+	596	6.1	25	1	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	11	6.1	24	2	2	4	7	14	18	18
20-34	24	6.8	44	1	1	5	8	18	24	27
35-49	19	6.6	25	2	2	5	8	13	17	20
50-64	21	7.7	35	1	2	6	9	16	23	24
65+	11	10.1	52	2	3	8	16	21	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	4.7	39	1	1	3	6	9	12	24
20-34	1329	4.7	15	1	1	4	6	9	11	20
35-49	1611	6.0	24	1	2	5	8	11	14	24
50-64	2515	7.0	28	1	2	6	9	13	17	28
65+	4955	9.6	64	2	3	8	12	18	24	41
B. *Operated*										
0-19 YRS	165	10.9	174	2	3	7	12	23	37	82
20-34	594	10.5	105	2	3	7	12	23	32	53
35-49	571	10.9	94	2	3	8	13	22	31	50
50-64	633	13.7	154	3	4	10	17	28	41	66
65+	749	17.4	203	3	5	13	23	37	50	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1961	4.4	14	1	1	3	6	9	11	18
B. *Operated*	86	7.3	36	1	2	6	9	18	22	26
2. MULTIPLE DX										
A. *Not Operated*	10786	7.7	46	1	2	6	10	15	20	34
B. *Operated*	2712	13.3	153	2	3	9	17	29	40	70
1. SINGLE DX	2047	4.5	15	1	1	3	6	9	11	20
2. MULTIPLE DX	13500	8.8	73	2	2	7	11	18	24	47
A. NOT OPERATED	12749	7.2	43	1	2	6	9	14	19	33
B. OPERATED	2798	13.1	151	2	3	9	16	28	39	70
TOTAL 0-19 YRS	671	5.9	74	1	1	4	7	12	16	45
20-34	2264	6.0	45	1	1	4	7	11	17	36
35-49	2597	6.7	42	1	2	5	8	13	18	34
50-64	3704	7.8	55	1	2	6	10	15	20	40
65+	6311	10.2	85	2	3	8	13	20	27	51
GRAND TOTAL	15547	8.3	67	1	2	6	10	17	23	44

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	451	6.3	35	1	2	5	8	12	17	35
20-34	425	9.2	96	2	2	6	10	17	28	54
35-49	223	9.3	50	1	2	8	12	17	21	37
50-64	433	10.9	80	2	3	8	13	20	28	48
65+	1651	13.1	76	3	5	11	17	23	28	44
B. *Operated*										
0-19 YRS	39	17.1	303	2	3	14	24	37	57	80
20-34	38	24.8	286	4	6	21	35	49	57	66
35-49	28	28.1	253	9	11	23	36	47	64	69
50-64	22	30.5	400	3	6	28	47	62	67	68
65+	26	19.0	71	8	9	17	24	34	35	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	509	10.3	105	2	3	7	12	21	31	57
20-34	831	12.6	131	2	3	9	15	26	39	58
35-49	447	14.6	124	3	4	11	20	31	38	55
50-64	762	15.3	138	3	5	12	19	28	40	58
65+	4759	16.7	129	4	6	14	21	30	38	67
B. *Operated*										
0-19 YRS	306	21.4	320	3	5	15	29	49	58	83
20-34	543	25.0	364	4	6	20	37	54	65	99+
35-49	237	27.0	362	5	7	21	39	55	67	96
50-64	263	29.4	410	5	8	24	40	62	74	99
65+	585	28.4	320	8	11	24	38	55	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3183	11.0	78	2	3	9	14	21	27	44
B. *Operated*	153	23.3	282	3	4	20	33	47	60	69
2. MULTIPLE DX										
A. *Not Operated*	7308	15.5	132	3	5	13	20	29	38	62
B. *Operated*	1934	26.3	356	5	7	21	38	54	67	99+
1. SINGLE DX	3336	11.6	94	2	3	9	15	23	29	49
2. MULTIPLE DX	9242	17.8	198	4	5	14	23	36	48	78
A. NOT OPERATED	10491	14.2	120	3	4	12	18	27	35	59
B. OPERATED	2087	26.1	351	5	7	21	37	54	66	96
TOTAL 0-19 YRS	1305	11.7	170	2	2	7	13	27	42	68
20-34	1837	15.7	236	2	3	10	20	39	50	78
35-49	935	16.9	216	3	4	12	22	39	49	77
50-64	1480	16.7	215	3	4	12	20	37	51	75
65+	7021	16.8	147	4	6	14	21	31	40	72
GRAND TOTAL	**12578**	**16.1**	**178**	**3**	**4**	**12**	**20**	**33**	**45**	**74**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	825	3.7	30	<1	1	2	3	10	16	24
20-34	235	3.5	22	<1	1	2	4	6	9	29
35-49	170	4.0	24	1	1	3	4	7	11	25
50-64	444	4.6	26	1	1	3	5	9	15	29
65+	1370	6.4	50	1	1	5	8	13	17	32
B. *Operated*										
0-19 YRS	4310	4.4	28	1	1	2	4	12	17	24
20-34	687	5.1	36	1	1	4	6	9	15	31
35-49	491	5.1	23	1	1	4	6	9	12	32
50-64	771	6.0	32	1	2	5	7	11	17	32
65+	1251	7.9	53	1	2	6	10	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	4.9	27	1	1	3	6	12	17	24
20-34	228	5.3	27	1	1	4	7	11	14	35
35-49	208	6.4	53	1	1	4	8	13	18	45
50-64	714	8.1	75	1	2	6	9	17	24	42
65+	3424	11.0	100	2	3	8	14	23	31	55
B. *Operated*										
0-19 YRS	1189	7.7	72	1	1	4	10	19	25	41
20-34	692	11.1	144	2	2	7	14	26	35	71
35-49	513	11.2	158	1	2	7	13	27	39	71
50-64	932	11.6	151	1	2	8	14	26	37	68
65+	2331	14.9	173	2	4	11	20	33	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3044	5.1	39	1	1	3	6	11	16	29
B. *Operated*	7510	5.2	35	1	1	3	6	12	18	28
2. MULTIPLE DX										
A. *Not Operated*	4870	9.8	91	1	2	7	12	21	28	51
B. *Operated*	5657	12.1	151	1	2	8	16	27	38	68
1. SINGLE DX	10554	5.2	36	1	1	3	6	12	18	28
2. MULTIPLE DX	10527	11.0	124	1	2	7	14	24	34	62
A. NOT OPERATED	7914	8.0	76	1	1	5	10	18	24	44
B. OPERATED	13167	8.2	96	1	1	5	10	20	27	53
TOTAL 0-19 YRS	6620	4.9	38	1	1	3	5	13	19	27
20-34	1842	7.2	83	1	1	4	8	16	26	58
35-49	1382	7.4	86	1	1	5	8	16	25	54
50-64	2861	8.1	88	1	2	5	9	18	26	50
65+	8376	10.9	114	2	2	8	14	23	33	61
GRAND TOTAL	**21081**	**8.1**	**88**	**1**	**1**	**5**	**10**	**19**	**26**	**50**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	477	1.8	4	<1	<1	1	2	3	4	7
20-34	176	2.5	3	<1	1	2	3	5	6	10
35-49	95	2.5	4	<1	<1	2	3	5	6	10
50-64	165	3.1	11	<1	1	2	3	6	8	13
65+	328	4.2	24	1	1	3	5	9	12	18
B. *Operated*										
0-19 YRS	8716	1.9	4	<1	1	1	2	4	5	8
20-34	2645	3.3	7	1	1	3	4	6	7	14
35-49	1710	3.2	6	1	1	3	4	6	7	13
50-64	2583	3.1	7	1	1	2	4	6	8	14
65+	2599	3.8	14	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	2.6	6	1	1	2	3	5	7	11
20-34	310	4.0	12	1	1	3	5	8	11	19
35-49	222	4.6	17	1	1	3	6	9	12	19
50-64	324	6.2	43	1	1	4	8	14	22	32
65+	989	9.2	72	1	2	7	12	20	26	86
B. *Operated*										
0-19 YRS	1799	4.3	35	1	1	3	5	9	14	29
20-34	1787	6.9	62	1	2	5	8	14	20	48
35-49	1187	7.0	72	1	2	4	8	15	22	49
50-64	1683	6.5	53	1	2	4	8	13	18	42
65+	2815	9.0	93	1	2	6	11	20	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1241	2.8	11	<1	1	2	3	6	8	15
B. *Operated*	18253	2.7	7	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	2157	6.6	51	1	1	4	8	15	21	38
B. *Operated*	9271	7.0	69	1	1	4	[illegible]	15	22	47
1. SINGLE DX	19494	2.7	7	1	1	2	3	5	7	13
2. MULTIPLE DX	11428	6.9	65	1	1	4	8	15	22	46
A. NOT OPERATED	3398	5.2	40	1	1	3	6	12	18	34
B. OPERATED	27524	4.1	32	1	1	2	5	8	13	29
TOTAL 0-19 YRS	11304	2.3	9	1	1	1	2	4	6	14
20-34	4918	4.7	30	1	1	3	5	9	13	29
35-49	3214	4.7	34	1	1	3	5	9	14	31
50-64	4755	4.5	29	1	1	3	5	9	13	28
65+	6731	6.8	63	1	1	4	8	15	22	45
GRAND TOTAL	30922	4.2	33	1	1	3	5	9	14	30

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.1	2	<1	1	2	3	4	5	7
20-34	169	2.8	5	<1	<1	2	4	5	8	10
35-49	61	2.9	8	<1	1	2	3	6	8	17
50-64	53	3.3	6	<1	1	2	4	6	9	12
65+	84	4.1	13	<1	1	3	6	8	9	22
B. *Operated*										
0-19 YRS	2732	1.9	2	<1	1	2	2	3	4	8
20-34	3268	2.2	3	<1	1	2	3	4	5	9
35-49	1216	2.4	6	<1	1	2	3	4	6	10
50-64	751	2.8	12	<1	1	2	3	5	7	14
65+	425	3.1	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	3.7	15	<1	1	3	4	8	11	21
20-34	223	3.7	19	<1	1	3	4	8	10	19
35-49	114	4.8	23	1	1	4	6	9	14	31
50-64	130	7.3	51	1	2	5	9	15	19	37
65+	369	9.6	94	1	2	7	12	20	29	68
B. *Operated*										
0-19 YRS	970	3.4	15	1	1	2	4	7	10	19
20-34	1808	4.0	26	1	1	3	4	8	11	25
35-49	885	4.2	24	1	1	3	5	8	13	29
50-64	721	4.5	34	1	1	3	5	9	12	34
65+	606	7.2	67	1	1	4	9	16	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	494	2.9	7	<1	1	2	4	6	8	11
B. *Operated*	8392	2.2	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	986	6.5	58	1	1	4	8	14	20	42
B. *Operated*	4990	4.4	31	1	1	3	5	9	13	29
1. SINGLE DX	8886	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	5976	4.7	36	1	1	3	5	10	15	32
A. NOT OPERATED	1480	5.3	44	1	1	3	6	11	16	34
B. OPERATED	13382	3.0	15	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	3979	2.4	6	<1	1	2	3	4	6	13
20-34	5468	2.9	12	<1	1	2	3	5	8	15
35-49	2276	3.2	15	<1	1	2	4	6	9	22
50-64	1655	3.9	26	1	1	2	4	8	11	27
65+	1484	6.4	60	1	1	4	8	14	20	41
GRAND TOTAL	14862	3.3	19	<1	1	2	3	6	10	21

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	15.7	221	1	2	12	24	35	46	65
20-34	56	13.8	308	1	2	6	17	46	61	69
35-49	64	13.3	330	1	1	6	14	41	57	87
50-64	181	11.0	175	1	2	8	12	21	29	88
65+	936	12.0	136	1	2	9	15	23	31	66
B. Operated										
0-19 YRS	395	13.1	124	3	4	10	16	35	35	57
20-34	296	14.0	130	4	5	11	16	25	42	61
35-49	506	13.2	98	4	6	11	15	22	33	54
50-64	2294	14.2	56	6	7	13	17	22	28	43
65+	14399	18.0	87	8	9	16	21	28	35	61
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	18.4	208	2	2	17	30	37	44	86
20-34	71	17.9	494	1	2	9	19	62	68	82
35-49	92	13.2	213	1	2	9	19	39	52	99+
50-64	286	16.1	257	1	3	11	21	38	50	86
65+	2487	17.2	229	2	4	14	22	37	53	99+
B. Operated										
0-19 YRS	312	21.0	297	3	5	16	28	44	63	97
20-34	622	23.3	344	5	7	17	30	55	71	99+
35-49	675	20.7	236	6	8	16	25	41	56	99
50-64	3237	20.6	186	8	9	17	25	37	51	96
65+	29506	22.8	178	9	11	19	27	40	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1430	12.5	169	1	2	9	16	26	38	69
B. Operated	17890	17.2	88	7	8	15	20	27	35	58
2. MULTIPLE DX										
A. Not Operated	3025	17.0	237	2	4	13	22	38	53	99+
B. Operated	34352	22.5	184	9	11	19	27	40	54	99+
1. SINGLE DX	19320	16.9	95	6	8	15	20	27	35	59
2. MULTIPLE DX	37377	22.1	191	8	10	19	27	40	54	99+
A. NOT OPERATED	4455	15.6	219	1	3	12	20	34	49	96
B. OPERATED	52242	20.7	158	8	10	17	25	36	48	92
TOTAL 0-19 YRS	989	16.6	216	2	3	12	22	36	48	75
20-34	1045	19.7	309	3	5	14	25	48	63	99+
35-49	1337	17.0	200	4	5	13	20	35	48	91
50-64	5998	17.6	150	6	7	15	21	31	42	79
65+	47328	20.8	159	8	10	18	25	37	48	94
GRAND TOTAL	56697	20.3	164	7	9	17	24	36	48	92

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1677	19.2	186	1	2	19	26	35	44	61
20-34	154	23.5	526	1	2	13	43	60	68	88
35-49	82	19.4	341	<1	2	10	38	45	52	64
50-64	118	26.7	519	2	3	19	48	60	80	99+
65+	409	18.8	302	2	4	13	26	47	59	91
B. Operated										
0-19 YRS	1910	16.4	201	2	2	13	24	35	44	66
20-34	716	16.1	199	2	4	12	19	32	48	77
35-49	227	16.0	193	2	4	12	20	32	51	90
50-64	300	21.7	328	4	6	17	25	52	66	93
65+	951	21.0	184	7	9	17	26	38	53	99
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	659	23.1	251	2	3	22	31	43	52	81
20-34	196	25.4	585	1	2	16	42	62	77	97
35-49	108	24.7	556	2	3	18	42	71	87	99+
50-64	227	26.7	543	3	4	19	44	66	79	99+
65+	899	24.3	479	3	5	17	36	65	81	99+
B. Operated										
0-19 YRS	1734	24.9	305	3	5	21	34	50	62	93
20-34	1596	25.9	369	4	7	20	36	57	74	99+
35-49	457	27.5	451	4	6	23	40	68	93	99+
50-64	586	27.9	414	5	8	22	40	61	82	99+
65+	2096	28.1	340	9	11	27	38	63	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2440	19.7	251	1	2	18	27	42	51	74
B. Operated	4104	17.7	211	2	3	15	24	36	49	81
2. MULTIPLE DX										
A. Not Operated	2089	24.3	428	2	4	19	36	59	73	99+
B. Operated	6469	26.6	354	4	8	22	37	58	75	99+
1. SINGLE DX	6544	18.5	227	2	3	16	25	38	50	77
2. MULTIPLE DX	8558	26.1	373	4	6	21	36	58	74	99+
A. NOT OPERATED	4529	21.8	338	2	3	18	30	49	63	97
B. OPERATED	10573	23.2	317	3	5	19	31	51	67	99+
TOTAL 0-19 YRS	5980	20.4	245	2	3	19	28	41	51	76
20-34	2662	23.1	366	2	4	18	32	54	68	99+
35-49	874	23.4	410	3	4	18	34	60	80	99+
50-64	1231	26.1	432	4	6	20	37	60	76	99+
65+	4355	24.9	343	5	7	20	33	57	73	99+
GRAND TOTAL	15102	22.8	324	2	4	19	31	51	66	99+

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1450	2.9	7	1	1	2	4	5	7	12
20-34	755	4.1	14	1	1	3	5	8	11	22
35-49	460	5.0	22	1	1	4	6	9	13	23
50-64	505	7.2	56	1	2	5	9	14	18	36
65+	592	10.2	77	2	3	8	13	20	28	46
B. Operated										
0-19 YRS	3566	4.4	19	1	1	3	5	8	11	21
20-34	2722	7.1	47	1	2	5	8	14	18	38
35-49	1544	7.5	42	2	2	6	9	14	19	34
50-64	1329	9.5	72	2	3	7	11	18	27	46
65+	698	12.0	96	3	4	9	15	23	30	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	442	4.7	25	1	1	4	6	9	11	20
20-34	487	6.3	57	1	1	4	7	12	17	38
35-49	353	7.3	75	1	2	5	8	15	23	45
50-64	544	10.0	92	2	2	7	12	20	29	47
65+	1100	13.2	128	3	4	10	17	27	36	77
B. Operated										
0-19 YRS	1552	10.6	160	1	2	6	12	24	38	76
20-34	2303	14.1	213	2	3	9	17	33	51	99+
35-49	1166	14.7	223	2	3	10	18	33	49	95
50-64	1232	16.3	221	3	4	12	20	36	55	99+
65+	1204	19.2	246	4	5	15	25	41	56	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3762	5.1	35	1	1	3	6	11	15	30
B. Operated	9859	6.9	48	1	2	5	8	14	19	37
2. MULTIPLE DX										
A. Not Operated	2926	9.5	98	1	2	6	12	20	30	59
B. Operated	7457	14.6	217	2	3	10	18	34	50	99
1. SINGLE DX	13621	6.4	45	1	1	4	8	13	18	35
2. MULTIPLE DX	10383	13.2	189	2	3	9	16	30	44	90
A. NOT OPERATED	6688	7.0	67	1	1	4	9	15	22	44
B. OPERATED	17316	10.2	136	1	2	6	12	22	34	72
TOTAL 0-19 YRS	7010	5.5	56	1	1	3	6	11	16	44
20-34	6267	9.2	119	1	2	6	11	19	31	69
35-49	3523	9.5	117	2	2	6	11	20	29	67
50-64	3610	11.6	136	2	3	8	14	24	36	78
65+	3594	14.5	165	3	4	11	18	31	42	80
GRAND TOTAL	24004	9.3	119	1	2	6	11	20	31	67

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	676	2.8	8	<1	1	2	4	5	7	11
20-34	811	3.4	9	<1	1	3	4	7	9	16
35-49	636	3.9	8	1	1	3	5	7	10	18
50-64	723	4.9	14	1	1	4	6	9	12	19
65+	806	6.5	31	1	2	5	8	13	16	26
B. Operated										
0-19 YRS	3858	3.8	7	1	1	3	5	7	9	14
20-34	5749	4.9	11	1	2	4	6	8	11	17
35-49	3764	5.5	15	2	2	5	7	10	12	19
50-64	3753	6.6	22	2	3	6	8	11	14	22
65+	2312	8.9	49	2	3	7	11	16	20	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	425	4.3	24	1	1	3	5	9	12	23
20-34	771	5.0	24	1	1	4	6	10	13	23
35-49	554	6.2	31	1	1	4	7	13	16	30
50-64	888	7.1	36	1	2	5	9	14	18	31
65+	1728	10.1	69	2	3	8	12	19	26	56
B. Operated										
0-19 YRS	1849	7.0	66	2	2	5	7	13	19	48
20-34	3851	7.8	72	2	2	5	9	14	22	60
35-49	2447	8.3	69	2	3	6	10	15	21	49
50-64	2935	10.0	87	3	3	7	12	19	27	68
65+	2733	14.2	157	3	5	11	17	27	39	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3652	4.3	16	1	1	3	5	9	12	20
B. Operated	19436	5.6	20	1	2	5	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	4366	7.5	58	1	2	5	9	15	20	40
B. Operated	13815	9.5	97	2	3	7	11	19	27	58
1. SINGLE DX	23088	5.4	20	1	2	4	7	10	13	21
2. MULTIPLE DX	18181	9.0	88	2	2	6	11	18	26	55
A. NOT OPERATED	8018	6.1	42	1	1	4	8	12	17	31
B. OPERATED	33251	7.2	56	2	2	5	8	13	19	41
TOTAL 0-19 YRS	6808	4.6	27	1	1	3	5	8	11	27
20-34	11182	5.8	35	1	2	4	7	10	14	32
35-49	7401	6.4	36	1	2	5	8	12	15	31
50-64	8299	7.7	49	2	3	6	9	14	19	39
65+	7579	10.8	102	2	3	8	13	20	29	63
GRAND TOTAL	41269	7.0	53	1	2	5	8	13	18	40

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.2	4	1	1	2	3	4	5	10
20-34	140	2.6	5	<1	1	2	3	5	7	12
35-49	79	3.2	10	<1	1	2	4	6	10	16
50-64	47	4.0	14	<1	1	2	6	10	12	14
65+	110	5.8	45	1	1	4	8	12	15	39
B. *Operated*										
0-19 YRS	279	2.9	3	1	1	3	4	5	6	9
20-34	256	3.6	11	1	1	3	4	6	8	14
35-49	60	4.1	10	1	1	3	4	8	10	18
50-64	26	4.0	13	1	1	3	4	5	13	18
65+	28	7.4	41	2	3	5	9	13	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	4.0	22	1	1	3	5	8	11	25
20-34	651	4.5	20	1	1	3	6	9	11	21
35-49	349	5.2	31	1	1	4	6	10	14	32
50-64	417	7.0	30	1	2	6	9	14	19	26
65+	750	9.9	80	2	2	8	13	20	27	69
B. *Operated*										
0-19 YRS	219	6.4	65	1	1	4	7	13	24	72
20-34	337	7.4	90	1	2	4	9	15	22	48
35-49	168	8.4	146	1	2	5	9	15	27	77
50-64	136	11.3	134	2	2	8	13	25	39	59
65+	166	16.9	242	2	3	13	21	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	537	3.4	16	1	1	2	4	7	10	17
B. *Operated*	649	3.5	10	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	2665	6.4	46	1	1	4	8	14	19	36
B. *Operated*	1026	9.4	137	1	2	5	11	21	33	78
1. SINGLE DX	1186	3.5	13	1	1	3	4	6	9	16
2. MULTIPLE DX	3691	7.2	73	1	1	5	9	15	23	49
A. NOT OPERATED	3202	5.9	42	1	1	4	7	13	18	34
B. OPERATED	1675	7.1	96	1	1	4	8	16	26	61
TOTAL 0-19 YRS	1157	4.0	25	1	1	3	4	8	11	32
20-34	1384	4.8	37	1	1	3	5	10	13	31
35-49	656	5.7	59	1	1	4	7	11	15	42
50-64	626	7.6	55	1	2	5	10	15	21	39
65+	1054	10.5	110	1	2	7	14	23	31	79
GRAND TOTAL	**4877**	**6.3**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**43**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.8	5	<1	1	2	4	6	7	11
20-34	22	4.6	29	<1	1	3	6	11	17	25
35-49	9	5.8	37	1	1	3	10	16	16	16
50-64	8	8.0	59	3	3	5	9	21	26	26
65+	7	8.0	9	2	3	9	10	11	11	11
B. *Operated*										
0-19 YRS	22	8.9	85	1	1	8	10	19	34	38
20-34	23	9.4	110	1	1	8	12	21	31	49
35-49	12	8.1	30	<1	1	7	13	15	16	16
50-64	6	7.2	9	2	2	8	8	11	11	11
65+	3	20.7	246	3	3	26	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.1	108	1	2	3	6	9	20	64
20-34	38	10.9	110	2	2	9	12	23	34	52
35-49	21	10.3	269	1	2	5	10	20	48	77
50-64	23	10.5	158	2	2	6	10	33	44	47
65+	32	15.1	178	1	3	12	18	33	47	57
B. *Operated*										
0-19 YRS	30	22.2	405	2	3	15	29	56	67	73
20-34	62	24.0	525	5	6	15	32	80	99	99+
35-49	29	27.9	768	5	6	15	51	86	96	99+
50-64	20	32.0	511	4	8	26	45	69	79	79
65+	19	30.6	569	6	8	25	51	77	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	4.1	19	1	1	3	5	9	12	25
B. *Operated*	66	9.3	85	1	1	8	12	20	31	47
2. MULTIPLE DX										
A. *Not Operated*	153	10.4	158	1	2	6	12	24	38	64
B. *Operated*	160	26.1	548	4	6	17	38	73	90	99+
1. SINGLE DX	176	6.1	49	1	1	4	8	13	19	37
2. MULTIPLE DX	313	18.4	418	2	2	11	24	54	76	99+
A. NOT OPERATED	263	7.8	109	1	1	4	9	17	27	56
B. OPERATED	226	21.2	471	2	3	13	29	61	80	99+
TOTAL 0-19 YRS	155	8.3	168	1	1	3	8	21	36	67
20-34	145	15.3	332	1	2	10	20	43	69	99+
35-49	71	16.5	485	1	2	9	16	54	77	99
50-64	57	17.3	362	2	2	10	24	46	58	79
65+	61	19.4	337	2	3	13	29	51	65	99
GRAND TOTAL	**489**	**14.0**	**321**	**1**	**2**	**8**	**16**	**38**	**62**	**99**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	2	<1	<1	1	3	4	5	6
20-34	88	1.8	1	<1	<1	1	2	4	4	6
35-49	31	2.5	8	<1	<1	1	3	8	9	11
50-64	24	2.1	2	<1	<1	2	3	4	5	6
65+	48	3.2	11	1	1	2	4	7	12	15
B. *Operated*										
0-19 YRS	678	3.0	3	1	1	3	4	5	6	7
20-34	2066	3.1	3	1	1	3	4	5	6	9
35-49	564	3.0	4	<1	1	3	4	5	6	11
50-64	303	3.0	6	<1	1	2	4	5	7	13
65+	278	3.4	22	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.3	8	<1	1	2	5	8	10	12
20-34	119	3.5	14	<1	1	2	4	8	11	21
35-49	53	4.8	15	<1	1	3	8	11	13	15
50-64	59	7.4	109	1	1	5	8	15	19	59
65+	159	7.7	46	1	1	6	10	16	25	35
B. *Operated*										
0-19 YRS	102	5.1	28	1	1	3	6	10	18	28
20-34	450	4.4	11	1	1	3	5	8	10	17
35-49	194	4.5	32	1	1	3	5	8	11	20
50-64	225	5.8	50	1	1	4	7	11	14	33
65+	435	8.1	99	1	1	4	10	21	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	2.3	5	<1	<1	1	3	5	6	12
B. *Operated*	3889	3.1	5	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	427	5.7	42	1	1	4	8	12	16	35
B. *Operated*	1406	5.8	51	1	1	4	7	11	19	38
1. SINGLE DX	4106	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX	1833	5.8	49	1	1	4	7	12	18	37
A. NOT OPERATED	644	4.6	32	<1	1	3	6	11	15	27
B. OPERATED	5295	3.8	18	1	1	3	4	6	9	23
TOTAL 0-19 YRS	843	3.2	6	1	1	3	4	5	6	12
20-34	2723	3.3	5	1	1	3	4	5	7	12
35-49	842	3.5	12	1	1	3	4	6	9	13
50-64	611	4.4	35	<1	1	3	5	9	12	27
65+	920	6.3	67	1	1	3	8	16	24	46
GRAND TOTAL	**5939**	**3.9**	**20**	**1**	**1**	**3**	**4**	**7**	**10**	**24**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.1	9	<1	<1	2	4	6	7	20
20-34	172	2.8	9	<1	<1	2	4	5	7	17
35-49	60	3.4	14	<1	<1	2	5	6	11	20
50-64	45	2.9	3	1	1	3	4	6	6	7
65+	18	6.3	61	1	2	3	6	21	27	28
B. *Operated*										
0-19 YRS	4602	3.5	4	1	1	3	5	6	7	10
20-34	9133	3.7	5	1	2	3	5	6	7	11
35-49	4025	4.0	6	1	2	4	5	7	8	12
50-64	2050	4.3	7	1	2	4	6	7	9	13
65+	408	5.8	28	1	2	5	7	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.7	10	<1	<1	1	4	6	9	17
20-34	142	3.0	12	<1	<1	1	4	6	10	17
35-49	81	3.6	12	<1	<1	3	5	7	9	20
50-64	71	4.6	16	<1	<1	3	7	10	12	19
65+	36	9.3	136	1	1	6	9	22	31	63
B. *Operated*										
0-19 YRS	2113	4.2	9	1	2	4	5	7	9	16
20-34	4703	4.5	13	1	2	4	5	8	10	18
35-49	2395	4.8	16	1	2	4	6	8	11	22
50-64	2091	5.3	22	1	2	4	6	10	13	24
65+	671	7.0	45	2	2	5	8	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	3.2	12	<1	<1	2	4	6	7	21
B. *Operated*	20218	3.8	6	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	421	3.9	26	<1	<1	2	5	8	12	23
B. *Operated*	11973	4.8	17	1	2	4	6	8	11	22
1. SINGLE DX	20637	3.8	6	1	1	3	5	6	8	12
2. MULTIPLE DX	12394	4.8	17	1	2	4	6	8	11	22
A. NOT OPERATED	840	3.5	19	<1	<1	2	4	7	10	22
B. OPERATED	32191	4.2	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	6930	3.7	6	1	1	3	5	6	7	12
20-34	14150	4.0	8	1	1	4	5	7	8	13
35-49	6561	4.3	10	1	2	4	5	7	9	17
50-64	4257	4.8	15	1	2	4	6	8	11	21
65+	1133	6.6	42	2	2	5	8	13	18	32
GRAND TOTAL	**33031**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	3.9	15	<1	1	3	5	8	10	22
20-34	271	5.8	39	1	1	4	7	11	14	35
35-49	167	6.0	20	1	1	5	8	11	13	22
50-64	85	6.7	32	1	2	5	9	13	20	28
65+	56	7.7	62	1	1	6	8	16	26	43
B. *Operated*										
0-19 YRS	1070	3.5	26	<1	1	2	4	8	14	26
20-34	1206	4.6	28	1	1	3	5	10	15	28
35-49	590	5.5	34	1	1	3	8	13	17	28
50-64	395	5.4	45	1	1	3	7	12	16	34
65+	245	6.9	84	1	1	4	8	16	21	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	7.0	68	1	1	5	8	13	26	42
20-34	376	8.1	60	1	2	7	9	14	20	49
35-49	255	7.9	53	2	3	7	9	13	18	42
50-64	195	8.4	40	1	2	7	12	16	21	33
65+	169	10.9	107	1	2	8	13	22	31	53
B. *Operated*										
0-19 YRS	486	8.9	128	1	1	5	11	22	32	62
20-34	1021	10.4	144	1	2	6	14	24	36	65
35-49	537	10.3	140	1	2	6	13	24	35	64
50-64	485	9.1	115	1	2	5	11	25	33	67
65+	380	14.9	240	1	2	9	20	37	50	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	756	5.7	31	1	1	4	7	11	14	30
B. *Operated*	3506	4.7	35	1	1	3	5	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	1151	8.4	64	1	2	7	10	16	22	48
B. *Operated*	2909	10.5	151	1	1	6	14	26	37	63
1. SINGLE DX	4262	4.9	34	1	1	3	6	11	16	30
2. MULTIPLE DX	4060	9.9	127	1	2	6	12	23	33	59
A. NOT OPERATED	1907	7.3	53	1	1	6	9	14	20	42
B. OPERATED	6415	7.3	96	1	1	4	9	18	27	51
TOTAL 0-19 YRS	1889	5.2	60	1	1	2	6	12	20	42
20-34	2874	7.2	81	1	1	4	9	17	24	47
35-49	1549	7.6	77	1	1	5	9	16	23	49
50-64	1160	7.5	75	1	1	5	9	16	26	47
65+	850	11.3	169	1	1	7	15	28	40	63
GRAND TOTAL	**8322**	**7.3**	**86**	**1**	**1**	**4**	**9**	**17**	**25**	**49**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	2.7	5	<1	1	2	4	6	7	9
20-34	324	2.9	6	<1	1	2	3	6	7	12
35-49	178	3.5	7	1	1	3	4	7	9	13
50-64	135	4.6	39	1	1	3	5	8	10	23
65+	121	6.5	39	1	2	5	8	12	16	36
B. *Operated*										
0-19 YRS	1598	3.7	5	1	1	3	5	6	8	11
20-34	2472	3.9	6	1	1	4	5	7	8	13
35-49	559	4.5	11	1	2	4	6	8	10	15
50-64	215	5.6	10	2	2	5	7	10	11	17
65+	80	8.2	60	2	3	6	10	15	18	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	4.3	21	1	1	3	5	9	11	16
20-34	247	4.3	12	<1	1	3	6	9	10	16
35-49	166	5.8	27	1	2	4	7	10	19	38
50-64	262	6.9	31	1	2	5	9	13	17	27
65+	476	9.0	54	2	3	7	11	17	23	36
B. *Operated*										
0-19 YRS	1374	4.7	8	1	2	4	6	8	10	15
20-34	2317	5.1	12	1	2	5	6	8	11	18
35-49	657	5.9	20	1	2	5	7	11	14	23
50-64	316	7.6	50	1	2	6	9	15	21	41
65+	158	11.4	88	2	3	9	16	22	25	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	994	3.6	16	1	1	3	5	7	9	16
B. *Operated*	4924	4.0	8	1	1	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	1299	6.7	38	1	2	5	9	14	18	31
B. *Operated*	4822	5.5	19	1	2	5	6	9	13	23
1. SINGLE DX	5918	4.0	9	1	1	3	5	7	9	14
2. MULTIPLE DX	6121	5.7	23	1	2	5	7	10	14	25
A. NOT OPERATED	2293	5.4	31	1	1	4	7	11	15	27
B. OPERATED	9746	4.7	14	1	1	4	6	8	10	18
TOTAL 0-19 YRS	3356	4.1	8	1	1	4	5	7	9	14
20-34	5360	4.4	9	1	1	4	6	7	9	16
35-49	1560	5.1	17	1	2	4	6	9	12	21
50-64	928	6.5	35	1	2	5	8	12	16	28
65+	835	9.0	60	2	3	7	11	17	23	41
GRAND TOTAL	**12039**	**4.9**	**17**	**1**	**1**	**4**	**6**	**9**	**11**	**21**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	539	5.0	11	1	1	4	7	9	11	15
20-34	5099	6.2	15	2	2	5	8	11	13	19
35-49	4791	6.7	15	2	3	6	9	11	14	20
50-64	2313	6.9	16	2	3	6	9	12	14	21
65+	714	7.0	23	2	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	52	5.5	13	1	1	5	8	11	12	15
20-34	983	8.1	35	2	2	7	11	15	19	28
35-49	853	8.2	32	2	2	7	11	16	19	24
50-64	217	8.9	35	2	2	8	12	18	20	25
65+	20	10.7	45	<1	2	12	14	20	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	430	5.8	18	1	2	5	7	11	14	21
20-34	4231	7.5	22	2	3	7	10	13	16	24
35-49	5152	8.1	24	3	3	7	10	14	17	25
50-64	4117	8.3	27	3	3	7	10	14	18	27
65+	3095	9.2	38	2	3	8	12	16	20	32
B. *Operated*										
0-19 YRS	48	8.7	42	2	3	7	12	17	23	32
20-34	786	10.7	53	2	3	9	14	20	24	40
35-49	1004	11.5	62	2	4	10	15	21	26	40
50-64	554	12.0	56	3	4	11	16	22	26	37
65+	211	15.4	120	4	6	13	18	27	36	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13456	6.5	16	2	2	6	8	11	14	20
B. *Operated*	2125	8.2	34	2	2	7	11	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	17025	8.1	27	2	3	7	10	14	18	26
B. *Operated*	2603	11.6	64	2	4	10	15	21	26	41
1. SINGLE DX	15581	6.7	19	2	2	6	9	12	15	21
2. MULTIPLE DX	19628	8.6	33	2	3	7	11	15	19	29
A. NOT OPERATED	30481	7.4	23	2	3	6	9	13	16	24
B. OPERATED	4728	10.1	53	2	3	9	14	19	23	36
TOTAL 0-19 YRS	1069	5.5	16	1	2	5	7	10	13	19
20-34	11099	7.2	24	2	2	6	9	13	16	24
35-49	11800	7.8	26	2	3	7	10	14	17	25
50-64	7201	8.1	28	2	3	7	10	14	18	27
65+	4040	9.1	43	2	3	8	12	16	21	33
GRAND TOTAL	**35209**	**7.8**	**28**	**2**	**3**	**7**	**10**	**14**	**17**	**26**

362: Sprains and strains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1061	3.4	8	1	1	3	4	7	9	13
20-34	3808	5.6	14	1	2	5	7	10	12	17
35-49	2801	6.3	18	1	2	5	8	11	14	22
50-64	1205	6.4	16	1	2	6	8	12	14	19
65+	403	6.8	20	1	2	6	9	13	16	20
B. *Operated*										
0-19 YRS	44	4.8	16	1	2	3	6	12	14	17
20-34	895	6.3	24	1	2	5	9	13	16	23
35-49	677	7.0	30	1	2	6	9	15	17	25
50-64	182	7.3	32	2	2	6	9	14	18	31
65+	21	8.8	19	3	4	7	12	16	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1102	4.3	14	1	1	3	6	9	11	15
20-34	5501	6.6	20	1	2	6	8	12	15	22
35-49	4748	7.5	25	2	3	6	10	14	17	25
50-64	3045	7.3	23	2	2	6	9	13	17	24
65+	2141	8.2	33	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	54	6.2	16	1	1	5	10	12	14	16
20-34	873	9.5	46	2	3	8	13	18	21	31
35-49	908	9.8	49	2	3	8	13	19	23	36
50-64	426	11.0	56	2	3	9	14	21	26	36
65+	146	13.6	122	3	4	11	16	23	37	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9278	5.7	16	1	2	5	7	11	13	19
B. *Operated*	1819	6.7	27	1	2	5	9	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	16537	7.0	24	1	2	6	9	13	16	24
B. *Operated*	2407	10.1	54	2	3	9	13	19	23	36
1. SINGLE DX	11097	5.9	18	1	2	5	8	11	14	20
2. MULTIPLE DX	18944	7.4	29	2	2	6	10	14	17	27
A. NOT OPERATED	25815	6.6	21	1	2	6	8	12	15	23
B. OPERATED	4226	8.6	45	2	2	7	12	17	21	33
TOTAL 0-19 YRS	2261	3.9	11	1	1	3	5	8	10	15
20-34	11077	6.4	21	1	2	5	8	12	15	23
35-49	9134	7.3	26	2	2	6	9	14	17	26
50-64	4858	7.4	26	2	2	6	9	14	17	26
65+	2711	8.3	37	2	3	7	11	15	19	31
GRAND TOTAL	**30041**	**6.8**	**25**	**1**	**2**	**6**	**9**	**13**	**16**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	434	2.8	6	<1	1	2	3	6	8	13
20-34	526	3.3	7	<1	1	2	4	7	8	12
35-49	332	3.5	7	1	1	3	5	7	8	14
50-64	274	3.9	10	1	1	3	5	8	10	16
65+	258	5.1	17	1	1	4	7	10	15	19
B. *Operated*										
0-19 YRS	933	2.9	4	1	1	2	4	5	6	8
20-34	2205	3.2	4	1	1	3	4	5	6	10
35-49	1572	3.7	5	1	2	3	4	6	7	13
50-64	1482	4.6	9	2	2	4	6	7	9	15
65+	469	6.0	18	2	3	5	7	10	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	292	3.4	7	1	1	3	4	6	9	16
20-34	616	4.2	11	1	1	3	5	8	11	17
35-49	524	5.2	21	1	1	4	6	10	15	27
50-64	614	5.9	29	1	2	4	8	12	16	22
65+	1144	7.8	44	2	2	6	10	15	20	34
B. *Operated*										
0-19 YRS	276	3.7	13	1	1	3	4	6	8	14
20-34	656	4.3	15	1	1	3	5	8	10	22
35-49	529	4.9	24	1	2	4	6	8	11	18
50-64	798	6.6	33	2	2	5	8	12	17	31
65+	451	9.5	91	2	3	6	11	19	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1824	3.6	9	1	1	3	5	7	9	15
B. *Operated*	6661	3.8	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	3190	5.9	30	1	1	4	7	12	16	27
B. *Operated*	2710	5.9	38	1	2	4	7	11	16	33
1. SINGLE DX	8485	3.7	7	1	1	3	5	7	8	14
2. MULTIPLE DX	5900	5.9	34	1	2	4	7	12	16	29
A. NOT OPERATED	5014	5.1	24	1	1	4	6	10	14	24
B. OPERATED	9371	4.4	17	1	2	3	5	8	10	21
TOTAL 0-19 YRS	1935	3.1	6	1	1	3	4	5	7	12
20-34	4003	3.6	7	1	1	3	4	6	8	14
35-49	2957	4.1	12	1	1	3	5	7	9	16
50-64	3168	5.3	20	1	2	4	6	9	13	22
65+	2322	7.5	47	2	2	6	9	15	19	36
GRAND TOTAL	**14385**	**4.6**	**19**	**1**	**1**	**4**	**5**	**9**	**12**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10573	1.7	2	<1	1	1	2	3	4	7
20-34	3243	2.2	4	<1	1	2	3	4	6	9
35-49	922	2.7	6	<1	1	2	3	6	7	11
50-64	452	2.9	8	1	1	2	4	6	8	11
65+	292	3.9	28	1	1	2	4	8	11	26
B. *Operated*										
0-19 YRS	63	2.3	11	1	1	1	2	4	7	22
20-34	50	5.1	148	<1	1	2	4	9	15	84
35-49	16	4.1	7	<1	1	4	6	8	9	9
50-64	8	6.3	14	1	2	6	7	12	14	14
65+	5	5.8	15	2	2	4	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10335	2.5	7	1	1	2	3	5	6	12
20-34	8327	3.5	14	1	1	2	4	7	10	16
35-49	3159	4.5	21	1	1	3	6	9	13	22
50-64	2332	5.2	28	1	1	4	7	10	14	25
65+	2674	7.4	55	1	1	5	9	16	21	38
B. *Operated*										
0-19 YRS	2471	4.7	59	1	1	2	5	10	16	47
20-34	2884	5.4	60	1	1	3	6	12	18	41
35-49	1040	6.1	77	1	1	4	7	13	20	57
50-64	740	8.0	123	1	1	5	9	18	27	59
65+	826	10.3	151	1	2	6	13	24	36	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15482	1.9	3	<1	1	1	2	3	5	9
B. *Operated*	142	3.8	60	1	1	2	4	8	11	29
2. MULTIPLE DX										
A. *Not Operated*	26827	3.8	20	1	1	2	5	8	11	21
B. *Operated*	7961	6.0	80	1	1	3	7	13	21	53
1. SINGLE DX	15624	1.9	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	34788	4.3	34	1	1	2	5	9	13	30
A. NOT OPERATED	42309	3.1	14	1	1	2	4	7	9	18
B. OPERATED	8103	6.0	80	1	1	3	6	13	21	52
TOTAL 0-19 YRS	23442	2.3	11	1	1	2	2	4	6	14
20-34	14504	3.6	22	<1	1	2	4	7	10	23
35-49	5137	4.5	31	1	1	3	6	9	13	25
50-64	3532	5.5	47	1	1	4	7	11	15	35
65+	3797	7.8	76	1	1	5	10	17	24	50
GRAND TOTAL	**50412**	**3.6**	**26**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3056	2.1	10	<1	1	1	2	4	6	14
20-34	1129	3.3	39	<1	1	2	3	7	10	22
35-49	341	4.5	61	1	1	2	5	8	14	36
50-64	173	4.0	19	<1	1	2	4	9	13	24
65+	205	6.4	46	1	1	4	8	14	22	31
B. *Operated*										
0-19 YRS	176	11.2	180	1	2	7	12	22	32	78
20-34	168	12.9	172	1	3	9	16	27	45	99
35-49	123	14.6	213	2	3	10	17	29	46	77
50-64	144	14.2	162	3	5	11	15	27	40	66
65+	212	17.7	239	4	6	13	22	44	68	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3476	3.4	29	1	1	2	3	7	11	27
20-34	2438	5.2	62	<1	1	3	6	11	17	47
35-49	1030	5.6	48	1	1	4	7	12	18	39
50-64	833	6.8	65	1	1	4	9	15	24	49
65+	1392	9.8	111	1	2	6	13	21	31	60
B. *Operated*										
0-19 YRS	1080	15.5	414	1	1	6	24	54	76	99+
20-34	1301	16.8	441	1	1	9	27	59	93	99+
35-49	524	15.8	374	1	1	9	24	53	85	99+
50-64	497	20.0	396	1	2	14	30	56	80	99+
65+	730	21.6	348	2	3	17	31	53	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4904	2.8	23	<1	1	1	3	6	9	23
B. *Operated*	823	14.3	200	2	3	10	17	31	48	96
2. MULTIPLE DX										
A. *Not Operated*	9169	5.4	60	1	1	3	6	12	19	45
B. *Operated*	4132	17.6	408	1	1	10	27	56	84	99+
1. SINGLE DX	5727	4.4	65	<1	1	2	4	11	17	46
2. MULTIPLE DX	13301	9.2	200	1	1	4	10	27	46	99+
A. NOT OPERATED	14073	4.5	49	<1	1	2	5	10	16	38
B. OPERATED	4955	17.0	375	1	1	10	25	52	79	99+
TOTAL 0-19 YRS	7788	4.7	99	1	1	2	4	10	22	70
20-34	5036	8.0	188	<1	1	3	8	23	44	99+
35-49	2018	8.6	168	1	1	4	9	23	40	99+
50-64	1647	11.1	207	1	1	6	13	30	47	99+
65+	2539	13.6	217	1	2	9	18	34	50	99+
GRAND TOTAL	**19028**	**7.7**	**164**	**1**	**1**	**3**	**8**	**22**	**37**	**95**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.0	5	1	1	2	4	5	8	11
20-34	211	3.4	5	1	1	3	5	7	8	10
35-49	90	4.2	10	1	1	3	6	8	10	17
50-64	49	4.2	11	1	1	3	5	8	9	21
65+	26	3.9	13	<1	1	3	5	9	11	15
B. *Operated*										
0-19 YRS	156	6.6	24	1	3	5	8	12	17	24
20-34	362	6.3	14	2	3	5	8	11	13	20
35-49	110	5.8	9	2	3	5	7	10	11	17
50-64	71	6.8	31	2	2	5	9	13	15	34
65+	26	9.3	70	2	4	6	11	22	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	4.7	22	1	1	4	6	9	11	23
20-34	470	5.2	24	1	1	4	7	10	12	24
35-49	280	6.4	36	1	2	5	8	12	15	24
50-64	238	7.0	62	1	2	5	9	13	19	32
65+	266	9.1	65	2	3	7	11	18	23	39
B. *Operated*										
0-19 YRS	385	11.1	126	3	4	8	12	21	39	72
20-34	1061	10.7	106	3	3	8	12	19	31	64
35-49	455	11.2	106	3	4	8	14	23	30	67
50-64	330	14.9	229	3	4	10	16	36	49	79
65+	244	16.2	235	3	4	11	20	35	47	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	3.6	7	1	1	3	5	7	8	14
B. *Operated*	725	6.5	19	2	3	5	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	1474	6.3	42	1	2	5	8	12	16	30
B. *Operated*	2475	11.9	142	3	4	8	14	24	37	73
1. SINGLE DX	1214	5.3	16	1	1	4	7	10	13	22
2. MULTIPLE DX	3949	9.9	112	2	2	7	11	19	30	65
A. NOT OPERATED	1963	5.7	35	1	1	4	7	11	14	27
B. OPERATED	3200	10.7	119	3	3	8	12	21	32	66
TOTAL 0-19 YRS	874	7.7	76	1	2	5	9	15	22	59
20-34	2104	8.0	70	1	2	6	9	14	21	48
35-49	935	8.5	72	2	2	6	10	17	24	52
50-64	688	10.6	153	2	2	7	12	21	37	69
65+	562	11.9	151	2	3	8	14	25	36	72
GRAND TOTAL	**5163**	**8.8**	**93**	**1**	**2**	**6**	**10**	**17**	**25**	**58**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1088	3.8	10	1	1	3	5	8	10	16
20-34	644	3.4	8	1	1	3	4	7	8	15
35-49	160	3.7	9	1	1	3	5	8	10	14
50-64	81	3.8	11	1	1	3	4	8	11	15
65+	41	4.9	28	<1	1	3	6	13	18	23
B. *Operated*										
0-19 YRS	577	7.0	14	2	3	6	8	11	14	21
20-34	655	7.9	26	2	4	7	9	12	17	29
35-49	192	7.5	18	2	3	7	9	12	16	22
50-64	72	9.0	21	3	5	8	10	13	19	28
65+	36	11.0	106	2	2	8	12	22	35	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1083	4.2	12	1	1	3	5	8	11	17
20-34	969	4.4	15	1	1	3	5	9	12	17
35-49	370	4.7	21	1	1	4	6	8	12	25
50-64	195	5.9	21	1	2	5	8	12	14	22
65+	228	7.3	40	1	2	6	10	13	18	36
B. *Operated*										
0-19 YRS	1407	12.9	152	3	5	9	14	27	41	73
20-34	2247	14.0	167	4	5	10	16	29	42	90
35-49	867	15.0	171	5	6	11	17	31	44	83
50-64	480	17.7	228	5	6	12	22	41	52	99+
65+	290	19.4	240	4	6	15	24	39	58	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2014	3.7	10	1	1	3	5	8	10	16
B. *Operated*	1532	7.7	23	2	3	7	9	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	2845	4.7	18	1	1	3	6	10	12	21
B. *Operated*	5291	14.5	176	4	5	10	17	31	44	84
1. SINGLE DX	3546	5.4	19	1	1	5	7	10	13	22
2. MULTIPLE DX	8136	11.1	143	1	2	8	13	24	36	74
A. NOT OPERATED	4859	4.3	15	1	1	3	5	9	11	19
B. OPERATED	6823	13.0	150	3	5	9	14	27	39	79
TOTAL 0-19 YRS	4155	7.4	76	1	1	5	9	14	22	50
20-34	4515	9.6	112	1	2	7	11	19	30	68
35-49	1589	10.6	126	1	2	8	12	22	34	67
50-64	828	12.8	174	2	2	9	15	29	45	82
65+	595	13.3	178	2	2	9	17	30	42	79
GRAND TOTAL	**11682**	**9.4**	**112**	**1**	**2**	**7**	**11**	**19**	**30**	**64**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.6	3	<1	1	2	3	5	6	10
20-34	43	2.4	3	<1	1	2	3	4	5	12
35-49	20	3.2	5	<1	1	3	4	6	8	9
50-64	8	8.6	176	<1	<1	5	6	31	41	41
65+	7	9.0	283	1	1	4	4	38	47	47
B. *Operated*										
0-19 YRS	901	2.9	6	1	1	2	4	6	8	12
20-34	536	3.1	5	1	1	3	4	6	8	12
35-49	230	3.7	8	1	1	3	5	7	8	12
50-64	115	3.2	6	1	1	2	4	7	8	12
65+	81	3.4	9	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.1	5	<1	1	3	4	6	9	11
20-34	98	3.2	6	1	1	2	4	6	8	14
35-49	48	4.0	6	1	1	4	6	8	8	11
50-64	26	4.3	9	1	1	3	5	10	11	12
65+	37	5.9	16	1	2	5	8	11	14	16
B. *Operated*										
0-19 YRS	825	4.3	29	1	1	3	5	8	11	24
20-34	817	4.9	28	1	1	4	6	9	12	26
35-49	333	5.1	25	1	1	4	6	10	14	21
50-64	231	6.0	59	1	1	4	6	12	16	44
65+	219	7.0	51	1	2	5	9	14	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.2	25	<1	1	2	3	5	6	38
B. *Operated*	1863	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	317	3.7	8	1	1	3	5	8	10	14
B. *Operated*	2425	5.0	34	1	1	4	6	10	13	28
1. SINGLE DX	2022	3.1	8	1	1	2	4	6	8	12
2. MULTIPLE DX	2742	4.9	31	1	1	4	6	9	13	27
A. NOT OPERATED	476	3.5	14	<1	1	3	4	7	9	14
B. OPERATED	4288	4.2	23	1	1	3	5	8	11	22
TOTAL 0-19 YRS	1915	3.5	16	1	1	2	4	7	9	17
20-34	1494	4.1	19	1	1	3	5	8	10	19
35-49	631	4.4	17	1	1	3	6	9	11	19
50-64	380	5.1	43	1	1	3	6	9	13	42
65+	344	6.1	44	1	1	4	8	13	17	47
GRAND TOTAL	**4764**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	425	2.2	3	<1	1	2	3	4	6	10
20-34	368	2.5	4	<1	<1	2	3	5	6	10
35-49	139	2.5	4	<1	<1	2	3	5	7	10
50-64	77	2.4	12	<1	1	2	3	5	5	24
65+	86	3.2	16	<1	1	2	4	8	11	24
B. *Operated*										
0-19 YRS	1585	2.2	11	<1	<1	1	2	4	6	13
20-34	951	2.7	7	<1	1	2	3	5	8	14
35-49	356	3.3	13	<1	1	2	4	6	9	23
50-64	189	3.5	31	1	1	2	4	7	10	32
65+	122	3.4	14	<1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	957	2.7	11	<1	1	2	3	5	7	13
20-34	1421	3.2	19	<1	1	2	4	6	9	19
35-49	654	3.7	16	<1	1	3	5	8	10	17
50-64	543	4.6	20	1	1	3	6	9	12	23
65+	1122	6.7	52	1	1	5	8	14	18	36
B. *Operated*										
0-19 YRS	2618	3.5	26	<1	1	2	4	7	10	26
20-34	3510	4.6	42	<1	1	3	5	9	14	37
35-49	1393	5.5	55	1	1	3	6	12	18	50
50-64	1033	5.8	43	1	1	4	7	12	17	36
65+	1441	7.8	81	1	1	5	10	17	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1095	2.4	5	<1	1	2	3	5	6	11
B. *Operated*	3203	2.6	11	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	4697	4.2	27	<1	1	3	5	9	12	24
B. *Operated*	9995	5.0	47	1	1	3	6	11	16	39
1. SINGLE DX	4298	2.6	10	<1	1	2	3	5	7	14
2. MULTIPLE DX	14692	4.7	41	1	1	3	5	10	15	34
A. NOT OPERATED	5792	3.8	23	<1	1	2	5	8	11	23
B. OPERATED	13198	4.4	40	<1	1	2	5	9	14	34
TOTAL 0-19 YRS	5585	2.9	18	<1	1	2	3	6	8	20
20-34	6250	3.9	30	<1	1	2	4	8	11	26
35-49	2542	4.6	37	<1	1	3	5	9	14	31
50-64	1842	5.1	35	1	1	3	6	10	14	32
65+	2771	7.0	66	1	1	4	9	15	21	45
GRAND TOTAL	**18990**	**4.3**	**35**	**<1**	**1**	**2**	**5**	**9**	**13**	**30**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	584	2.4	17	<1	1	2	3	4	5	10
20-34	1228	2.5	6	<1	1	2	3	5	6	11
35-49	390	2.8	10	<1	1	2	3	5	8	14
50-64	118	3.3	21	<1	1	2	3	8	12	27
65+	38	4.0	24	1	1	3	4	9	13	27
B. *Operated*										
0-19 YRS	812	3.7	20	<1	1	2	5	8	11	17
20-34	1143	5.1	29	1	1	4	6	10	13	25
35-49	372	5.0	19	1	1	4	7	10	13	24
50-64	152	5.2	24	1	1	4	7	11	13	26
65+	58	7.0	58	1	1	4	9	17	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	377	3.1	10	1	1	2	4	6	8	19
20-34	926	3.7	12	<1	1	3	5	7	10	17
35-49	306	4.6	34	1	1	3	5	9	13	31
50-64	182	5.8	79	1	1	4	6	11	14	49
65+	133	8.6	88	1	2	6	11	17	24	49
B. *Operated*										
0-19 YRS	807	7.2	71	1	1	5	9	14	22	45
20-34	2186	9.0	91	1	2	7	10	17	25	57
35-49	777	9.9	86	1	2	8	12	21	31	55
50-64	294	10.9	131	1	2	8	13	23	34	60
65+	165	13.8	222	2	2	9	17	35	46	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2358	2.6	10	<1	1	2	3	5	7	12
B. *Operated*	2537	4.7	26	<1	1	3	6	9	12	25
2. MULTIPLE DX										
A. *Not Operated*	1924	4.3	28	1	1	3	5	9	12	26
B. *Operated*	4229	9.1	96	1	2	7	11	18	27	57
1. SINGLE DX	4895	3.7	19	<1	1	2	5	8	10	20
2. MULTIPLE DX	6153	7.6	80	1	1	5	9	15	23	54
A. NOT OPERATED	4282	3.3	19	<1	1	2	4	7	9	19
B. OPERATED	6766	7.5	74	1	1	5	9	15	22	53
TOTAL 0-19 YRS	2580	4.4	38	<1	1	3	5	9	13	31
20-34	5483	5.8	53	1	1	4	7	12	17	42
35-49	1845	6.6	56	1	1	4	8	14	20	47
50-64	746	7.3	88	1	1	5	9	15	23	56
65+	394	10.1	144	1	2	7	12	23	36	61
GRAND TOTAL	**11048**	**5.9**	**57**	**1**	**1**	**4**	**7**	**12**	**17**	**43**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	551	3.0	6	<1	1	2	4	6	7	12
20-34	855	2.9	6	<1	1	2	4	5	6	11
35-49	284	3.5	9	<1	1	3	5	7	10	14
50-64	146	3.7	12	<1	1	3	5	7	10	21
65+	68	4.3	22	1	1	3	5	9	10	31
B. *Operated*										
0-19 YRS	4020	2.3	5	<1	1	2	3	4	6	11
20-34	5825	2.6	8	<1	1	2	3	5	7	14
35-49	2346	2.6	9	<1	1	2	3	5	7	15
50-64	1447	2.8	12	<1	1	2	3	5	8	17
65+	565	3.3	20	1	1	2	3	7	11	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	423	3.8	15	<1	1	3	5	7	10	22
20-34	913	4.0	26	<1	1	3	5	7	10	24
35-49	376	4.7	24	<1	1	3	6	10	12	30
50-64	242	5.1	26	1	1	4	6	10	14	28
65+	246	7.3	46	1	2	5	9	17	20	38
B. *Operated*										
0-19 YRS	2810	3.5	23	1	1	2	4	7	10	23
20-34	4835	3.8	27	1	1	2	4	7	11	28
35-49	1954	4.4	36	1	1	3	5	9	14	34
50-64	1296	4.8	41	1	1	3	5	10	16	38
65+	692	6.2	71	1	1	3	7	14	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1904	3.1	8	<1	1	2	4	6	7	13
B. *Operated*	14203	2.6	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	2200	4.6	27	<1	1	3	5	9	13	27
B. *Operated*	11587	4.1	32	1	1	2	4	8	13	32
1. SINGLE DX	16107	2.6	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	13787	4.2	31	1	1	3	5	8	13	31
A. NOT OPERATED	4104	3.9	19	<1	1	3	5	7	10	22
B. OPERATED	25790	3.2	20	<1	1	2	3	6	10	23
TOTAL 0-19 YRS	7804	2.8	12	<1	1	2	3	5	8	17
20-34	12428	3.2	17	<1	1	2	4	6	9	20
35-49	4960	3.5	22	<1	1	2	4	7	10	24
50-64	3131	3.9	26	1	1	2	4	8	12	28
65+	1571	5.3	49	1	1	3	6	12	18	39
GRAND TOTAL	**29894**	**3.3**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**23**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	3.2	9	<1	1	2	4	6	8	14
20-34	893	3.4	9	<1	1	3	4	7	9	15
35-49	289	4.0	11	1	1	3	5	7	11	18
50-64	112	3.7	11	1	1	2	4	9	11	16
65+	87	5.3	37	1	1	4	7	12	15	36
B. *Operated*										
0-19 YRS	2541	4.1	23	1	1	3	5	8	12	24
20-34	1982	5.2	43	1	1	3	6	10	16	33
35-49	690	5.1	41	1	1	3	6	10	15	35
50-64	387	6.2	57	1	1	4	7	14	19	39
65+	204	9.7	97	1	2	7	13	20	32	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	4.5	12	1	1	4	6	8	11	17
20-34	547	5.1	33	1	1	4	6	10	14	24
35-49	271	6.6	40	1	2	5	9	12	16	27
50-64	266	7.0	40	1	2	5	9	13	17	37
65+	303	9.5	84	2	2	7	12	18	21	56
B. *Operated*										
0-19 YRS	1158	7.9	99	1	1	5	9	18	28	53
20-34	1412	9.3	129	1	2	6	11	21	32	70
35-49	566	11.1	198	1	2	6	12	26	42	74
50-64	469	12.1	185	1	2	7	15	30	42	70
65+	419	15.8	238	2	2	10	22	39	48	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2143	3.5	11	1	1	3	4	7	9	16
B. *Operated*	5804	4.9	38	1	1	3	6	10	15	33
2. MULTIPLE DX										
A. *Not Operated*	1756	6.2	43	1	2	5	8	12	17	29
B. *Operated*	4024	10.1	154	1	2	6	12	24	37	69
1. SINGLE DX	7947	4.5	31	1	1	3	5	9	13	29
2. MULTIPLE DX	5780	9.0	123	1	2	5	10	20	31	63
A. NOT OPERATED	3899	4.8	27	1	1	3	6	9	13	23
B. OPERATED	9828	7.0	92	1	1	4	8	16	25	52
TOTAL 0-19 YRS	4830	4.9	41	1	1	3	5	10	15	34
20-34	4834	6.0	65	1	1	4	7	12	19	45
35-49	1816	7.0	93	1	1	4	8	14	23	56
50-64	1234	8.4	107	1	1	5	10	19	31	58
65+	1013	11.8	159	1	2	7	15	27	40	68
GRAND TOTAL	**13727**	**6.4**	**75**	**1**	**1**	**4**	**7**	**14**	**21**	**47**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.2	25	<1	<1	2	2	6	19	22
20-34	19	3.2	11	<1	<1	2	3	8	11	14
35-49	10	4.9	10	2	2	4	5	10	11	11
50-64	7	3.1	5	1	1	3	5	7	7	7
65+	7	5.7	11	2	2	6	8	10	11	11
B. *Operated*										
0-19 YRS	56	4.2	12	1	1	3	6	8	10	20
20-34	117	4.8	18	1	1	3	7	9	13	20
35-49	34	6.6	54	1	2	4	7	12	28	33
50-64	28	4.9	24	<1	1	4	6	12	17	20
65+	8	7.4	62	<1	1	4	11	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.3	10	1	1	2	4	8	10	14
20-34	33	3.9	11	<1	1	3	5	9	11	15
35-49	14	4.8	15	<1	1	3	8	10	12	12
50-64	26	10.0	182	1	1	6	10	20	44	63
65+	40	9.2	69	1	2	6	12	22	28	35
B. *Operated*										
0-19 YRS	144	9.9	256	1	1	5	10	23	51	95
20-34	382	11.5	213	1	1	6	13	31	43	72
35-49	129	12.8	301	1	1	7	16	33	71	99+
50-64	77	11.2	239	1	1	5	13	37	51	95
65+	39	13.6	218	1	2	9	20	47	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.6	16	<1	1	2	4	8	11	22
B. *Operated*	243	5.0	24	1	1	4	6	10	14	29
2. MULTIPLE DX										
A. *Not Operated*	152	6.3	63	1	1	4	8	14	20	39
B. *Operated*	771	11.5	238	1	1	6	13	31	52	95
1. SINGLE DX	317	4.7	22	1	1	3	6	10	13	25
2. MULTIPLE DX	923	10.6	213	1	1	5	12	27	45	93
A. NOT OPERATED	226	5.4	49	<1	1	3	7	12	17	36
B. OPERATED	1014	9.9	194	1	1	5	11	25	42	89
TOTAL 0-19 YRS	270	7.0	153	1	1	3	7	13	24	89
20-34	551	9.3	163	1	1	5	11	24	36	68
35-49	187	10.6	229	1	1	6	12	26	51	97
50-64	138	9.3	179	1	1	5	11	20	45	85
65+	94	10.6	131	1	2	7	15	25	40	99+
GRAND TOTAL	**1240**	**9.1**	**171**	**1**	**1**	**5**	**10**	**23**	**37**	**85**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	4.5	20	1	1	3	6	9	14	22
20-34	217	5.4	39	<1	1	4	6	10	14	45
35-49	104	6.6	21	1	2	6	9	13	16	23
50-64	86	5.9	18	1	1	5	9	12	13	18
65+	77	10.5	74	1	3	8	14	24	33	84
B. *Operated*										
0-19 YRS	989	4.0	18	1	1	3	5	8	11	24
20-34	1838	4.1	19	1	1	3	5	8	10	23
35-49	867	4.6	30	1	1	3	5	9	12	27
50-64	521	5.6	51	1	2	3	6	11	16	36
65+	207	7.5	45	1	2	5	11	16	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	6.6	97	1	1	4	7	12	21	68
20-34	405	8.2	112	1	1	5	9	18	36	79
35-49	305	8.3	74	1	2	6	10	18	22	55
50-64	280	9.1	59	2	2	7	12	19	26	38
65+	410	13.4	149	2	3	10	18	28	35	82
B. *Operated*										
0-19 YRS	762	4.7	42	1	1	3	5	9	15	40
20-34	1626	6.1	69	1	2	3	6	13	21	46
35-49	914	6.4	58	1	2	4	7	14	21	48
50-64	685	9.2	122	1	2	5	11	21	31	69
65+	410	14.1	182	2	2	10	19	31	46	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	591	6.2	37	1	1	5	8	13	17	34
B. *Operated*	4422	4.5	27	1	1	3	5	9	13	27
2. MULTIPLE DX										
A. *Not Operated*	1579	9.6	109	1	2	6	12	21	30	70
B. *Operated*	4397	7.1	88	1	2	4	8	17	27	56
1. SINGLE DX	5013	4.7	28	1	1	3	5	10	13	28
2. MULTIPLE DX	5976	7.8	94	1	2	4	9	18	28	58
A. NOT OPERATED	2170	8.6	91	1	2	6	10	19	27	63
B. OPERATED	8819	5.8	59	1	1	3	6	13	19	44
TOTAL 0-19 YRS	2037	4.5	35	1	1	3	5	9	13	30
20-34	4086	5.4	51	1	1	3	6	11	16	40
35-49	2190	5.9	49	1	2	4	7	12	18	44
50-64	1572	7.8	85	1	2	5	9	17	25	49
65+	1104	12.3	142	2	2	9	17	27	35	77
GRAND TOTAL	**10989**	**6.4**	**66**	**1**	**1**	**4**	**7**	**14**	**21**	**45**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1302	4.2	5	1	2	4	5	6	8	12
20-34	555	3.7	5	1	1	3	5	6	7	13
35-49	166	4.0	17	1	1	4	5	6	6	11
50-64	66	3.8	4	1	2	4	5	6	7	11
65+	38	4.2	6	1	1	4	6	8	9	11
B. *Operated*										
0-19 YRS	49	5.9	15	1	2	6	9	12	13	15
20-34	14	6.4	17	2	2	5	9	12	15	16
35-49	9	4.9	6	2	2	4	7	9	9	9
50-64	9	4.7	24	1	1	2	5	13	16	16
65+	11	3.8	10	1	1	3	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	707	4.1	9	1	1	4	5	7	9	16
20-34	481	3.8	8	1	1	3	5	7	9	16
35-49	213	4.2	12	1	1	4	5	8	10	14
50-64	124	4.7	23	1	1	4	6	8	11	30
65+	167	8.0	75	2	2	5	9	17	25	51
B. *Operated*										
0-19 YRS	128	5.3	15	1	1	5	7	11	13	20
20-34	126	5.9	33	1	1	5	7	11	13	38
35-49	44	7.2	55	1	2	4	9	15	23	38
50-64	30	6.9	32	2	2	5	9	12	20	27
65+	57	9.2	68	1	1	7	12	21	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2127	4.0	6	1	2	4	5	6	7	12
B. *Operated*	92	5.5	15	1	2	4	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	1692	4.5	18	1	1	4	5	8	11	20
B. *Operated*	385	6.4	36	1	1	5	8	12	18	35
1. SINGLE DX	2219	4.1	6	1	2	4	5	6	8	13
2. MULTIPLE DX	2077	4.8	22	1	1	4	6	9	12	26
A. NOT OPERATED	3819	4.2	11	1	1	4	5	7	9	16
B. OPERATED	477	6.2	32	1	2	5	8	12	16	32
TOTAL 0-19 YRS	2186	4.3	7	1	1	4	5	7	9	14
20-34	1176	4.0	10	1	1	4	5	7	9	16
35-49	432	4.4	19	1	1	4	5	7	11	23
50-64	229	4.8	19	1	1	4	5	9	11	27
65+	273	7.6	64	1	2	5	8	16	24	39
GRAND TOTAL	**4296**	**4.4**	**14**	**1**	**1**	**4**	**5**	**7**	**10**	**19**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3211	2.0	3	<1	1	2	2	4	5	9
20-34	2562	2.7	6	<1	1	2	3	6	7	12
35-49	1144	3.4	10	1	1	2	4	7	9	16
50-64	837	3.9	13	1	1	3	5	8	11	20
65+	1194	5.3	24	1	1	4	7	10	14	21
B. *Operated*										
0-19 YRS	508	3.5	23	<1	1	2	4	7	9	17
20-34	473	3.7	10	<1	1	3	5	7	9	14
35-49	229	4.7	25	1	1	3	5	11	15	25
50-64	211	4.9	15	1	1	4	7	10	13	19
65+	158	7.4	47	1	2	5	9	17	20	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5157	2.7	8	<1	1	2	3	5	7	13
20-34	6255	3.6	12	<1	1	3	5	7	10	16
35-49	3360	4.7	20	1	1	3	6	9	12	21
50-64	3382	5.5	26	1	1	4	7	11	15	23
65+	9255	8.4	64	2	2	6	11	17	22	43
B. *Operated*										
0-19 YRS	747	4.0	16	1	1	3	5	9	12	19
20-34	1169	6.0	54	1	1	4	7	13	17	38
35-49	616	7.8	73	1	1	5	10	16	24	44
50-64	621	10.2	100	1	2	7	13	22	29	52
65+	992	14.7	194	2	3	11	19	30	38	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8948	3.0	9	<1	1	2	4	6	9	15
B. *Operated*	1579	4.3	22	1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	27409	5.4	37	1	1	4	7	11	16	29
B. *Operated*	4145	8.6	106	1	1	5	11	20	27	54
1. SINGLE DX	10527	3.2	12	<1	1	2	4	7	9	16
2. MULTIPLE DX	31554	5.8	47	1	1	4	7	12	17	33
A. NOT OPERATED	36357	4.8	31	1	1	3	6	10	14	26
B. OPERATED	5724	7.4	86	1	1	4	9	17	23	47
TOTAL 0-19 YRS	9623	2.6	8	<1	1	2	3	5	7	13
20-34	10459	3.6	16	<1	1	2	4	7	10	18
35-49	5349	4.8	25	1	1	3	6	10	13	25
50-64	5051	5.8	36	1	1	4	7	12	16	30
65+	11599	8.6	75	1	2	6	11	17	23	47
GRAND TOTAL	**42081**	**5.2**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**30**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	2.8	9	1	1	2	3	6	7	19
20-34	207	2.9	6	<1	1	2	4	5	7	12
35-49	68	3.1	6	1	1	2	4	7	10	11
50-64	36	4.0	11	1	1	3	5	9	12	14
65+	11	4.1	12	1	1	3	7	9	11	11
B. *Operated*										
0-19 YRS	126	6.4	65	<1	1	4	8	17	24	43
20-34	277	6.1	100	1	1	3	6	13	24	46
35-49	136	6.9	99	1	1	4	8	14	28	48
50-64	100	6.9	102	1	1	3	7	16	42	74
65+	28	6.0	44	1	1	3	8	15	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.6	11	1	1	3	5	6	10	18
20-34	179	4.2	11	1	1	3	5	8	10	18
35-49	87	5.0	34	1	1	3	6	10	19	29
50-64	54	5.3	19	1	2	4	6	12	16	20
65+	42	9.5	101	2	2	6	11	20	33	51
B. *Operated*										
0-19 YRS	227	8.8	131	1	1	4	10	22	31	47
20-34	490	8.8	119	1	1	5	10	22	30	56
35-49	266	9.5	119	1	1	5	12	26	37	50
50-64	163	11.4	239	1	1	5	14	29	43	76
65+	43	12.8	223	1	2	6	18	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	3.0	8	1	1	2	4	6	8	14
B. *Operated*	667	6.4	91	1	1	3	7	14	25	47
2. MULTIPLE DX										
A. *Not Operated*	488	4.8	26	1	1	3	6	10	14	26
B. *Operated*	1189	9.4	142	1	1	5	12	23	36	61
1. SINGLE DX	1201	4.9	57	1	1	3	5	10	15	43
2. MULTIPLE DX	1677	8.1	113	1	1	4	9	20	30	54
A. NOT OPERATED	1022	3.8	17	1	1	3	5	7	11	22
B. OPERATED	1856	8.4	126	1	1	4	9	21	34	58
TOTAL 0-19 YRS	691	5.6	66	1	1	3	6	14	21	39
20-34	1153	6.4	83	1	1	3	7	14	23	51
35-49	557	7.4	92	1	1	4	9	17	31	44
50-64	353	8.4	151	1	1	4	9	20	37	73
65+	124	9.4	129	1	1	6	12	23	40	68
GRAND TOTAL	**2878**	**6.8**	**92**	**1**	**1**	**3**	**7**	**16**	**25**	**51**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	1.6	2	<1	<1	1	2	3	5	8
20-34	24	4.2	147	<1	<1	2	2	3	22	61
35-49	9	2.2	2	<1	<1	2	3	5	5	5
50-64	5	1.2		<1	<1	<1	1	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	58	1.9	3	<1	<1	1	2	4	6	10
20-34	35	2.4	4	<1	<1	2	3	6	6	9
35-49	11	3.4	13	<1	<1	2	4	9	13	13
50-64	6	2.8	5	<1	<1	2	5	6	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5		<1	<1	1	2	3	3	3
20-34	22	2.5	4	1	1	2	3	4	7	10
35-49	8	2.4	2	<1	<1	2	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	21	3.3	9	<1	1	2	4	8	10	13
20-34	27	3.8	11	1	1	3	4	9	11	15
35-49	12	4.9	8	<1	1	5	7	8	9	9
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.2	34	<1	<1	1	2	3	5	30
B. *Operated*	112	2.3	5	<1	<1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	46	2.2	3	<1	<1	2	3	4	4	10
B. *Operated*	64	3.9	11	<1	1	3	5	8	11	15
1. SINGLE DX	220	2.3	19	<1	<1	1	2	5	6	11
2. MULTIPLE DX	110	3.2	8	<1	1	2	4	7	9	14
A. NOT OPERATED	154	2.2	25	<1	<1	1	2	4	5	10
B. OPERATED	176	2.9	7	<1	<1	2	3	6	9	13
TOTAL 0-19 YRS	161	1.9	3	<1	<1	1	2	4	6	10
20-34	108	3.2	37	<1	1	2	3	6	9	34
35-49	40	3.4	8	<1	<1	2	5	7	9	13
50-64	16	1.9	2	<1	<1	1	2	5	6	6
65+	5	5.0	21	2	2	3	6	13	13	13
GRAND TOTAL	**330**	**2.6**	**15**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2266	1.4	1	<1	<1	1	1	2	3	6
20-34	512	1.8	3	<1	<1	1	2	3	5	10
35-49	474	1.6	3	<1	<1	1	2	3	4	7
50-64	546	1.8	3	<1	<1	1	2	3	4	10
65+	514	1.9	4	<1	1	1	2	4	5	11
B. *Operated*										
0-19 YRS	512	2.1	4	<1	1	1	2	4	6	9
20-34	145	3.3	18	<1	1	2	4	8	11	23
35-49	98	3.2	10	<1	1	2	4	8	11	15
50-64	106	3.8	19	<1	1	2	4	9	12	24
65+	102	4.0	19	1	1	2	5	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	444	2.6	7	<1	1	2	3	5	7	14
20-34	210	3.1	17	<1	1	2	3	7	10	22
35-49	239	3.3	10	<1	1	2	5	7	9	16
50-64	434	3.5	20	1	1	2	4	7	11	23
65+	777	4.5	22	1	1	3	6	10	14	22
B. *Operated*										
0-19 YRS	213	4.3	29	<1	<1	2	5	8	17	27
20-34	151	7.3	96	1	1	5	8	14	26	59
35-49	142	6.9	43	<1	1	5	9	16	22	28
50-64	285	8.5	126	1	1	5	10	17	27	67
65+	426	8.1	91	1	1	5	10	19	26	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4312	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	963	2.8	10	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	2104	3.6	17	<1	1	2	4	8	11	20
B. *Operated*	1217	7.3	85	1	1	4	9	16	24	46
1. SINGLE DX	5275	1.8	4	<1	<1	1	2	3	5	11
2. MULTIPLE DX	3321	5.0	45	1	1	3	6	11	16	32
A. NOT OPERATED	6416	2.3	8	<1	<1	1	2	5	7	14
B. OPERATED	2180	5.3	57	<1	1	3	6	13	18	36
TOTAL 0-19 YRS	3435	1.9	5	<1	<1	1	2	3	5	10
20-34	1018	3.1	25	<1	<1	1	3	7	10	26
35-49	953	3.0	15	<1	<1	1	3	7	10	22
50-64	1371	3.9	41	<1	1	2	4	9	14	28
65+	1819	4.6	37	1	1	2	5	11	15	30
GRAND TOTAL	**8596**	**3.0**	**22**	**<1**	**<1**	**1**	**3**	**7**	**10**	**23**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	7.5	45	1	1	5	10	17	21	33
20-34	134	6.6	33	<1	1	5	10	16	18	23
35-49	56	8.1	38	1	2	6	11	15	20	32
50-64	43	10.9	56	1	1	9	16	23	25	28
65+	33	17.1	188	2	4	13	24	35	49	53
B. *Operated*										
0-19 YRS	378	13.0	160	1	2	9	18	30	40	62
20-34	352	13.1	196	2	2	8	16	30	44	69
35-49	168	14.0	180	2	2	10	17	33	43	66
50-64	154	16.1	281	2	3	10	22	36	48	89
65+	92	22.5	326	4	5	17	33	50	53	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	8.6	68	1	1	6	11	20	26	45
20-34	237	8.4	57	1	1	6	12	18	22	43
35-49	144	10.3	96	1	2	8	14	22	28	71
50-64	112	13.2	111	2	2	11	18	25	36	51
65+	116	15.6	131	3	4	12	23	31	37	53
B. *Operated*										
0-19 YRS	523	21.2	287	3	4	16	29	46	56	97
20-34	612	22.8	343	3	5	18	32	51	65	99+
35-49	391	25.1	460	3	4	20	38	63	93	99+
50-64	347	27.1	382	4	6	23	41	57	71	99+
65+	332	31.4	435	6	9	28	46	69	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	8.4	59	1	1	6	11	18	23	35
B. *Operated*	1144	14.3	210	2	2	9	19	34	45	69
2. MULTIPLE DX										
A. *Not Operated*	860	10.4	90	1	2	8	14	23	29	52
B. *Operated*	2205	24.8	381	3	5	20	36	56	72	99+
1. SINGLE DX	1584	12.7	175	1	2	8	16	29	41	68
2. MULTIPLE DX	3065	20.7	341	2	3	15	30	50	64	99+
A. NOT OPERATED	1300	9.7	80	1	2	7	13	21	27	46
B. OPERATED	3349	21.2	347	2	3	16	31	50	64	99+
TOTAL 0-19 YRS	1326	14.7	208	1	2	10	21	34	46	76
20-34	1335	16.1	265	1	2	11	22	40	54	90
35-49	759	18.6	345	2	3	12	27	49	67	99+
50-64	656	21.1	332	2	4	15	30	47	61	98
65+	573	25.9	385	4	6	21	37	56	74	99+
GRAND TOTAL	**4649**	**18.0**	**299**	**2**	**2**	**12**	**25**	**44**	**58**	**99**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1525	5.7	30	1	1	4	8	12	17	25
20-34	940	5.3	34	1	1	3	7	12	16	29
35-49	419	5.3	31	1	1	3	7	14	16	24
50-64	200	7.2	47	1	1	5	11	15	20	30
65+	117	10.6	88	1	1	8	15	25	30	62
B. *Operated*										
0-19 YRS	291	9.1	78	1	2	7	11	21	27	44
20-34	247	10.5	109	1	2	7	14	24	33	51
35-49	115	10.4	101	1	2	8	13	21	32	51
50-64	67	13.8	175	1	2	10	18	33	42	64
65+	37	16.4	199	1	2	11	25	39	48	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2592	6.2	35	1	1	5	8	14	17	29
20-34	1877	5.9	40	1	1	4	8	13	17	29
35-49	960	7.3	53	1	1	5	10	17	22	35
50-64	669	8.8	74	1	2	6	12	20	26	41
65+	550	13.9	190	2	3	10	17	29	39	79
B. *Operated*										
0-19 YRS	562	13.1	162	1	2	9	17	30	40	60
20-34	589	13.8	145	2	3	10	19	30	41	62
35-49	338	15.9	206	1	3	12	21	33	52	83
50-64	251	20.7	282	2	4	17	28	45	60	99+
65+	219	30.7	503	4	6	26	46	69	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3201	5.8	36	1	1	4	8	13	17	28
B. *Operated*	757	10.5	109	1	2	7	13	23	33	50
2. MULTIPLE DX										
A. *Not Operated*	6648	7.2	61	1	1	5	10	16	21	37
B. *Operated*	1959	16.8	248	2	3	12	22	39	51	87
1. SINGLE DX	3958	6.7	53	1	1	4	9	15	21	37
2. MULTIPLE DX	8607	9.4	119	1	1	6	12	21	31	60
A. NOT OPERATED	9849	6.7	53	1	1	4	9	15	20	34
B. OPERATED	2716	15.0	217	1	2	10	20	34	48	76
TOTAL 0-19 YRS	4970	7.0	56	1	1	5	9	15	21	37
20-34	3653	7.3	70	1	1	4	10	17	23	43
35-49	1832	8.7	93	1	1	6	12	19	26	53
50-64	1187	11.3	144	1	2	7	15	26	35	66
65+	923	17.6	307	2	2	12	23	42	57	94
GRAND TOTAL	**12565**	**8.5**	**100**	**1**	**1**	**5**	**11**	**19**	**28**	**52**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	3.0	9	1	1	2	4	6	8	15
20-34	184	4.5	15	1	1	3	6	9	14	17
35-49	98	5.8	28	<1	<1	4	8	11	16	27
50-64	59	8.4	195	1	1	4	9	15	23	83
65+	31	9.8	162	1	1	4	15	22	30	64
B. *Operated*										
0-19 YRS	358	2.7	12	<1	1	2	3	4	7	14
20-34	719	2.9	10	<1	1	2	3	5	9	16
35-49	266	3.0	8	<1	1	2	3	6	10	14
50-64	153	4.3	60	<1	1	2	3	8	15	32
65+	41	5.7	75	<1	1	3	7	12	16	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	4.5	34	1	1	3	5	9	14	33
20-34	241	7.3	147	1	1	4	8	14	20	95
35-49	179	7.4	65	1	2	6	9	14	19	50
50-64	132	9.2	143	1	2	6	9	17	29	69
65+	207	12.0	152	2	3	8	14	25	36	95
B. *Operated*										
0-19 YRS	338	4.1	47	1	1	2	4	8	19	80
20-34	689	5.8	106	1	1	3	5	13	28	99+
35-49	270	7.5	177	1	1	3	6	17	43	79
50-64	187	9.1	205	1	1	4	11	31	77	99+
65+	93	14.9	303	1	2	7	24	40	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	5.1	48	1	1	3	6	10	15	28
B. *Operated*	1537	3.1	17	<1	1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	897	8.3	119	1	1	5	9	17	26	84
B. *Operated*	1577	6.6	135	1	1	3	6	17	35	99+
1. SINGLE DX	2061	3.6	26	<1	1	2	4	7	11	23
2. MULTIPLE DX	2474	7.2	130	1	1	4	7	17	31	99+
A. NOT OPERATED	1421	7.1	95	1	1	4	8	14	21	66
B. OPERATED	3114	4.9	80	<1	1	2	4	10	20	78
TOTAL 0-19 YRS	986	3.5	27	1	1	2	4	7	11	31
20-34	1833	4.7	67	<1	1	3	5	9	16	58
35-49	813	5.8	83	<1	1	3	6	11	18	62
50-64	531	7.6	150	1	1	4	8	17	32	99+
65+	372	11.9	188	1	2	8	15	29	41	97
GRAND TOTAL	**4535**	**5.6**	**86**	**1**	**1**	**3**	**6**	**12**	**21**	**75**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1130	2.4	4	1	1	2	3	5	6	11
20-34	1059	3.4	20	<1	1	2	4	7	9	15
35-49	436	3.7	11	1	1	3	5	7	9	17
50-64	249	4.6	17	1	1	4	6	10	12	19
65+	235	5.7	28	1	1	4	8	11	16	24
B. *Operated*										
0-19 YRS	390	4.1	16	1	1	3	5	9	13	21
20-34	576	5.2	36	1	1	3	6	11	15	37
35-49	280	5.5	27	1	1	4	7	12	16	27
50-64	165	6.3	86	1	1	3	7	15	23	69
65+	59	7.5	100	1	1	3	8	25	32	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1078	3.3	11	1	1	2	4	7	9	17
20-34	1535	4.4	31	1	1	3	5	9	12	24
35-49	786	5.3	18	1	1	4	7	10	14	22
50-64	744	6.4	42	1	1	5	8	13	17	35
65+	1276	8.9	63	2	2	7	11	17	23	43
B. *Operated*										
0-19 YRS	440	8.5	120	1	1	5	10	18	28	63
20-34	875	9.3	117	1	2	6	12	21	33	62
35-49	388	10.5	133	1	2	7	13	26	39	92
50-64	298	11.9	196	1	2	7	14	27	43	93
65+	298	18.1	335	2	3	12	23	44	63	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3109	3.4	14	1	1	2	4	7	9	18
B. *Opwrated*	1470	5.2	38	1	1	3	6	11	16	35
2. MULTIPLE DX										
A. *Not Operated*	5419	5.6	38	1	1	4	7	12	16	31
B. *Operated*	2299	10.8	167	1	2	7	13	25	39	82
1. SINGLE DX	4579	3.9	22	1	1	3	5	8	11	24
2. MULTIPLE DX	7718	7.2	82	1	1	4	9	15	23	52
A. NOT OPERATED	8528	4.8	31	1	1	3	6	10	14	27
B. OPERATED	3769	8.6	124	1	1	5	10	20	32	64
TOTAL 0-19 YRS	3038	3.8	29	1	1	2	4	8	12	26
20-34	4045	5.3	52	1	1	3	6	11	17	40
35-49	1890	6.0	47	1	1	4	7	12	18	40
50-64	1456	7.2	80	1	1	5	8	15	23	50
65+	1868	9.9	117	1	2	7	12	21	31	70
GRAND TOTAL	**12297**	**6.0**	**62**	**1**	**1**	**3**	**7**	**13**	**19**	**44**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6823	1.9	5	<1	1	1	2	3	4	8
20-34	4094	2.3	7	<1	<1	2	3	4	6	13
35-49	1451	2.7	8	<1	1	2	3	5	7	14
50-64	625	3.3	18	<1	1	2	4	7	9	15
65+	496	4.9	16	1	1	4	6	9	13	21
B. *Operated*										
0-19 YRS	18	3.2	3	1	1	3	5	6	6	6
20-34	33	3.6	9	<1	<1	2	6	9	9	11
35-49	14	3.2	15	<1	1	1	2	11	11	11
50-64	15	14.2	277	2	2	9	21	26	55	65
65+	17	7.9	25	1	2	7	12	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6490	3.9	42	<1	1	2	4	7	12	36
20-34	10804	4.5	38	<1	1	3	5	10	15	31
35-49	5752	5.0	38	1	1	3	6	11	16	31
50-64	3597	6.7	52	1	1	5	8	14	20	38
65+	5054	8.1	51	2	2	6	10	15	21	36
B. *Operated*										
0-19 YRS	84	9.2	155	1	1	5	10	24	44	89
20-34	469	9.9	151	1	1	5	13	26	36	67
35-49	308	11.3	157	<1	1	8	14	25	36	71
50-64	253	15.7	218	3	4	11	19	36	48	84
65+	442	16.6	185	3	5	13	21	34	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13489	2.3	7	<1	1	1	3	4	6	12
B. *Operated*	97	5.9	66	<1	1	3	7	13	18	47
2. MULTIPLE DX										
A. *Not Operated*	31697	5.3	44	1	1	3	6	12	17	34
B. *Operated*	1556	13.0	181	1	2	9	17	30	42	74
1. SINGLE DX	13586	2.3	8	<1	1	2	3	4	6	13
2. MULTIPLE DX	33253	5.7	53	1	1	3	7	13	19	38
A. NOT OPERATED	45186	4.4	35	<1	1	2	5	10	14	30
B. OPERATED	1653	12.5	177	1	2	8	16	28	42	73
TOTAL 0-19 YRS	13415	2.9	25	<1	1	2	3	5	8	26
20-34	15400	4.1	35	<1	1	2	4	8	14	31
35-49	7525	4.8	39	1	1	3	5	11	16	31
50-64	4490	6.8	64	1	1	4	8	15	21	41
65+	6009	8.5	64	1	2	6	10	16	23	43
GRAND TOTAL	**46839**	**4.7**	**42**	**<1**	**1**	**3**	**5**	**10**	**16**	**34**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3189	1.9	4	<1	1	1	2	4	6	9
20-34	1509	1.9	4	<1	1	1	2	3	5	9
35-49	740	2.2	5	<1	1	1	2	4	6	13
50-64	442	2.2	4	1	1	2	3	4	6	10
65+	223	2.5	7	1	1	2	3	5	8	14
B. *Operated*										
0-19 YRS	45	4.2	9	1	1	3	6	8	9	15
20-34	49	4.7	11	1	1	4	6	9	11	15
35-49	19	5.3	17	1	1	4	7	10	15	18
50-64	8	6.4	20	2	2	5	8	14	16	16
65+	7	10.9	157	1	1	6	14	33	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1595	3.3	27	1	1	2	4	6	9	19
20-34	1447	3.4	33	<1	1	2	4	7	10	25
35-49	906	4.1	31	1	1	3	5	9	13	29
50-64	839	4.8	37	1	1	3	5	10	15	34
65+	626	6.6	65	1	1	4	8	15	19	53
B. *Operated*										
0-19 YRS	46	11.9	294	1	1	5	11	35	55	82
20-34	82	9.0	113	1	1	5	12	22	42	99+
35-49	68	17.1	323	1	3	11	24	44	59	98
50-64	61	14.6	288	1	2	7	19	35	60	73
65+	58	25.0	343	3	7	22	39	55	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6103	2.0	4	<1	1	1	2	4	6	10
B. *Operated*	128	5.1	21	1	1	4	7	9	15	22
2. MULTIPLE DX										
A. *Not Operated*	5413	4.1	36	1	1	2	4	8	13	32
B. *Operated*	315	15.2	288	1	2	8	22	42	59	99+
1. SINGLE DX	6231	2.0	5	<1	1	1	2	4	6	10
2. MULTIPLE DX	5728	4.7	56	1	1	2	5	10	16	44
A. NOT OPERATED	11516	3.0	20	<1	1	2	3	6	9	21
B. OPERATED	443	12.3	232	1	2	6	15	36	50	99+
TOTAL 0-19 YRS	4875	2.5	16	<1	1	1	2	5	7	15
20-34	3087	2.9	22	<1	1	2	3	5	8	22
35-49	1733	3.8	39	1	1	2	4	8	13	38
50-64	1350	4.4	43	1	1	2	5	9	14	35
65+	914	6.8	94	1	1	3	8	16	28	59
GRAND TOTAL	**11959**	**3.3**	**31**	**<1**	**1**	**2**	**3**	**7**	**10**	**30**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1729	2.5	6	<1	1	2	3	5	7	12
20-34	1084	2.6	8	<1	1	2	3	5	8	16
35-49	657	3.1	18	1	1	2	4	6	9	17
50-64	513	3.5	20	1	1	2	4	7	10	23
65+	474	4.4	21	1	1	3	5	8	13	25
B. *Operated*										
0-19 YRS	21	11.0	90	1	1	7	18	25	29	33
20-34	35	8.3	94	1	1	4	9	25	31	36
35-49	29	14.0	401	<1	1	7	16	48	92	99+
50-64	30	9.8	131	2	2	8	11	23	61	99+
65+	26	17.0	523	<1	1	8	21	43	72	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1514	4.0	26	1	1	3	5	8	11	23
20-34	1433	3.9	18	1	1	3	5	8	11	22
35-49	1403	4.7	21	1	1	3	6	10	13	24
50-64	1911	5.6	35	1	1	4	7	11	14	28
65+	3570	8.0	55	2	2	6	10	16	21	39
B. *Operated*										
0-19 YRS	68	10.3	221	1	1	5	14	29	87	99+
20-34	135	9.5	258	1	1	4	9	27	55	99+
35-49	182	12.2	238	1	1	7	15	33	53	99+
50-64	271	13.7	183	2	2	9	19	30	49	99+
65+	413	16.7	214	3	4	13	21	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4457	2.9	12	1	1	2	3	6	8	17
B. *Operated*	141	11.8	246	1	1	7	15	31	47	99+
2. MULTIPLE DX										
A. *Not Operated*	9831	5.8	39	1	1	4	7	12	17	32
B. *Operated*	1069	13.9	222	1	2	9	19	34	56	99+
1. SINGLE DX	4598	3.2	21	1	1	2	4	6	9	23
2. MULTIPLE DX	10900	6.6	63	1	1	4	8	14	20	45
A. NOT OPERATED	14288	4.9	33	1	1	3	6	11	15	28
B. OPERATED	1210	13.6	225	1	2	9	18	33	56	99+
TOTAL 0-19 YRS	3332	3.4	22	1	1	2	4	7	10	22
20-34	2687	3.7	29	1	1	2	4	7	11	27
35-49	2271	4.9	48	1	1	3	6	10	16	36
50-64	2725	6.1	55	1	1	4	7	12	18	42
65+	4483	8.5	77	1	2	6	10	17	24	56
GRAND TOTAL	**15498**	**5.6**	**53**	**1**	**1**	**3**	**7**	**12**	**18**	**40**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	4.4	19	<1	1	3	6	10	15	21
20-34	288	3.6	13	<1	<1	2	5	8	10	21
35-49	169	6.2	40	<1	1	4	9	14	19	31
50-64	228	6.0	35	1	1	4	7	13	17	29
65+	444	6.7	51	1	1	5	9	14	19	37
B. *Operated*										
0-19 YRS	1095	5.5	51	<1	1	3	7	11	15	40
20-34	2093	4.6	37	<1	1	2	5	11	16	30
35-49	1662	6.0	51	1	1	3	7	14	19	38
50-64	2565	8.2	70	1	2	5	12	18	23	41
65+	4588	9.2	88	1	2	6	13	21	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	4.9	33	1	1	3	6	12	17	35
20-34	403	5.3	21	1	1	4	7	11	15	22
35-49	339	6.6	32	1	1	5	9	14	16	31
50-64	577	8.2	90	1	2	5	10	18	27	57
65+	1170	9.2	95	1	2	6	11	20	28	49
B. *Operated*										
0-19 YRS	1142	9.6	138	1	2	6	11	23	34	59
20-34	2434	7.4	105	1	1	4	8	18	26	58
35-49	2687	9.0	127	1	2	5	11	21	29	64
50-64	5160	11.6	153	2	2	8	15	26	37	72
65+	8514	13.2	181	2	2	9	18	29	42	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1298	5.5	36	<1	1	4	7	12	17	29
B. *Operated*	12003	7.4	70	1	1	4	10	17	23	41
2. MULTIPLE DX										
A. *Not Operated*	2690	7.8	73	1	1	5	10	16	24	47
B. *Operated*	19937	11.3	159	1	2	7	15	26	37	71
1. SINGLE DX	13301	7.2	67	1	1	4	10	17	22	40
2. MULTIPLE DX	22627	10.9	150	1	2	7	14	25	36	70
A. NOT OPERATED	3988	7.0	62	1	1	5	9	15	22	42
B. OPERATED	31940	9.8	129	1	2	6	13	23	32	63
TOTAL 0-19 YRS	2607	7.2	90	<1	1	4	8	15	25	49
20-34	5218	5.9	68	<1	1	3	7	14	20	43
35-49	4857	7.7	94	1	1	4	9	17	25	53
50-64	8530	10.2	124	1	2	7	13	23	32	62
65+	14716	11.5	146	1	2	8	15	26	35	68
GRAND TOTAL	**35928**	**9.5**	**123**	**1**	**2**	**6**	**12**	**22**	**31**	**61**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	829	1.9	2	<1	1	1	2	3	5	9
20-34	1226	2.6	4	1	1	2	3	5	6	10
35-49	643	3.1	6	1	1	2	4	6	8	14
50-64	684	3.9	8	1	1	3	5	7	9	14
65+	915	4.3	9	1	1	4	5	7	9	15
B. *Operated*										
0-19 YRS	818	2.0	6	<1	1	1	2	4	5	10
20-34	1172	3.0	8	<1	1	2	4	6	8	12
35-49	570	3.4	10	1	1	2	4	7	9	16
50-64	362	4.7	20	1	1	3	6	10	13	23
65+	324	5.7	22	1	2	4	7	12	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.1	10	1	1	2	4	6	8	13
20-34	431	3.7	9	1	1	3	5	7	9	15
35-49	309	4.0	10	1	1	3	5	8	11	17
50-64	506	4.7	13	1	2	4	6	9	11	17
65+	950	5.6	21	1	2	4	7	10	14	26
B. *Operated*										
0-19 YRS	111	3.6	12	1	1	2	5	9	11	16
20-34	427	5.0	29	1	1	3	6	10	14	28
35-49	260	6.4	41	1	1	5	8	13	20	34
50-64	317	9.1	129	1	2	6	11	17	29	67
65+	472	9.3	87	1	2	7	11	20	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4297	3.1	7	1	1	2	4	6	8	12
B. *Operated*	3246	3.3	12	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	2345	4.7	16	1	1	4	6	9	12	21
B. *Operated*	1587	7.2	72	1	1	5	9	15	21	43
1. SINGLE DX	7543	3.2	9	1	1	2	4	6	8	14
2. MULTIPLE DX	3932	5.7	40	1	1	4	7	11	16	33
A. NOT OPERATED	6642	3.7	10	1	1	3	5	7	9	16
B. OPERATED	4833	4.6	35	1	1	3	5	10	14	30
TOTAL 0-19 YRS	1907	2.2	5	<1	1	1	2	4	5	11
20-34	3256	3.2	10	1	1	2	4	6	8	14
35-49	1782	3.9	14	1	1	3	5	8	10	20
50-64	1869	5.1	36	1	1	4	6	10	14	31
65+	2661	5.8	32	1	2	4	7	11	15	31
GRAND TOTAL	**11475**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	375	6.0	17	2	2	5	7	11	14	22
20-34	778	5.9	23	2	2	5	7	10	13	27
35-49	609	7.3	39	2	2	5	9	14	18	35
50-64	461	8.5	52	2	3	7	11	16	20	40
65+	373	9.0	48	2	3	7	11	17	22	38
B. *Operated*										
0-19 YRS	355	7.9	49	1	2	6	10	14	21	32
20-34	656	8.3	61	1	2	6	10	17	25	43
35-49	512	9.4	69	1	2	7	12	19	25	46
50-64	489	10.3	97	2	2	8	13	22	29	50
65+	343	12.0	133	2	2	9	15	24	36	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	6.2	20	2	2	5	8	12	15	27
20-34	548	6.6	26	2	2	5	8	12	17	25
35-49	552	8.2	38	2	3	6	10	16	21	32
50-64	732	10.5	78	3	3	8	13	21	27	51
65+	783	11.8	90	3	4	9	14	23	28	57
B. *Operated*										
0-19 YRS	208	10.6	89	1	2	8	13	22	30	47
20-34	519	11.7	123	2	3	9	14	24	35	62
35-49	585	14.2	175	2	3	10	19	30	44	68
50-64	805	15.5	196	2	3	11	20	35	49	99+
65+	803	18.6	245	3	4	14	25	43	55	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2596	7.1	36	2	2	6	9	14	18	31
B. *Operated*	2355	9.4	81	1	2	7	12	19	27	46
2. MULTIPLE DX										
A. *Not Operated*	2850	9.3	63	2	3	7	11	18	24	40
B. *Operated*	2920	15.1	192	2	3	11	20	34	47	76
1. SINGLE DX	4951	8.2	59	2	2	6	10	16	22	41
2. MULTIPLE DX	5770	12.2	136	2	3	9	15	26	36	65
A. NOT OPERATED	5446	8.3	51	2	3	6	10	16	21	37
B. OPERATED	5275	12.6	150	2	3	9	16	28	39	66
TOTAL 0-19 YRS	1173	7.4	43	1	2	6	9	14	20	32
20-34	2501	7.9	59	2	2	6	9	15	22	43
35-49	2258	9.8	88	2	2	7	12	20	28	50
50-64	2487	11.7	123	2	3	8	14	25	34	64
65+	2302	13.7	157	2	3	10	17	29	42	68
GRAND TOTAL	**10721**	**10.4**	**105**	**2**	**3**	**7**	**13**	**22**	**30**	**57**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	3.8	25	1	1	2	4	7	13	30
20-34	462	4.3	13	1	1	3	5	9	11	18
35-49	353	6.0	47	1	1	4	7	12	17	38
50-64	325	6.3	34	1	1	5	8	12	16	30
65+	336	6.5	37	1	2	5	9	13	17	26
B. *Operated*										
0-19 YRS	331	4.2	25	<1	<1	2	5	9	13	27
20-34	918	5.7	45	1	1	3	7	12	17	36
35-49	790	7.0	62	1	1	5	9	15	20	39
50-64	808	6.6	50	1	1	4	8	15	21	36
65+	768	7.8	85	1	1	5	10	18	24	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	4.3	36	1	1	3	5	9	12	38
20-34	656	5.3	26	1	1	4	7	11	14	27
35-49	637	6.6	42	1	1	5	8	13	19	32
50-64	794	7.6	46	1	2	6	10	15	20	38
65+	1112	9.5	76	1	2	7	13	19	25	43
B. *Operated*										
0-19 YRS	246	8.2	109	1	1	5	9	19	28	61
20-34	1015	8.8	88	1	2	6	10	18	26	54
35-49	1155	11.3	134	2	2	8	14	25	37	71
50-64	1686	12.8	186	1	2	9	16	28	44	84
65+	2050	14.3	197	2	2	10	19	33	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1670	5.4	31	1	1	4	7	11	15	27
B. *Operated*	3615	6.5	57	1	1	4	8	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	3451	7.3	53	1	1	5	10	15	21	38
B. *Operated*	6152	12.2	165	1	2	8	16	27	41	78
1. SINGLE DX	5285	6.2	49	1	1	4	8	13	18	36
2. MULTIPLE DX	9603	10.4	130	1	2	7	13	23	33	66
A. NOT OPERATED	5121	6.7	47	1	1	5	9	14	19	37
B. OPERATED	9767	10.1	133	1	2	6	13	23	34	66
TOTAL 0-19 YRS	1023	5.1	51	<1	1	3	6	11	18	38
20-34	3051	6.4	53	1	1	4	8	13	19	39
35-49	2935	8.5	89	1	2	6	10	18	26	54
50-64	3613	9.7	120	1	2	6	12	21	31	65
65+	4266	11.3	142	1	2	7	15	25	36	65
GRAND TOTAL	**14888**	**8.9**	**106**	**1**	**2**	**6**	**11**	**20**	**29**	**58**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.9	5	1	1	2	3	5	7	12
20-34	58	4.2	10	1	1	3	5	10	12	14
35-49	38	4.5	9	1	1	4	6	8	10	14
50-64	28	4.9	34	1	1	4	5	7	18	30
65+	17	4.4	11	1	1	4	7	9	11	12
B. *Operated*										
0-19 YRS	6	2.8	1	2	2	3	3	4	4	4
20-34	9	7.3	34	2	2	6	11	17	19	19
35-49	5	5.2	17	2	2	5	7	12	12	12
50-64	13	3.6	10	1	1	2	5	9	10	10
65+	5	3.4	9	<1	<1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	3.6	12	1	1	3	4	8	9	21
20-34	71	5.5	24	1	1	5	7	9	18	27
35-49	80	5.0	19	1	1	4	7	12	14	21
50-64	109	5.8	26	1	1	5	7	11	14	28
65+	157	4.7	17	1	1	4	6	10	13	19
B. *Operated*										
0-19 YRS	6	9.0	23	3	3	11	13	13	13	13
20-34	15	10.1	88	1	1	8	15	17	32	37
35-49	32	9.9	51	1	2	8	14	21	25	27
50-64	50	10.9	160	1	2	7	14	24	52	99+
65+	54	9.8	55	2	3	8	15	23	28	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.7	11	1	1	3	5	7	10	16
B. *Operated*	38	4.6	16	1	1	3	6	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	524	4.9	19	1	1	4	6	10	13	22
B. *Operated*	157	10.2	88	1	2	8	14	23	27	97
1. SINGLE DX	302	3.8	11	1	1	3	5	8	11	16
2. MULTIPLE DX	681	6.1	40	1	1	4	8	13	18	31
A. NOT OPERATED	788	4.5	17	1	1	3	6	9	12	22
B. OPERATED	195	9.1	79	1	2	6	13	19	25	86
TOTAL 0-19 YRS	242	3.4	9	1	1	3	4	7	9	16
20-34	153	5.6	27	1	1	4	6	11	16	29
35-49	155	5.9	27	1	1	4	8	13	17	25
50-64	200	6.8	65	1	1	5	8	14	23	62
65+	233	5.9	30	1	1	4	8	13	17	30
GRAND TOTAL	**983**	**5.4**	**32**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	81	2.3	57	<1	<1	1	2	3	4	49
35-49	28	1.7	3	<1	<1	1	2	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	235	1.9	1	<1	<1	2	2	3	4	5
20-34	27782	1.8	1	<1	<1	2	2	3	4	6
35-49	10403	1.8	1	<1	<1	2	2	3	4	5
50-64	93	1.8	1	<1	<1	2	2	3	4	5
65+	18	2.1	2	<1	<1	2	3	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	<1	1	2	2	2
20-34	369	1.3	1	<1	<1	1	1	2	3	5
35-49	148	1.4	1	<1	<1	1	1	2	4	6
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	172	2.6	3	<1	<1	2	3	5	6	9
20-34	15764	2.3	3	<1	<1	2	3	4	5	8
35-49	7384	2.3	3	<1	<1	2	3	4	6	8
50-64	70	2.6	6	<1	1	2	3	4	6	14
65+	10	4.9	73	<1	<1	2	4	17	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.1	43	<1	<1	1	2	3	4	32
B. *Operated*	38531	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	527	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	23400	2.3	3	<1	<1	2	3	4	6	8
1. SINGLE DX	38641	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	23927	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	637	1.4	8	<1	<1	1	1	2	3	6
B. OPERATED	61931	2.0	2	<1	<1	2	2	4	5	7
TOTAL 0-19 YRS	416	2.2	2	<1	<1	2	3	4	5	7
20-34	43996	2.0	2	<1	<1	2	2	4	4	7
35-49	17963	2.0	2	<1	<1	2	2	4	5	7
50-64	165	2.1	3	<1	<1	2	2	3	4	12
65+	28	3.1	27	<1	<1	2	3	5	8	29
GRAND TOTAL	**62568**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**4**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	36.0	2269	8	8	9	70	91	91	91
1000-1499	8	29.5	225	10	11	28	40	50	54	54
1500-1749	21	18.5	37	9	9	19	23	26	27	27
1750-2499	9707	3.5	5	1	2	3	4	6	7	13
2500+	566222	3.1	2	1	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499	3	43.0	228	29	29	41	54	59	59	59
1500-1749	1	32.0		32	32	32	32	32	32	32
1750-2499	18	12.0	92	2	3	12	16	21	33	41
2500+	264	4.2	14	1	2	3	5	7	8	25
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	126	57.7	589	9	21	68	85	99+	99+	99+
1000-1499	1049	40.6	245	17	23	39	51	63	71	99+
1500-1749	1556	25.2	101	11	14	24	30	38	44	59
1750-2499	23631	7.8	41	2	2	6	10	17	20	30
2500+	228791	4.1	5	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	166	70.7	506	22	42	84	99+	99+	99+	99+
1000-1499	751	50.4	316	26	30	50	64	83	99+	99+
1500-1749	498	33.5	184	16	20	32	40	53	68	99+
1750-2499	1747	17.1	167	3	5	15	22	31	41	81
2500+	4748	8.0	68	2	2	6	9	15	22	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575961	3.1	2	1	2	3	4	5	6	7
B. *Operated*	286	5.2	42	1	2	3	5	8	16	38
2. MULTIPLE DX										
A. *Not Operated*	255153	4.7	21	2	2	4	5	7	10	24
B. *Operated*	7910	17.0	362	2	3	9	23	48	69	99+
1. SINGLE DX	576247	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	263063	5.1	35	2	2	4	5	7	12	34
A. NOT OPERATED	831114	3.6	8	1	2	3	4	6	7	13
B. OPERATED	8196	16.6	356	2	3	9	22	47	68	99+
TOTAL 1-999 G	295	64.8	599	15	30	78	99	99+	99+	99+
1000-1499	1811	44.6	298	20	25	43	56	72	87	99+
1500-1749	2076	27.2	133	12	15	26	32	42	48	78
1750-2499	35103	7.1	46	2	2	5	9	16	20	31
2500+	800025	3.4	4	1	2	3	4	5	6	9
GRAND TOTAL	839310	3.7	13	1	2	3	4	6	7	16

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	21.5	25	18	18	21	25	25	25	25
1500-1749	14	20.9	25	14	17	19	22	29	30	30
1750-2499	1277	5.1	10	2	2	5	6	8	11	17
2500+	4712	4.5	4	2	2	4	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	20.0		20	20	20	20	20	20	20
1750-2499	7	12.7	97	4	4	9	20	29	30	30
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	22	58.9	494	11	17	63	72	85	86	88
1000-1499	228	38.6	246	18	21	36	48	59	72	98
1500-1749	393	24.8	86	12	15	24	29	37	43	55
1750-2499	3637	9.5	42	3	3	7	13	18	22	30
2500+	2851	5.4	7	3	3	5	6	8	10	15
B. *Operated*										
1-999 G	35	72.2	275	44	51	83	99+	99+	99+	99+
1000-1499	150	50.5	292	27	30	49	62	83	95	99+
1500-1749	108	34.0	215	15	18	30	41	55	59	96
1750-2499	237	18.2	155	4	6	16	22	31	38	70
2500+	101	10.4	166	3	4	6	12	18	24	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6005	4.7	6	2	2	4	6	7	8	14
B. *Operated*	8	13.6	90	4	4	9	21	28	30	30
2. MULTIPLE DX										
A. *Not Operated*	7131	9.8	92	3	3	6	12	21	28	52
B. *Operated*	631	30.3	521	4	6	26	47	73	92	99+
1. SINGLE DX	6013	4.7	6	2	2	4	6	7	8	14
2. MULTIPLE DX	7762	11.5	158	3	3	7	14	26	38	74
A. NOT OPERATED	13136	7.5	59	2	3	5	7	15	22	42
B. OPERATED	639	30.1	519	4	6	26	47	72	92	99+
TOTAL 1-999 G	57	67.1	395	33	46	76	95	99+	99+	99+
1000-1499	380	43.3	298	20	24	42	54	70	85	99+
1500-1749	516	26.6	125	13	15	25	31	41	49	60
1750-2499	5158	8.8	47	2	3	6	12	18	22	31
2500+	7664	4.9	8	2	3	5	6	7	8	13
GRAND TOTAL	13775	8.5	103	2	3	5	8	18	27	60

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	35.0		35	35	35	35	35	35	35
1500-1749	2	44.0		44	44	44	44	44	44	44
1750-2499	85	3.7	10	1	1	3	4	6	11	18
2500+	1380	2.6	2	1	1	3	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	78.0		78	78	78	78	78	78	78
1000-1499	16	39.8	155	13	27	43	47	50	59	63
1500-1749	33	25.4	135	9	11	24	35	43	47	48
1750-2499	223	8.7	42	2	3	7	12	18	21	29
2500+	583	4.0	6	1	2	3	5	7	9	13
B. *Operated*										
1-999 G	3	68.0	73	59	59	76	99+	99+	99+	99+
1000-1499	15	49.7	403	27	28	48	66	95	99	99+
1500-1749	6	40.3	277	19	20	38	53	64	65	65
1750-2499	13	12.0	53	2	4	8	18	22	23	23
2500+	29	9.2	78	1	2	8	11	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1468	2.8	6	1	1	3	3	4	5	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	856	6.8	69	1	2	4	7	14	23	45
B. *Operated*	66	24.5	547	2	3	16	46	68	97	99+
1. SINGLE DX	1468	2.8	6	1	1	3	3	4	5	9
2. MULTIPLE DX	922	8.0	123	1	2	4	8	19	33	66
A. NOT OPERATED	2324	4.3	33	1	1	3	4	7	12	35
B. OPERATED	66	24.5	547	2	3	16	46	68	97	99+
TOTAL 1-999 G	4	70.5	74	59	60	77	99+	99+	99+	99+
1000-1499	32	44.3	285	27	28	44	51	69	94	99+
1500-1749	41	28.5	184	10	11	25	39	46	50	65
1750-2499	321	7.5	39	1	2	5	11	16	20	28
2500+	1992	3.1	5	1	1	3	4	5	6	11
GRAND TOTAL	2390	4.8	58	1	1	3	4	8	15	46

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.9	16	<1	<1	2	3	5	11	25
20-34	97	2.3	3	<1	<1	2	3	4	6	11
35-49	33	3.7	10	<1	<1	2	7	8	9	12
50-64	31	3.0	3	<1	<1	3	4	6	6	6
65+	23	4.9	37	<1	1	2	6	13	19	27
B. *Operated*										
0-19 YRS	3291	2.5	4	<1	1	2	3	4	5	9
20-34	4973	2.6	4	<1	1	2	3	4	5	10
35-49	2136	2.8	5	<1	1	2	3	5	6	13
50-64	1801	3.3	8	1	1	3	4	6	8	15
65+	1362	5.1	27	1	1	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	72	<1	<1	1	3	10	16	51
20-34	48	1.6	2	<1	<1	1	2	3	6	8
35-49	26	2.5	8	<1	<1	2	2	6	8	14
50-64	33	6.0	155	<1	<1	2	3	14	40	53
65+	26	5.2	17	<1	1	4	7	12	15	17
B. *Operated*										
0-19 YRS	567	3.4	13	1	1	2	4	6	9	23
20-34	965	4.2	32	1	1	3	4	8	12	27
35-49	573	4.4	19	1	1	3	5	9	13	24
50-64	686	5.9	53	1	2	4	7	12	18	36
65+	728	9.1	98	2	2	6	12	20	26	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.9	11	<1	<1	2	3	6	9	17
B. *Operated*	13563	2.9	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	174	3.7	52	<1	<1	2	3	7	13	48
B. *Operated*	3519	5.5	49	1	1	3	6	12	17	35
1. SINGLE DX	13819	2.9	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	3693	5.4	49	1	1	3	6	12	17	37
A. NOT OPERATED	430	3.2	28	<1	<1	2	3	7	9	30
B. OPERATED	17082	3.5	17	<1	1	2	4	6	9	21
TOTAL 0-19 YRS	3971	2.7	6	<1	1	2	3	4	6	11
20-34	6083	2.8	9	<1	1	2	3	5	6	13
35-49	2768	3.1	8	<1	1	2	4	5	8	16
50-64	2551	4.0	23	1	1	3	4	7	11	25
65+	2139	6.5	55	1	2	4	8	14	18	38
GRAND TOTAL	17512	3.5	17	<1	1	2	4	6	9	21

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	1.2		1	1	1	1	2	2	2
35-49	5	2.6	6	1	1	2	3	7	7	7
50-64	32	1.3		<1	<1	1	1	2	3	3
65+	35	1.3		1	1	1	1	2	3	3
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	<1	1	2	2	2
20-34	9	1.9	3	<1	<1	<1	2	5	6	6
35-49	13	1.8	5	<1	<1	<1	<1	5	8	9
50-64	9	2.4	5	<1	<1	<1	3	6	7	7
65+	21	2.2	10	<1	<1	<1	1	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	1.7		1	1	2	2	2	3	3
20-34	196	1.2	2	<1	<1	1	1	1	2	7
35-49	278	1.4	1	<1	1	1	2	2	3	5
50-64	897	1.7	5	1	1	1	2	2	3	11
65+	776	1.7	5	1	1	1	2	2	3	9
B. *Operated*										
0-19 YRS	16	3.3	18	<1	<1	1	4	9	15	17
20-34	228	1.5	16	<1	<1	<1	<1	2	3	8
35-49	171	2.2	40	<1	<1	<1	1	4	8	65
50-64	299	2.2	31	<1	<1	<1	<1	4	6	18
65+	87	5.0	77	<1	<1	2	6	10	17	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.3	1	<1	1	1	1	2	3	6
B. *Operated*	58	2.0	6	<1	<1	<1	1	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	2207	1.6	4	1	1	1	2	2	3	9
B. *Operated*	801	2.3	34	<1	<1	<1	1	5	8	23
1. SINGLE DX	141	1.6	3	<1	<1	1	1	3	5	11
2. MULTIPLE DX	3008	1.8	12	<1	<1	1	2	2	4	12
A. NOT OPERATED	2290	1.6	4	1	1	1	2	2	3	9
B. OPERATED	859	2.3	32	<1	<1	<1	1	5	8	21
TOTAL 0-19 YRS	83	2.0	4	<1	<1	2	2	3	4	14
20-34	443	1.4	9	<1	<1	<1	1	1	3	8
35-49	467	1.7	16	<1	<1	1	1	2	4	12
50-64	1237	1.8	11	<1	<1	1	2	2	4	11
65+	919	2.0	13	<1	1	1	2	3	5	13
GRAND TOTAL	3149	1.8	12	<1	<1	1	2	2	4	12

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4805	2.5	12	<1	<1	2	3	5	7	15
20-34	6786	2.1	11	<1	<1	1	2	4	5	14
35-49	2412	2.9	19	<1	<1	2	3	5	8	22
50-64	3057	3.3	23	<1	1	2	4	6	10	23
65+	2710	5.1	87	<1	1	2	5	11	21	86
B. *Operated*										
0-19 YRS	2278	3.0	16	<1	<1	2	3	7	10	17
20-34	8464	3.0	10	<1	<1	2	3	6	9	14
35-49	4458	3.7	15	<1	1	2	4	9	11	16
50-64	3973	4.4	23	1	1	2	6	10	13	20
65+	3691	4.6	28	1	1	2	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4542	3.9	39	<1	<1	2	4	7	12	32
20-34	8018	4.7	50	<1	1	2	5	10	19	33
35-49	9076	4.6	46	1	1	2	5	9	19	32
50-64	21417	4.5	44	1	1	3	5	9	15	37
65+	19458	6.3	83	1	1	4	6	14	23	52
B. *Operated*										
0-19 YRS	1672	5.0	63	<1	1	2	5	11	17	53
20-34	7877	4.2	44	<1	<1	2	5	8	12	35
35-49	6673	5.1	55	<1	<1	3	5	11	15	39
50-64	9430	6.3	71	1	1	3	8	13	19	49
65+	10198	7.3	93	1	1	3	10	17	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19770	2.9	25	<1	<1	2	3	5	8	25
B. *Operated*	22864	3.6	17	<1	<1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	62511	5.1	58	1	1	3	5	11	19	42
B. *Operated*	35850	5.8	70	<1	1	3	7	13	19	48
1. SINGLE DX	42634	3.3	21	<1	<1	2	4	7	11	20
2. MULTIPLE DX	98361	5.4	62	1	1	3	6	12	19	44
A. NOT OPERATED	82281	4.6	51	<1	1	2	5	9	16	39
B. OPERATED	58714	5.0	50	<1	1	2	6	11	16	38
TOTAL 0-19 YRS	13297	3.4	29	<1	<1	2	4	7	11	28
20-34	31145	3.5	30	<1	<1	2	4	7	11	28
35-49	22619	4.4	41	<1	1	2	5	9	14	31
50-64	37877	4.9	48	1	1	3	5	10	16	38
65+	36057	6.3	81	1	1	3	7	15	23	52
GRAND TOTAL	140995	4.7	51	<1	1	2	5	10	16	39

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever